

Table 1.59A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	121,078 ^b	124,808	38,287 ^b	41,479	22,454 ^a	23,863
GEOGRAPHIC DIVISION						
Northeast	22,550	23,047	7,263	7,808	4,319	4,527
New England	6,598	6,879	2,190	2,314	1,273	1,420
Middle Atlantic	15,952	16,168	5,073	5,494	3,046	3,107
Midwest	26,283	27,070	7,839 ^a	8,602	4,738	4,797
East North Central	18,453 ^a	19,440	5,725 ^a	6,401	3,568	3,665
West North Central	7,830	7,630	2,114	2,201	1,170	1,132
South	42,916	43,696	12,753	13,575	7,114	7,456
South Atlantic	23,350	24,180	6,871	7,266	3,716	4,217
East South Central	6,826	6,496	1,977	1,986	1,239	1,039
West South Central	12,741	13,020	3,905	4,323	2,159	2,200
West	29,329 ^a	30,995	10,432 ^a	11,495	6,283 ^a	7,083
Mountain	9,109	9,619	2,947	3,284	1,653	1,894
Pacific	20,219	21,376	7,486	8,211	4,630	5,189
COUNTY TYPE						
Large Metro	65,728	67,668	21,427 ^b	23,815	12,572 ^a	13,724
Small Metro	38,181	38,944	11,965	12,388	7,007	7,250
250K – 1 Mil. Pop.	26,052	26,311	8,038	8,354	4,740	4,897
< 250K Pop.	12,129	12,634	3,927	4,035	2,267	2,353
Nonmetro	17,169	18,196	4,894	5,276	2,875	2,889
Urbanized	7,840	8,700	2,413	2,685	1,431	1,532
Less Urbanized	7,608	7,637	2,047	2,184	1,206	1,128
Completely Rural	1,721	1,860	434	407	238	229

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.59B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	47.0	48.0	14.9 ^b	16.0	8.7	9.2
GEOGRAPHIC DIVISION						
Northeast	48.1	48.9	15.5	16.6	9.2	9.6
New England	53.5	55.4	17.8	18.6	10.3	11.4
Middle Atlantic	46.1	46.5	14.7	15.8	8.8	8.9
Midwest	47.2	48.4	14.1 ^a	15.4	8.5	8.6
East North Central	47.7 ^a	50.1	14.8 ^a	16.5	9.2	9.4
West North Central	46.1	44.6	12.4	12.9	6.9	6.6
South	45.1	45.3	13.4	14.1	7.5	7.7
South Atlantic	46.5	47.5	13.7	14.3	7.4	8.3
East South Central	44.6	42.2	12.9	12.9	8.1	6.7
West South Central	42.9	43.2	13.2	14.4	7.3	7.3
West	49.0	51.2	17.4 ^a	19.0	10.5	11.7
Mountain	50.2	52.2	16.2	17.8	9.1	10.3
Pacific	48.5	50.7	18.0	19.5	11.1	12.3
COUNTY TYPE						
Large Metro	48.0	48.6	15.7 ^b	17.1	9.2	9.9
Small Metro	47.4 ^b	49.6	14.8	15.8	8.7	9.2
250K – 1 Mil. Pop.	47.8	49.7	14.7	15.8	8.7	9.3
< 250K Pop.	46.5 ^a	49.3	15.0	15.8	8.7	9.2
Nonmetro	42.7	43.1	12.2	12.5	7.2	6.8
Urbanized	46.7	47.1	14.4	14.5	8.5	8.3
Less Urbanized	39.7	40.2	10.7	11.5	6.3	5.9
Completely Rural	41.0	39.0	10.3	8.5	5.7	4.8

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.60A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	6,373 ^a	6,044	4,735 ^a	4,468	2,522	2,377
GEOGRAPHIC DIVISION						
Northeast	1,110 ^a	979	854 ^a	743	442	398
New England	307	273	250	224	138	128
Middle Atlantic	803 ^a	706	605	518	304	270
Midwest	1,304	1,285	960	951	511	512
East North Central	910	924	663	682	368	366
West North Central	395	361	297	269	144	145
South	2,209	2,258	1,585	1,655	831	849
South Atlantic	1,087	1,182	781	870	393	462
East South Central	336	330	240	226	139 ^a	104
West South Central	786	746	563	559	298	283
West	1,749 ^b	1,523	1,336 ^b	1,120	738 ^a	617
Mountain	511	494	390	364	215	218
Pacific	1,238 ^b	1,029	946 ^b	756	523 ^b	399
COUNTY TYPE						
Large Metro	3,403	3,312	2,521	2,480	1,314	1,295
Small Metro	2,013 ^a	1,815	1,507 ^a	1,330	864 ^b	716
250K – 1 Mil. Pop.	1,398 ^a	1,234	1,076 ^a	922	600	514
< 250K Pop.	615	581	432	408	265 ^a	202
Nonmetro	957	917	707	658	344	365
Urbanized	445	446	351	315	174	169
Less Urbanized	423	379	293	269	141	149
Completely Rural	89	92	63	74	28	48

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.60B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	25.5 ^a	24.2	19.0 ^a	17.9	10.1	9.5
GEOGRAPHIC DIVISION						
Northeast	25.9 ^a	23.1	20.0 ^a	17.5	10.3	9.4
New England	27.6	24.8	22.4	20.3	12.4	11.6
Middle Atlantic	25.4 ^a	22.5	19.1	16.5	9.6	8.6
Midwest	24.0	23.7	17.6	17.6	9.4	9.4
East North Central	23.9	24.4	17.4	18.0	9.7	9.7
West North Central	24.1	22.0	18.2	16.5	8.8	8.9
South	23.9	24.3	17.1	17.8	9.0	9.1
South Atlantic	23.5	25.5	16.9	18.7	8.5	10.0
East South Central	22.8	22.3	16.2	15.3	9.4 ^a	7.1
West South Central	24.9	23.4	17.8	17.5	9.4	8.9
West	29.2 ^b	25.5	22.3 ^b	18.7	12.3 ^a	10.3
Mountain	27.8	26.6	21.2	19.6	11.7	11.8
Pacific	29.8 ^b	25.0	22.8 ^b	18.4	12.6 ^a	9.7
COUNTY TYPE						
Large Metro	25.6	24.4	18.9	18.2	9.9	9.5
Small Metro	25.7	24.5	19.2	17.9	11.0 ^a	9.7
250K – 1 Mil. Pop.	26.1	24.1	20.0 ^a	18.0	11.2	10.1
< 250K Pop.	24.9	25.3	17.5	17.8	10.7	8.8
Nonmetro	25.0	23.4	18.5	16.8	9.0	9.3
Urbanized	26.3	24.6	20.7	17.4	10.3	9.3
Less Urbanized	23.9	22.4	16.6	15.9	8.0	8.8
Completely Rural	24.9	22.1	17.6	17.9	7.8	11.5

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.61A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	19,534	19,977	12,067 ^a	12,551	7,352	7,381
GEOGRAPHIC DIVISION						
Northeast	3,540	3,692	2,332 ^a	2,535	1,410	1,528
New England	1,007	1,048	701	739	446	460
Middle Atlantic	2,533	2,643	1,631 ^a	1,796	964	1,068
Midwest	4,168	4,255	2,537	2,587	1,513	1,478
East North Central	2,939	2,984	1,792	1,814	1,084	1,121
West North Central	1,229	1,271	745	773	429	357
South	6,999	7,040	4,094	4,228	2,442	2,385
South Atlantic	3,738	3,666	2,269	2,288	1,374	1,350
East South Central	1,091	1,087	623	623	376	351
West South Central	2,169	2,288	1,202	1,317	692	684
West	4,827	4,989	3,103	3,201	1,987	1,991
Mountain	1,498	1,512	885	922	534	556
Pacific	3,330	3,477	2,219	2,280	1,453	1,435
COUNTY TYPE						
Large Metro	10,500 ^a	11,244	6,708 ^a	7,295	4,179	4,420
Small Metro	6,417	6,181	3,867	3,836	2,318	2,177
250K – 1 Mil. Pop.	4,128	3,936	2,510	2,431	1,456	1,358
< 250K Pop.	2,289	2,245	1,357	1,405	862	819
Nonmetro	2,616	2,551	1,492	1,420	854	784
Urbanized	1,322	1,234	803	731	467	397
Less Urbanized	1,088	1,125	582	587	325	335
Completely Rural	206	192	107	102	62	52

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.61B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	56.9	57.8	35.2	36.3	21.4	21.3
GEOGRAPHIC DIVISION						
Northeast	57.8	60.0	38.1	41.2	23.0	24.8
New England	62.8	64.7	43.7	45.6	27.8	28.4
Middle Atlantic	56.1	58.3	36.1	39.6	21.3	23.5
Midwest	56.8	57.8	34.6	35.1	20.6	20.1
East North Central	58.0	58.8	35.4	35.7	21.4	22.1
West North Central	54.0	55.6	32.8	33.8	18.9 ^a	15.6
South	55.5	55.2	32.5	33.1	19.4	18.7
South Atlantic	58.0	56.2	35.2	35.1	21.3	20.7
East South Central	54.3	53.7	31.0	30.8	18.7	17.3
West South Central	52.1	54.3	28.9	31.3	16.6	16.2
West	58.6	60.0	37.7	38.5	24.1	23.9
Mountain	60.6	60.6	35.8	37.0	21.6	22.3
Pacific	57.8	59.7	38.5	39.2	25.2	24.6
COUNTY TYPE						
Large Metro	57.0 ^a	59.4	36.4 ^a	38.5	22.7	23.4
Small Metro	57.6	57.2	34.7	35.5	20.8	20.1
250K – 1 Mil. Pop.	58.3	57.1	35.4	35.3	20.6	19.7
< 250K Pop.	56.3	57.2	33.4	35.8	21.2	20.9
Nonmetro	55.1	52.6	31.4	29.3	18.0	16.2
Urbanized	59.9	55.5	36.4	32.9	21.2	17.9
Less Urbanized	52.0	51.5	27.8	26.9	15.5	15.4
Completely Rural	46.4	42.9	24.1	22.8	14.0	11.6

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.62A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	95,171 ^b	98,787	21,485 ^b	24,460	12,580 ^a	14,105
GEOGRAPHIC DIVISION						
Northeast	17,900	18,376	4,077	4,531	2,467	2,601
New England	5,284	5,557	1,239	1,351	689	832
Middle Atlantic	12,616	12,818	2,838	3,180	1,778	1,769
Midwest	20,810	21,530	4,341 ^a	5,063	2,714	2,808
East North Central	14,605 ^a	15,531	3,270 ^a	3,905	2,117	2,178
West North Central	6,206	5,999	1,071	1,158	597	630
South	33,708	34,398	7,074	7,692	3,841	4,222
South Atlantic	18,525	19,332	3,820	4,108	1,949	2,405
East South Central	5,398	5,080	1,114	1,137	724	584
West South Central	9,786	9,986	2,139	2,447	1,168	1,233
West	22,752 ^a	24,483	5,993 ^b	7,174	3,557 ^b	4,474
Mountain	7,101	7,614	1,672	1,999	903	1,119
Pacific	15,652	16,870	4,321 ^a	5,175	2,654 ^a	3,355
COUNTY TYPE						
Large Metro	51,824	53,111	12,198 ^b	14,041	7,079 ^a	8,009
Small Metro	29,751	30,948	6,591	7,222	3,825	4,357
250K – 1 Mil. Pop.	20,526	21,141	4,453	5,001	2,684	3,025
< 250K Pop.	9,225	9,807	2,138	2,221	1,140	1,332
Nonmetro	13,596	14,729	2,696	3,197	1,677	1,739
Urbanized	6,073	7,019	1,259	1,640	789	966
Less Urbanized	6,096	6,133	1,172	1,327	740	644
Completely Rural	1,426	1,576	265	231	148	129

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.62B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	48.0	49.3	10.8 ^b	12.2	6.3 ^a	7.0
GEOGRAPHIC DIVISION						
Northeast	49.0	50.0	11.2	12.3	6.8	7.1
New England	55.0	57.4	12.9	13.9	7.2	8.6
Middle Atlantic	46.9	47.3	10.6	11.7	6.6	6.5
Midwest	48.5	49.9	10.1 ^a	11.7	6.3	6.5
East North Central	49.0 ^a	51.8	11.0 ^a	13.0	7.1	7.3
West North Central	47.4	45.5	8.2	8.8	4.6	4.8
South	46.0	46.3	9.6	10.4	5.2	5.7
South Atlantic	47.4	48.7	9.8	10.4	5.0	6.1
East South Central	45.7	42.7	9.4	9.6	6.1	4.9
West South Central	43.7	43.9	9.6	10.8	5.2	5.4
West	49.9	52.9	13.1 ^a	15.5	7.8 ^a	9.7
Mountain	51.3	54.1	12.1	14.2	6.5	8.0
Pacific	49.3	52.4	13.6 ^a	16.1	8.4 ^a	10.4
COUNTY TYPE						
Large Metro	49.3	49.7	11.6 ^b	13.1	6.7	7.5
Small Metro	48.3 ^b	51.3	10.7	12.0	6.2	7.2
250K – 1 Mil. Pop.	48.8 ^a	51.7	10.6 ^a	12.2	6.4	7.4
< 250K Pop.	47.2	50.6	10.9	11.5	5.8	6.9
Nonmetro	43.0	44.0	8.5	9.6	5.3	5.2
Urbanized	47.1	48.6	9.8	11.3	6.1	6.7
Less Urbanized	39.8	40.6	7.7	8.8	4.8	4.3
Completely Rural	41.9	40.4	7.8	5.9	4.3	3.3

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.63A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	114,705 ^b	118,764	33,552 ^b	37,011	19,932 ^a	21,486
GEOGRAPHIC DIVISION						
Northeast	21,440	22,068	6,409	7,065	3,877	4,129
New England	6,291	6,606	1,941	2,090	1,135	1,292
Middle Atlantic	15,149	15,462	4,468	4,976	2,742	2,837
Midwest	24,978	25,785	6,878 ^a	7,651	4,227	4,285
East North Central	17,543 ^a	18,516	5,062 ^a	5,719	3,201	3,299
West North Central	7,435	7,269	1,817	1,931	1,026	987
South	40,707	41,438	11,168	11,920	6,283	6,607
South Atlantic	22,263	22,998	6,089	6,397	3,323	3,755
East South Central	6,489	6,166	1,737	1,760	1,100	935
West South Central	11,955	12,274	3,342	3,764	1,861	1,917
West	27,579 ^b	29,473	9,096 ^b	10,375	5,544 ^a	6,466
Mountain	8,598	9,126	2,557 ^a	2,920	1,438	1,676
Pacific	18,981 ^a	20,347	6,540 ^a	7,455	4,106	4,790
COUNTY TYPE						
Large Metro	62,324	64,355	18,906 ^b	21,335	11,258 ^a	12,429
Small Metro	36,168	37,129	10,458	11,058	6,143	6,534
250K – 1 Mil. Pop.	24,654	25,077	6,963	7,432	4,140	4,383
< 250K Pop.	11,514	12,052	3,495	3,626	2,003	2,150
Nonmetro	16,212	17,280	4,188	4,617	2,531	2,524
Urbanized	7,395	8,253	2,062	2,370	1,257	1,364
Less Urbanized	7,184	7,258	1,754	1,915	1,064	979
Completely Rural	1,633	1,768	372	333	210	181

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.63B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	49.3 ^a	50.5	14.4 ^b	15.7	8.6 ^a	9.1
GEOGRAPHIC DIVISION						
Northeast	50.3	51.4	15.0	16.5	9.1	9.6
New England	56.1	58.4	17.3	18.5	10.1	11.4
Middle Atlantic	48.2	48.9	14.2	15.7	8.7	9.0
Midwest	49.7	51.1	13.7 ^a	15.1	8.4	8.5
East North Central	50.3 ^a	52.8	14.5 ^a	16.3	9.2	9.4
West North Central	48.4	47.0	11.8	12.5	6.7	6.4
South	47.4	47.6	13.0	13.7	7.3	7.6
South Atlantic	48.9	49.8	13.4	13.8	7.3	8.1
East South Central	46.9	44.3	12.6	12.6	8.0	6.7
West South Central	45.1	45.6	12.6	14.0	7.0	7.1
West	51.2 ^a	54.0	16.9 ^a	19.0	10.3 ^a	11.8
Mountain	52.7	55.1	15.7	17.6	8.8	10.1
Pacific	50.6	53.5	17.4	19.6	10.9	12.6
COUNTY TYPE						
Large Metro	50.5	51.2	15.3 ^b	17.0	9.1	9.9
Small Metro	49.7 ^b	52.2	14.4	15.6	8.4	9.2
250K – 1 Mil. Pop.	50.2 ^a	52.5	14.2	15.6	8.4	9.2
< 250K Pop.	48.7	51.7	14.8	15.6	8.5	9.2
Nonmetro	44.6	45.1	11.5	12.0	7.0	6.6
Urbanized	49.0	49.5	13.7	14.2	8.3	8.2
Less Urbanized	41.3	42.0	10.1	11.1	6.1	5.7
Completely Rural	42.5	40.6	9.7	7.6	5.5	4.2

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.