

Table 1.69A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	36,921	37,688	3,857 ^b	4,671	1,369	1,650
GEOGRAPHIC DIVISION						
Northeast	6,989	7,025	921	1,042	360	387
New England	2,101	2,240	243	239	86	114
Middle Atlantic	4,888	4,785	678	803	273	273
Midwest	6,981	7,319	729	720	267	287
East North Central	5,076	5,377	567	560	218	224
West North Central	1,905	1,942	162	160	49	62
South	12,174	12,161	1,186 ^a	1,612	399	576
South Atlantic	6,627	6,757	631 ^a	970	182	356
East South Central	2,006	1,617	158	200	64	90
West South Central	3,541	3,786	397	443	154	131
West	10,777	11,183	1,020	1,297	344	400
Mountain	3,351	3,426	287	419	103	131
Pacific	7,426	7,757	732	878	241	269
COUNTY TYPE						
Large Metro	20,358	21,028	2,379 ^a	2,918	864	1,098
Small Metro	11,795	11,904	1,134	1,381	399	431
250K – 1 Mil. Pop.	8,316	8,116	765	989	253	292
< 250K Pop.	3,479	3,789	369	392	146	139
Nonmetro	4,768	4,756	343	371	106	121
Urbanized	2,098	2,397	197	154	66	59
Less Urbanized	2,135	1,992	118	167	29	34
Completely Rural	535	367	29	51	10	28

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.69B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	14.3	14.5	1.5 ^b	1.8	0.5	0.6
GEOGRAPHIC DIVISION						
Northeast	14.9	14.9	2.0	2.2	0.8	0.8
New England	17.0	18.0	2.0	1.9	0.7	0.9
Middle Atlantic	14.1	13.8	2.0	2.3	0.8	0.8
Midwest	12.5	13.1	1.3	1.3	0.5	0.5
East North Central	13.1	13.9	1.5	1.4	0.6	0.6
West North Central	11.2	11.4	1.0	0.9	0.3	0.4
South	12.8	12.6	1.2 ^a	1.7	0.4	0.6
South Atlantic	13.2	13.3	1.3 ^a	1.9	0.4	0.7
East South Central	13.1	10.5	1.0	1.3	0.4	0.6
West South Central	11.9	12.6	1.3	1.5	0.5	0.4
West	18.0	18.5	1.7	2.1	0.6	0.7
Mountain	18.5	18.6	1.6	2.3	0.6	0.7
Pacific	17.8	18.4	1.8	2.1	0.6	0.6
COUNTY TYPE						
Large Metro	14.9	15.1	1.7 ^a	2.1	0.6	0.8
Small Metro	14.6	15.2	1.4	1.8	0.5	0.5
250K – 1 Mil. Pop.	15.3	15.3	1.4 ^a	1.9	0.5	0.6
< 250K Pop.	13.3	14.8	1.4	1.5	0.6	0.5
Nonmetro	11.9	11.3	0.9	0.9	0.3	0.3
Urbanized	12.5	13.0	1.2	0.8	0.4	0.3
Less Urbanized	11.1	10.5	0.6	0.9	0.2	0.2
Completely Rural	12.7 ^a	7.7	0.7	1.1	0.2	0.6

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.70A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	337 ^a	265	229	180	67 ^b	30
GEOGRAPHIC DIVISION						
Northeast	52	35	38	24	10	6
New England	23 ^a	9	20	6	7	1
Middle Atlantic	29	26	18	17	3	5
Midwest	61	40	42 ^a	20	18 ^a	5
East North Central	47	34	34 ^a	14	15 ^a	4
West North Central	15	6	8	6	3	1
South	112	104	71	79	17	14
South Atlantic	52	27	30	23	8	2
East South Central	13	16	10	13	1	4
West South Central	48	61	31	43	7	8
West	111	86	77	57	23 ^a	5
Mountain	25	34	19	21	6	0
Pacific	86	52	59	36	17	5
COUNTY TYPE						
Large Metro	168	146	121	102	41 ^a	15
Small Metro	125 ^a	81	79	58	18	10
250K – 1 Mil. Pop.	94	60	60	43	16	7
< 250K Pop.	31	21	20	15	2	3
Nonmetro	44	39	29	20	9	5
Urbanized	23	16	14	7	2	3
Less Urbanized	16	20	13	11	6	2
Completely Rural	4	*	2	*	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.70B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	1.3 ^a	1.1	0.9	0.7	0.3 ^b	0.1
GEOGRAPHIC DIVISION						
Northeast	1.2	0.8	0.9	0.6	0.2	0.1
New England	2.1 ^a	0.8	1.8	0.6	0.6	0.1
Middle Atlantic	0.9	0.8	0.6	0.6	0.1	0.2
Midwest	1.1	0.7	0.8 ^a	0.4	0.3 ^a	0.1
East North Central	1.2	0.9	0.9 ^a	0.4	0.4 ^a	0.1
West North Central	0.9	0.4	0.5	0.3	0.2	0.1
South	1.2	1.1	0.8	0.9	0.2	0.2
South Atlantic	1.1	0.6	0.7	0.5	0.2	0.0
East South Central	0.9	1.1	0.7	0.9	0.1	0.3
West South Central	1.5	1.9	1.0	1.4	0.2	0.2
West	1.9	1.4	1.3	1.0	0.4 ^a	0.1
Mountain	1.4	1.8	1.0	1.1	0.3	0.0
Pacific	2.1	1.3	1.4	0.9	0.4	0.1
COUNTY TYPE						
Large Metro	1.3	1.1	0.9	0.7	0.3 ^b	0.1
Small Metro	1.6	1.1	1.0	0.8	0.2	0.1
250K – 1 Mil. Pop.	1.7	1.2	1.1	0.8	0.3	0.1
< 250K Pop.	1.3	0.9	0.8	0.6	0.1	0.1
Nonmetro	1.1	1.0	0.8	0.5	0.2	0.1
Urbanized	1.4	0.9	0.9	0.4	0.1	0.2
Less Urbanized	0.9	1.2	0.7	0.6	0.3	0.1
Completely Rural	1.2	*	0.5	*	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.71A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	4,253	4,267	1,563	1,600	464	398
GEOGRAPHIC DIVISION						
Northeast	728	761	314	339	93	85
New England	249	217	104	92	23	30
Middle Atlantic	479	544	209	246	69	55
Midwest	823	786	284 ^a	217	85	56
East North Central	539	543	203	157	54	45
West North Central	284	242	81	60	30	10
South	1,389	1,495	471	526	142	143
South Atlantic	656	765	254	310	75	89
East South Central	238	195	53	59	18	21
West South Central	495	535	164	158	49	34
West	1,313	1,226	494	518	145	114
Mountain	434	433	160	155	37	39
Pacific	880	793	334	363	108	74
COUNTY TYPE						
Large Metro	2,236	2,429	891	1,007	268	254
Small Metro	1,444	1,298	499	452	154	111
250K – 1 Mil. Pop.	953	814	344	291	100	75
< 250K Pop.	491	484	155	162	54	36
Nonmetro	573	541	173	141	42	32
Urbanized	312	273	100	72	26	17
Less Urbanized	215	231	55	59	13	10
Completely Rural	45	37	18	11	3	5

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.71B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	12.4	12.3	4.6	4.6	1.4	1.1
GEOGRAPHIC DIVISION						
Northeast	11.9	12.4	5.1	5.5	1.5	1.4
New England	15.5	13.4	6.5	5.7	1.4	1.9
Middle Atlantic	10.6	12.0	4.6	5.4	1.5	1.2
Midwest	11.2	10.7	3.9 ^a	2.9	1.2	0.8
East North Central	10.6	10.7	4.0	3.1	1.1	0.9
West North Central	12.5	10.6	3.6	2.6	1.3	0.5
South	11.0	11.7	3.7	4.1	1.1	1.1
South Atlantic	10.2	11.7	3.9	4.8	1.2	1.4
East South Central	11.8	9.6	2.7	2.9	0.9	1.0
West South Central	11.9	12.7	3.9	3.7	1.2	0.8
West	16.0	14.7	6.0	6.2	1.8	1.4
Mountain	17.6	17.4	6.5	6.2	1.5	1.6
Pacific	15.3	13.6	5.8	6.2	1.9	1.3
COUNTY TYPE						
Large Metro	12.1	12.8	4.8	5.3	1.5	1.3
Small Metro	13.0	12.0	4.5	4.2	1.4	1.0
250K – 1 Mil. Pop.	13.5	11.8	4.9	4.2	1.4	1.1
< 250K Pop.	12.1	12.3	3.8	4.1	1.3	0.9
Nonmetro	12.1	11.1	3.7	2.9	0.9	0.7
Urbanized	14.1	12.3	4.5	3.2	1.2	0.8
Less Urbanized	10.3	10.6	2.6	2.7	0.6	0.5
Completely Rural	10.2	8.2	3.9	2.5	0.6	1.1

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.72A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	32,332	33,156	2,065 ^b	2,890	838 ^a	1,222
GEOGRAPHIC DIVISION						
Northeast	6,209	6,229	569	680	257	296
New England	1,829	2,014	119	141	56	83
Middle Atlantic	4,380	4,214	451	539	201	213
Midwest	6,097	6,494	403	484	165	226
East North Central	4,490	4,799	330	389	149	176
West North Central	1,607	1,694	73	94	16	50
South	10,673	10,562	644 ^a	1,006	241	419
South Atlantic	5,919	5,965	346 ^a	637	99	265
East South Central	1,756	1,406	95	128	44	65
West South Central	2,999	3,191	203	242	98	89
West	9,353	9,872	448 ^a	721	176	282
Mountain	2,893	2,959	108 ^a	242	60	91
Pacific	6,460	6,913	340	479	116	190
COUNTY TYPE						
Large Metro	17,954	18,454	1,367 ^a	1,810	556	829
Small Metro	10,226	10,526	556 ^a	871	227	310
250K – 1 Mil. Pop.	7,270	7,242	361 ^b	656	137	210
< 250K Pop.	2,956	3,284	195	215	90	100
Nonmetro	4,152	4,177	141	210	55	83
Urbanized	1,763	2,108	82	76	39	40
Less Urbanized	1,903	1,741	50	97	10	21
Completely Rural	485	328	9	37	6	23

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.72B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	16.3	16.5	1.0 ^b	1.4	0.4 ^a	0.6
GEOGRAPHIC DIVISION						
Northeast	17.0	16.9	1.6	1.8	0.7	0.8
New England	19.0	20.8	1.2	1.5	0.6	0.9
Middle Atlantic	16.3	15.6	1.7	2.0	0.7	0.8
Midwest	14.2	15.0	0.9	1.1	0.4	0.5
East North Central	15.1	16.0	1.1	1.3	0.5	0.6
West North Central	12.3	12.9	0.6	0.7	0.1	0.4
South	14.6	14.2	0.9 ^a	1.4	0.3	0.6
South Atlantic	15.1	15.0	0.9 ^a	1.6	0.3	0.7
East South Central	14.9	11.8	0.8	1.1	0.4	0.5
West South Central	13.4	14.0	0.9	1.1	0.4	0.4
West	20.5	21.3	1.0 ^a	1.6	0.4	0.6
Mountain	20.9	21.0	0.8 ^a	1.7	0.4	0.6
Pacific	20.3	21.5	1.1	1.5	0.4	0.6
COUNTY TYPE						
Large Metro	17.1	17.3	1.3	1.7	0.5	0.8
Small Metro	16.6	17.5	0.9 ^a	1.4	0.4	0.5
250K – 1 Mil. Pop.	17.3	17.7	0.9 ^b	1.6	0.3	0.5
< 250K Pop.	15.1	16.9	1.0	1.1	0.5	0.5
Nonmetro	13.1	12.5	0.4	0.6	0.2	0.2
Urbanized	13.7	14.6	0.6	0.5	0.3	0.3
Less Urbanized	12.4	11.5	0.3	0.6	0.1	0.1
Completely Rural	14.3 ^a	8.4	0.3	0.9	0.2	0.6

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.73A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	36,584	37,423	3,628 ^b	4,491	1,302	1,620
GEOGRAPHIC DIVISION						
Northeast	6,937	6,990	883	1,018	349	381
New England	2,077	2,231	223	233	79	113
Middle Atlantic	4,859	4,759	660	786	270	268
Midwest	6,920	7,279	687	700	249	282
East North Central	5,030	5,343	533	546	203	221
West North Central	1,891	1,936	154	154	46	61
South	12,062	12,057	1,116 ^a	1,532	383	562
South Atlantic	6,575	6,730	601 ^a	947	174	353
East South Central	1,993	1,601	149	186	62	86
West South Central	3,494	3,725	367	399	147	123
West	10,666	11,097	942 ^a	1,240	321	395
Mountain	3,326	3,392	268	398	97	131
Pacific	7,340	7,705	674	842	224	265
COUNTY TYPE						
Large Metro	20,190	20,882	2,258 ^a	2,816	824	1,083
Small Metro	11,670	11,824	1,055	1,323	381	421
250K – 1 Mil. Pop.	8,222	8,056	706 ^a	947	237	286
< 250K Pop.	3,448	3,768	349	377	145	135
Nonmetro	4,725	4,717	315	351	97	116
Urbanized	2,075	2,380	183	147	65	57
Less Urbanized	2,119	1,973	105	156	23	31
Completely Rural	531	364	27	48	9	28

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.73B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	15.7	15.9	1.6 ^b	1.9	0.6	0.7
GEOGRAPHIC DIVISION						
Northeast	16.3	16.3	2.1	2.4	0.8	0.9
New England	18.5	19.7	2.0	2.1	0.7	1.0
Middle Atlantic	15.5	15.0	2.1	2.5	0.9	0.8
Midwest	13.8	14.4	1.4	1.4	0.5	0.6
East North Central	14.4	15.2	1.5	1.6	0.6	0.6
West North Central	12.3	12.5	1.0	1.0	0.3	0.4
South	14.0	13.8	1.3 ^a	1.8	0.4	0.6
South Atlantic	14.4	14.6	1.3 ^a	2.0	0.4	0.8
East South Central	14.4	11.5	1.1	1.3	0.5	0.6
West South Central	13.2	13.8	1.4	1.5	0.6	0.5
West	19.8	20.3	1.7	2.3	0.6	0.7
Mountain	20.4	20.5	1.6	2.4	0.6	0.8
Pacific	19.6	20.3	1.8	2.2	0.6	0.7
COUNTY TYPE						
Large Metro	16.3	16.6	1.8 ^a	2.2	0.7	0.9
Small Metro	16.0	16.6	1.4 ^a	1.9	0.5	0.6
250K – 1 Mil. Pop.	16.7	16.9	1.4 ^a	2.0	0.5	0.6
< 250K Pop.	14.6	16.2	1.5	1.6	0.6	0.6
Nonmetro	13.0	12.3	0.9	0.9	0.3	0.3
Urbanized	13.7	14.3	1.2	0.9	0.4	0.3
Less Urbanized	12.2	11.4	0.6	0.9	0.1	0.2
Completely Rural	13.8 ^a	8.4	0.7	1.1	0.2	0.6

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.