

Table 1.74A Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	8,214	9,015	625 ^a	921	228 ^a	443
GEOGRAPHIC DIVISION						
Northeast	1,388	1,331	138	177	63	86
New England	353	314	46	27	21	12
Middle Atlantic	1,035	1,017	93	150	42	74
Midwest	1,698	1,883	164	183	76	84
East North Central	1,247	1,334	137	163	66	77
West North Central	451	549	27	20	9	7
South	2,870	3,410	245 ^a	477	76	241
South Atlantic	1,578	1,875	136 ^a	319	43	194
East South Central	473	544	55	47	9	37
West South Central	819	991	53	111	23	11
West	2,258	2,391	78	84	14	32
Mountain	692	839	22	54	7	26
Pacific	1,566	1,552	57	30	7	6
COUNTY TYPE						
Large Metro	4,231	4,605	302	504	99 ^a	276
Small Metro	2,702	3,132	245	294	100	121
250K – 1 Mil. Pop.	1,863	2,052	136	185	67	102
< 250K Pop.	840	1,079	109	110	33	19
Nonmetro	1,280	1,279	79	124	30	46
Urbanized	535	546	45	43	19	27
Less Urbanized	654	602	26	54	3	9
Completely Rural	91	131	7	27	7	10

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.74B Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	3.2	3.5	0.2 ^a	0.4	0.1 ^a	0.2
GEOGRAPHIC DIVISION						
Northeast	3.0	2.8	0.3	0.4	0.1	0.2
New England	2.9	2.5	0.4	0.2	0.2	0.1
Middle Atlantic	3.0	2.9	0.3	0.4	0.1	0.2
Midwest	3.0	3.4	0.3	0.3	0.1	0.2
East North Central	3.2	3.4	0.4	0.4	0.2	0.2
West North Central	2.7	3.2	0.2	0.1	0.1	0.0
South	3.0	3.5	0.3 ^a	0.5	0.1	0.3
South Atlantic	3.1	3.7	0.3	0.6	0.1	0.4
East South Central	3.1	3.5	0.4	0.3	0.1	0.2
West South Central	2.8	3.3	0.2	0.4	0.1	0.0
West	3.8	3.9	0.1	0.1	0.0	0.1
Mountain	3.8	4.6	0.1	0.3	0.0	0.1
Pacific	3.8	3.7	0.1	0.1	0.0	0.0
COUNTY TYPE						
Large Metro	3.1	3.3	0.2	0.4	0.1 ^a	0.2
Small Metro	3.4 ^a	4.0	0.3	0.4	0.1	0.2
250K – 1 Mil. Pop.	3.4	3.9	0.2	0.3	0.1	0.2
< 250K Pop.	3.2	4.2	0.4	0.4	0.1	0.1
Nonmetro	3.2	3.0	0.2	0.3	0.1	0.1
Urbanized	3.2	3.0	0.3	0.2	0.1	0.1
Less Urbanized	3.4	3.2	0.1	0.3	0.0	0.0
Completely Rural	2.2	2.7	0.2	0.6	0.2	0.2

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.