

**Table 1.75A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	36,362	37,908	4,069	4,306	972	1,134
<b>GEOGRAPHIC DIVISION</b>						
Northeast	6,610	6,917	722	752	173	187
New England	2,072	2,421	236	208	74	58
Middle Atlantic	4,538	4,496	486	543	99	129
Midwest	7,381	7,707	751	708	162	217
East North Central	5,224	5,523	530	569	104	178
West North Central	2,157	2,185	221 <sup>a</sup>	138	58	39
South	11,592	11,690	1,184	1,431	292	418
South Atlantic	6,145	6,668	665 <sup>a</sup>	904	124 <sup>b</sup>	299
East South Central	1,754	1,472	128	158	55	35
West South Central	3,693	3,551	390	369	113	84
West	10,779	11,593	1,412	1,416	346	311
Mountain	3,346	3,595	374	445	113	100
Pacific	7,433	7,998	1,038	971	233	211
<b>COUNTY TYPE</b>						
Large Metro	19,624	20,675	2,356	2,558	575	640
Small Metro	11,815	12,237	1,307	1,367	298	411
250K – 1 Mil. Pop.	8,269	8,508	916	869	207	263
< 250K Pop.	3,546	3,729	390	498	91	148
Nonmetro	4,923	4,996	406	382	99	82
Urbanized	2,250	2,587	221	192	51	35
Less Urbanized	2,189	2,001	164	149	42	35
Completely Rural	484	409	21	41	6	13

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.75B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	14.1	14.6	1.6	1.7	0.4	0.4
<b>GEOGRAPHIC DIVISION</b>						
Northeast	14.1	14.7	1.5	1.6	0.4	0.4
New England	16.8	19.5	1.9	1.7	0.6	0.5
Middle Atlantic	13.1	12.9	1.4	1.6	0.3	0.4
Midwest	13.3	13.8	1.3	1.3	0.3	0.4
East North Central	13.5	14.2	1.4	1.5	0.3	0.5
West North Central	12.7	12.8	1.3 <sup>a</sup>	0.8	0.3	0.2
South	12.2	12.1	1.2	1.5	0.3	0.4
South Atlantic	12.2	13.1	1.3 <sup>a</sup>	1.8	0.2 <sup>b</sup>	0.6
East South Central	11.5	9.6	0.8	1.0	0.4	0.2
West South Central	12.4	11.8	1.3	1.2	0.4	0.3
West	18.0	19.1	2.4	2.3	0.6	0.5
Mountain	18.4	19.5	2.1	2.4	0.6	0.5
Pacific	17.8	19.0	2.5	2.3	0.6	0.5
<b>COUNTY TYPE</b>						
Large Metro	14.3	14.8	1.7	1.8	0.4	0.5
Small Metro	14.7	15.6	1.6	1.7	0.4	0.5
250K – 1 Mil. Pop.	15.2	16.1	1.7	1.6	0.4	0.5
< 250K Pop.	13.6	14.6	1.5	1.9	0.3	0.6
Nonmetro	12.3	11.8	1.0	0.9	0.2	0.2
Urbanized	13.4	14.0	1.3	1.0	0.3	0.2
Less Urbanized	11.4	10.5	0.9	0.8	0.2	0.2
Completely Rural	11.5	8.6	0.5	0.9	0.1	0.3

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.