

Table 1.76A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	20,523	21,095	1,861	1,693	624	493
GEOGRAPHIC DIVISION						
Northeast	4,323	3,892	351	266	110 ^b	43
New England	1,174	1,200	104	73	33	11
Middle Atlantic	3,149	2,692	247	193	77 ^a	32
Midwest	4,181	4,373	351	297	116	100
East North Central	3,034	3,182	208	221	52	71
West North Central	1,147	1,191	143 ^a	76	64	29
South	6,411	6,961	533	602	208	190
South Atlantic	3,356 ^a	4,039	294	350	121	100
East South Central	1,039	1,018	71	77	27	23
West South Central	2,016	1,905	168	175	60	68
West	5,608	5,867	626	528	190	160
Mountain	1,710	2,043	212	133	54	33
Pacific	3,898	3,824	415	395	135	126
COUNTY TYPE						
Large Metro	11,277	11,149	974	987	290	328
Small Metro	6,706	7,091	683 ^b	447	270 ^b	107
250K – 1 Mil. Pop.	4,805	4,719	495 ^a	313	212 ^b	67
< 250K Pop.	1,901 ^a	2,371	188	134	58	40
Nonmetro	2,541	2,855	203	259	64	58
Urbanized	1,190 ^a	1,520	100	157	39	21
Less Urbanized	1,145	1,115	89	74	23	25
Completely Rural	206	220	15	28	2	12

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.76B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	8.0	8.1	0.7	0.7	0.2	0.2
GEOGRAPHIC DIVISION						
Northeast	9.2	8.3	0.7	0.6	0.2 ^b	0.1
New England	9.5	9.7	0.8	0.6	0.3	0.1
Middle Atlantic	9.1	7.7	0.7	0.6	0.2 ^a	0.1
Midwest	7.5	7.8	0.6	0.5	0.2	0.2
East North Central	7.8	8.2	0.5	0.6	0.1	0.2
West North Central	6.7	7.0	0.8 ^a	0.4	0.4	0.2
South	6.7	7.2	0.6	0.6	0.2	0.2
South Atlantic	6.7	7.9	0.6	0.7	0.2	0.2
East South Central	6.8	6.6	0.5	0.5	0.2	0.1
West South Central	6.8	6.3	0.6	0.6	0.2	0.2
West	9.4	9.7	1.0	0.9	0.3	0.3
Mountain	9.4	11.1	1.2	0.7	0.3	0.2
Pacific	9.4	9.1	1.0	0.9	0.3	0.3
COUNTY TYPE						
Large Metro	8.2	8.0	0.7	0.7	0.2	0.2
Small Metro	8.3	9.0	0.8 ^a	0.6	0.3 ^b	0.1
250K – 1 Mil. Pop.	8.8	8.9	0.9 ^a	0.6	0.4 ^b	0.1
< 250K Pop.	7.3 ^a	9.3	0.7	0.5	0.2	0.2
Nonmetro	6.3	6.8	0.5	0.6	0.2	0.1
Urbanized	7.1	8.2	0.6	0.8	0.2	0.1
Less Urbanized	6.0	5.9	0.5	0.4	0.1	0.1
Completely Rural	4.9	4.6	0.3	0.6	0.0	0.3

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.77A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	1,877 ^b	1,613	820 ^b	647	223	188
GEOGRAPHIC DIVISION						
Northeast	303	261	151 ^b	87	38 ^a	15
New England	73	58	38 ^a	22	8	3
Middle Atlantic	230	203	113 ^a	65	29 ^a	11
Midwest	406 ^a	347	162	139	42	42
East North Central	267	246	100	103	26	29
West North Central	139 ^a	101	63 ^a	35	16	13
South	632	596	251	253	77	83
South Atlantic	296	301	112	129	33	31
East South Central	102	101	45	39	19	16
West South Central	234	194	94	85	25	36
West	536 ^b	409	256 ^b	169	66	48
Mountain	148	126	71	46	11	15
Pacific	388 ^a	283	184 ^a	123	55	33
COUNTY TYPE						
Large Metro	1,000 ^a	865	442	355	98	106
Small Metro	568 ^a	483	253 ^a	187	85 ^b	48
250K – 1 Mil. Pop.	398 ^a	318	196 ^b	127	68 ^b	33
< 250K Pop.	170	164	57	60	17	16
Nonmetro	310	265	125	105	39	34
Urbanized	120	119	57	44	18	11
Less Urbanized	161	120	59	48	19	17
Completely Rural	28	27	8	13	2	6

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.77B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	7.5 ^b	6.5	3.3 ^b	2.6	0.9	0.8
GEOGRAPHIC DIVISION						
Northeast	7.1	6.1	3.5 ^b	2.1	0.9 ^a	0.3
New England	6.6	5.2	3.4 ^a	2.0	0.7	0.3
Middle Atlantic	7.3	6.5	3.6 ^a	2.1	0.9 ^a	0.4
Midwest	7.5	6.4	3.0	2.6	0.8	0.8
East North Central	7.0	6.5	2.6	2.7	0.7	0.8
West North Central	8.5 ^a	6.2	3.8 ^a	2.2	1.0	0.8
South	6.8	6.4	2.7	2.7	0.8	0.9
South Atlantic	6.4	6.5	2.4	2.8	0.7	0.7
East South Central	6.9	6.8	3.1	2.7	1.3	1.1
West South Central	7.4	6.1	3.0	2.7	0.8	1.1
West	8.9 ^b	6.8	4.3 ^a	2.8	1.1	0.8
Mountain	8.0	6.8	3.9	2.5	0.6	0.8
Pacific	9.3 ^a	6.9	4.4 ^a	3.0	1.3	0.8
COUNTY TYPE						
Large Metro	7.5 ^a	6.4	3.3 ^a	2.6	0.7	0.8
Small Metro	7.2	6.5	3.2 ^a	2.5	1.1 ^a	0.7
250K – 1 Mil. Pop.	7.4 ^a	6.2	3.6 ^b	2.5	1.3 ^b	0.6
< 250K Pop.	6.9	7.1	2.3	2.6	0.7	0.7
Nonmetro	8.1 ^a	6.8	3.3	2.7	1.0	0.9
Urbanized	7.1	6.5	3.4	2.4	1.1	0.6
Less Urbanized	9.1	7.1	3.3	2.9	1.1	1.0
Completely Rural	8.0	6.4	2.4	3.1	0.4	1.4

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.