

Table 1.1C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLICIT DRUGS¹	1,036	956	603	648	460	492
Marijuana and Hashish	1,013	1,005	514	556	409	431
Cocaine	701	703	168	217	106	142
Crack	327	346	69	111	42	94
Heroin	227	245	72	78	48	51
Hallucinogens	628	674	143	175	60	90
LSD	530	561	60	85	23	31
PCP	307	311	20	34	10	13
Ecstasy	367	405	107	134	45	72
Inhalants	491	489	107	120	68	65
Nonmedical Use of Psychotherapeutics ^{2,3}	752	765	363	406	231	265
Pain Relievers	598	622	302	355	189	211
OxyContin [®]	211	245	104	105	54	46
Tranquilizers	494	563	211	252	133	162
Stimulants ³	500	556	151	161	89	101
Methamphetamine ³	410	426	118	113	72	74
Sedatives	353	377	64	66	49	50
ILLICIT DRUGS OTHER THAN MARIJUANA¹	889	873	404	459	256	309

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.1D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLICIT DRUGS¹	0.40	0.37	0.23	0.25	0.18	0.19
Marijuana and Hashish	0.39	0.39	0.20	0.21	0.16	0.17
Cocaine	0.27	0.27	0.07	0.08	0.04	0.05
Crack	0.13	0.13	0.03	0.04	0.02	0.04
Heroin	0.09	0.09	0.03	0.03	0.02	0.02
Hallucinogens	0.24	0.26	0.06	0.07	0.02	0.03
LSD	0.21	0.22	0.02	0.03	0.01	0.01
PCP	0.12	0.12	0.01	0.01	0.00	0.00
Ecstasy	0.14	0.16	0.04	0.05	0.02	0.03
Inhalants	0.19	0.19	0.04	0.05	0.03	0.02
Nonmedical Use of Psychotherapeutics ^{2,3}	0.29	0.29	0.14	0.16	0.09	0.10
Pain Relievers	0.23	0.24	0.12	0.14	0.07	0.08
OxyContin [®]	0.08	0.09	0.04	0.04	0.02	0.02
Tranquilizers	0.19	0.22	0.08	0.10	0.05	0.06
Stimulants ³	0.19	0.21	0.06	0.06	0.03	0.04
Methamphetamine ³	0.16	0.16	0.05	0.04	0.03	0.03
Sedatives	0.14	0.14	0.02	0.03	0.02	0.02
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.35	0.34	0.16	0.18	0.10	0.12

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.1P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLICIT DRUGS¹	0.0649		0.0009		0.0723	
Marijuana and Hashish	0.0949		0.0450		0.2989	
Cocaine	0.6718		0.0049		0.1269	
Crack	0.1175		0.0321		0.0405	
Heroin	0.2688		0.6839		0.4741	
Hallucinogens	0.1960		0.3911		0.1576	
LSD	0.4995		0.0981		0.4322	
PCP	0.3638		0.1852		0.7242	
Ecstasy	0.0089		0.3434		0.3573	
Inhalants	0.5982		0.2371		0.1275	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0121		0.0004		0.0593	
Pain Relievers	0.0038		0.0069		0.2255	
OxyContin [®]	0.0625		0.2526		0.2724	
Tranquilizers	0.0160		0.0057		0.1830	
Stimulants ³	0.2202		0.0087		0.1605	
Methamphetamine ³	0.7062		0.5051		0.9737	
Sedatives	0.4864		0.4923		0.5915	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.1308		0.0003		0.0454	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.2C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	46	40	34	33	24	24
Marijuana and Hashish	25	23	22	20	16	13
Cocaine	4	4	3	4	1	1
Crack	1	0	1	*	*	*
Heroin	5	2	5	2	*	*
Hallucinogens	12	9	5	8	2	5
LSD	4	3	2	2	1	2
PCP	2	2	2	2	*	2
Ecstasy	9	4	4	3	2	3
Inhalants	32	26	22	18	13	12
Nonmedical Use of Psychotherapeutics ^{2,3}	26	27	20	23	13	17
Pain Relievers	23	25	19	21	12	16
OxyContin [®]	6	5	4	4	2	3
Tranquilizers	8	7	7	5	4	3
Stimulants ³	12	7	9	4	5	2
Methamphetamine ³	9	4	6	2	2	1
Sedatives	7	7	5	5	2	4
ILLCIT DRUGS OTHER THAN MARIJUANA¹	41	36	29	29	18	21

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.2D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Standard Errors of Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	0.53	0.46	0.41	0.40	0.30	0.29
Marijuana and Hashish	0.32	0.27	0.27	0.24	0.20	0.16
Cocaine	0.05	0.05	0.04	0.05	0.01	0.01
Crack	0.01	0.01	0.01	*	*	*
Heroin	0.06	0.02	0.06	0.02	*	*
Hallucinogens	0.15	0.11	0.07	0.10	0.03	0.07
LSD	0.05	0.04	0.02	0.02	0.01	0.02
PCP	0.02	0.03	0.02	0.02	*	0.02
Ecstasy	0.12	0.05	0.05	0.04	0.02	0.03
Inhalants	0.39	0.32	0.27	0.22	0.17	0.15
Nonmedical Use of Psychotherapeutics ^{2,3}	0.32	0.33	0.25	0.28	0.16	0.21
Pain Relievers	0.29	0.30	0.24	0.26	0.15	0.19
OxyContin [®]	0.07	0.06	0.05	0.05	0.03	0.04
Tranquilizers	0.10	0.09	0.08	0.06	0.05	0.03
Stimulants ³	0.16	0.08	0.12	0.06	0.06	0.02
Methamphetamine ³	0.12	0.05	0.08	0.03	0.02	0.02
Sedatives	0.09	0.09	0.07	0.06	0.02	0.05
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.48	0.43	0.35	0.35	0.23	0.25

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.2P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	0.0822		0.8177		0.6680	
Marijuana and Hashish	0.8827		0.9796		0.5471	
Cocaine	0.4015		0.9604		0.9010	
Crack	0.6774		*		*	
Heroin	0.2669		0.4454		*	
Hallucinogens	0.4044		0.2953		0.0444	
LSD	0.9953		0.9146		0.2855	
PCP	0.8011		0.6351		*	
Ecstasy	0.1100		0.3867		0.9736	
Inhalants	0.0023		0.0147		0.5699	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.9900		0.3206		0.1623	
Pain Relievers	0.6682		0.3783		0.1648	
OxyContin [®]	0.2763		0.6729		0.6446	
Tranquilizers	0.7860		0.3875		0.3293	
Stimulants ³	0.0079		0.0390		0.0781	
Methamphetamine ³	0.0268		0.0786		0.3638	
Sedatives	0.7876		0.4891		0.1309	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0222		0.5188		0.3602	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.3C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	65	62	59	51	40	33
Marijuana and Hashish	53	48	50	43	34	30
Cocaine	19	10	12	8	7	4
Crack	14	5	3	3	2	*
Heroin	7	7	7	6	4	*
Hallucinogens	24	20	21	16	13	9
LSD	11	10	10	7	6	3
PCP	6	10	6	8	1	2
Ecstasy	18	14	15	9	8	6
Inhalants	37	36	25	23	12	9
Nonmedical Use of Psychotherapeutics ^{2,3}	36	38	31	28	19	18
Pain Relievers	33	34	28	26	17	17
OxyContin [®]	12	11	10	8	4	5
Tranquilizers	19	20	17	14	7	6
Stimulants ³	16	15	13	11	7	7
Methamphetamine ³	9	8	9	6	6	5
Sedatives	11	11	8	6	5	4
ILLCIT DRUGS OTHER THAN MARIJUANA¹	52	50	42	36	25	20

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.3D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Standard Errors of Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	0.65	0.63	0.61	0.55	0.44	0.38
Marijuana and Hashish	0.57	0.52	0.54	0.47	0.39	0.34
Cocaine	0.22	0.12	0.15	0.09	0.08	0.05
Crack	0.16	0.06	0.04	0.03	0.02	*
Heroin	0.08	0.09	0.08	0.07	0.05	*
Hallucinogens	0.28	0.24	0.24	0.18	0.15	0.11
LSD	0.12	0.12	0.12	0.08	0.07	0.04
PCP	0.07	0.12	0.07	0.09	0.01	0.03
Ecstasy	0.21	0.16	0.17	0.11	0.10	0.07
Inhalants	0.40	0.41	0.29	0.26	0.14	0.11
Nonmedical Use of Psychotherapeutics ^{2,3}	0.40	0.43	0.36	0.32	0.22	0.21
Pain Relievers	0.37	0.39	0.32	0.30	0.20	0.20
OxyContin [®]	0.14	0.13	0.11	0.09	0.05	0.06
Tranquilizers	0.23	0.23	0.19	0.17	0.09	0.07
Stimulants ³	0.19	0.18	0.16	0.14	0.09	0.08
Methamphetamine ³	0.11	0.10	0.10	0.07	0.07	0.05
Sedatives	0.12	0.13	0.10	0.08	0.05	0.05
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.55	0.54	0.47	0.40	0.29	0.24

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.3P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	0.0607		0.0033		0.0627	
Marijuana and Hashish	0.1362		0.0153		0.2571	
Cocaine	0.0693		0.0399		0.1470	
Crack	0.1205		0.5825		*	
Heroin	0.6414		0.7025		*	
Hallucinogens	0.3755		0.2012		0.0980	
LSD	0.9597		0.3301		0.5210	
PCP	0.0382		0.3688		0.7361	
Ecstasy	0.1485		0.0395		0.3534	
Inhalants	0.2818		0.0214		0.1821	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.9959		0.1070		0.7325	
Pain Relievers	0.6374		0.1450		0.7254	
OxyContin [®]	0.8037		0.2104		0.6272	
Tranquilizers	0.8566		0.5977		0.8566	
Stimulants ³	0.9310		0.8679		0.6546	
Methamphetamine ³	0.8904		0.6187		0.9000	
Sedatives	0.7214		0.4152		0.9482	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0682		0.0043		0.0199	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.4C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	84	84	71	75	53	57
Marijuana and Hashish	76	77	67	68	50	50
Cocaine	19	20	15	18	9	5
Crack	7	9	6	7	1	1
Heroin	9	9	8	6	6	*
Hallucinogens	35	35	29	27	18	14
LSD	17	18	15	15	6	4
PCP	8	9	4	7	2	1
Ecstasy	31	29	26	21	13	10
Inhalants	36	32	22	20	10	12
Nonmedical Use of Psychotherapeutics ^{2,3}	51	52	40	44	25	29
Pain Relievers	48	47	38	38	21	24
OxyContin [®]	22	20	15	15	8	8
Tranquilizers	30	32	25	28	15	18
Stimulants ³	22	24	16	20	9	12
Methamphetamine ³	15	13	11	10	6	4
Sedatives	9	11	6	8	3	2
ILLCIT DRUGS OTHER THAN MARIJUANA¹	60	62	47	51	31	33

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.4D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Standard Errors of Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	0.79	0.73	0.71	0.71	0.55	0.58
Marijuana and Hashish	0.75	0.71	0.67	0.67	0.53	0.53
Cocaine	0.21	0.24	0.18	0.20	0.11	0.06
Crack	0.08	0.10	0.07	0.09	0.01	0.01
Heroin	0.10	0.11	0.09	0.08	0.07	*
Hallucinogens	0.39	0.39	0.33	0.31	0.21	0.17
LSD	0.19	0.21	0.17	0.17	0.07	0.05
PCP	0.09	0.11	0.05	0.08	0.02	0.01
Ecstasy	0.35	0.32	0.30	0.24	0.15	0.11
Inhalants	0.41	0.36	0.26	0.23	0.11	0.14
Nonmedical Use of Psychotherapeutics ^{2,3}	0.53	0.54	0.44	0.48	0.28	0.32
Pain Relievers	0.50	0.50	0.41	0.42	0.25	0.27
OxyContin [®]	0.25	0.23	0.17	0.17	0.10	0.09
Tranquilizers	0.33	0.37	0.28	0.32	0.17	0.21
Stimulants ³	0.26	0.28	0.19	0.23	0.10	0.15
Methamphetamine ³	0.18	0.15	0.13	0.12	0.07	0.05
Sedatives	0.10	0.12	0.08	0.10	0.04	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.61	0.62	0.50	0.54	0.34	0.37

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.4P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	0.6341		0.8540		0.4737	
Marijuana and Hashish	0.9919		0.9612		0.1765	
Cocaine	0.3314		0.4307		0.0180	
Crack	0.3114		0.4037		0.6118	
Heroin	0.5127		0.1469		*	
Hallucinogens	0.2211		0.0985		0.1095	
LSD	0.3470		0.7353		0.5468	
PCP	0.6910		0.8301		0.1865	
Ecstasy	0.1365		0.0084		0.1528	
Inhalants	0.0822		0.3054		0.7515	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.7195		0.2735		0.7445	
Pain Relievers	0.3123		0.0215		0.5177	
OxyContin [®]	0.1623		0.5357		0.5690	
Tranquilizers	0.8264		0.9791		0.5427	
Stimulants ³	0.4110		0.0665		0.1012	
Methamphetamine ³	0.3694		0.7234		0.4938	
Sedatives	0.0329		0.2928		0.4011	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.4405		0.2214		0.1889	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.5C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	213	206	177	177	133	127
Marijuana and Hashish	202	192	169	165	123	117
Cocaine	60	67	45	48	28	22
Crack	20	21	10	13	5	6
Heroin	18	20	16	14	12	10
Hallucinogens	80	94	63	72	26	34
LSD	40	55	30	36	9	11
PCP	17	18	11	10	3	4
Ecstasy	68	85	49	53	18	31
Inhalants	58	62	35	29	26	16
Nonmedical Use of Psychotherapeutics ^{2,3}	110	121	76	89	46	45
Pain Relievers	93	100	62	72	38	38
OxyContin [®]	45	44	26	27	10	9
Tranquilizers	61	71	43	45	27	22
Stimulants ³	53	66	39	50	19	19
Methamphetamine ³	29	35	17	28	8	10
Sedatives	19	18	11	11	6	6
ILLCIT DRUGS OTHER THAN MARIJUANA¹	137	144	101	109	62	58

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.5D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Standard Errors of Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	0.86	0.79	0.81	0.77	0.72	0.66
Marijuana and Hashish	0.87	0.81	0.81	0.76	0.68	0.63
Cocaine	0.42	0.48	0.32	0.34	0.20	0.16
Crack	0.15	0.16	0.07	0.10	0.04	0.04
Heroin	0.13	0.15	0.12	0.11	0.09	0.08
Hallucinogens	0.51	0.61	0.41	0.51	0.19	0.25
LSD	0.28	0.40	0.21	0.27	0.07	0.08
PCP	0.12	0.13	0.08	0.08	0.02	0.03
Ecstasy	0.44	0.56	0.33	0.37	0.13	0.23
Inhalants	0.40	0.39	0.25	0.21	0.19	0.12
Nonmedical Use of Psychotherapeutics ^{2,3}	0.62	0.62	0.49	0.51	0.32	0.32
Pain Relievers	0.54	0.58	0.43	0.47	0.27	0.28
OxyContin [®]	0.31	0.32	0.19	0.20	0.07	0.07
Tranquilizers	0.42	0.46	0.31	0.31	0.20	0.16
Stimulants ³	0.36	0.42	0.27	0.33	0.13	0.14
Methamphetamine ³	0.22	0.26	0.13	0.21	0.06	0.07
Sedatives	0.14	0.13	0.08	0.08	0.04	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.70	0.69	0.59	0.61	0.41	0.41

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.5P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	0.5217		0.4065		0.8656	
Marijuana and Hashish	0.8480		0.6625		0.8098	
Cocaine	0.8369		0.9679		0.0407	
Crack	0.8858		0.1655		0.7274	
Heroin	0.2064		0.9953		0.6843	
Hallucinogens	0.8269		0.7079		0.0969	
LSD	0.2350		0.1206		0.2963	
PCP	0.5477		0.2561		0.3563	
Ecstasy	0.4100		0.7274		0.1056	
Inhalants	0.7436		0.4442		0.6180	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0702		0.1137		0.8309	
Pain Relievers	0.2201		0.2782		0.5875	
OxyContin [®]	0.2390		0.3241		0.9499	
Tranquilizers	0.2220		0.4367		0.0898	
Stimulants ³	0.1367		0.1960		0.9089	
Methamphetamine ³	0.2996		0.0826		0.6000	
Sedatives	0.5200		0.5896		0.9462	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.4245		0.4748		0.9812	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.6C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	246	241	163	181	119	124
Marijuana and Hashish	235	226	150	169	109	116
Cocaine	97	102	57	61	28	27
Crack	37	33	12	12	4	7
Heroin	36	38	19	25	14	20
Hallucinogens	110	123	61	60	30	31
LSD	65	68	32	31	10	14
PCP	28	25	12	5	5	2
Ecstasy	93	103	49	49	25	23
Inhalants	82	73	28	26	16	15
Nonmedical Use of Psychotherapeutics ^{2,3}	145	158	92	96	55	60
Pain Relievers	127	132	80	79	46	52
OxyContin [®]	59	67	32	39	19	22
Tranquilizers	92	101	50	61	31	36
Stimulants ³	83	95	41	57	26	25
Methamphetamine ³	49	48	18	26	12	12
Sedatives	31	30	14	14	9	11
ILLCIT DRUGS OTHER THAN MARIJUANA¹	168	183	107	114	67	69

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.6D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Standard Errors of Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLICIT DRUGS¹	0.57	0.61	0.56	0.60	0.47	0.48
Marijuana and Hashish	0.58	0.62	0.54	0.59	0.45	0.46
Cocaine	0.42	0.42	0.26	0.28	0.13	0.12
Crack	0.18	0.16	0.06	0.06	0.02	0.03
Heroin	0.17	0.17	0.09	0.11	0.07	0.09
Hallucinogens	0.46	0.48	0.28	0.27	0.14	0.14
LSD	0.30	0.30	0.15	0.14	0.05	0.06
PCP	0.14	0.12	0.06	0.02	0.03	0.01
Ecstasy	0.40	0.42	0.23	0.22	0.12	0.11
Inhalants	0.36	0.32	0.13	0.12	0.08	0.07
Nonmedical Use of Psychotherapeutics ^{2,3}	0.55	0.55	0.40	0.39	0.25	0.27
Pain Relievers	0.50	0.50	0.35	0.34	0.21	0.24
OxyContin [®]	0.28	0.30	0.15	0.18	0.09	0.10
Tranquilizers	0.40	0.42	0.23	0.27	0.15	0.16
Stimulants ³	0.38	0.39	0.19	0.25	0.12	0.11
Methamphetamine ³	0.23	0.22	0.09	0.12	0.06	0.06
Sedatives	0.15	0.14	0.06	0.06	0.04	0.05
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.58	0.58	0.45	0.44	0.30	0.30

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.6P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	0.3880		0.1020		0.7874	
Marijuana and Hashish	0.5438		0.2317		0.7072	
Cocaine	0.8205		0.7555		0.8915	
Crack	0.1482		0.5822		0.0659	
Heroin	0.6158		0.2202		0.3517	
Hallucinogens	0.8801		0.1087		0.4864	
LSD	0.2547		0.3849		0.5230	
PCP	0.5040		0.0874		0.4370	
Ecstasy	0.4117		0.6671		0.6190	
Inhalants	0.0501		0.8804		0.7406	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.8969		0.1204		0.2296	
Pain Relievers	0.7408		0.7046		0.4401	
OxyContin [®]	0.7822		0.5735		0.5768	
Tranquilizers	0.7861		0.1564		0.3402	
Stimulants ³	0.6763		0.0019		0.1461	
Methamphetamine ³	0.0544		0.0724		0.5579	
Sedatives	0.0943		0.3562		0.5368	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.4893		0.3404		0.7067	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.7C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	326	315	268	268	214	210
Marijuana and Hashish	330	328	244	239	195	190
Cocaine	248	237	90	116	47	74
Crack	113	141	20	58	11	46
Heroin	87	105	39	56	30	31
Hallucinogens	257	262	75	100	32	55
LSD	203	209	21	35	6	9
PCP	77	97	9	25	7	11
Ecstasy	222	221	63	86	26	48
Inhalants	184	208	45	46	29	20
Nonmedical Use of Psychotherapeutics ^{2,3}	287	279	176	184	120	122
Pain Relievers	266	255	150	169	104	106
OxyContin [®]	120	135	59	54	28	36
Tranquilizers	217	219	117	124	65	68
Stimulants ³	196	216	70	100	47	66
Methamphetamine ³	155	172	51	76	35	53
Sedatives	69	75	24	35	8	12
ILLCIT DRUGS OTHER THAN MARIJUANA¹	305	308	194	203	128	132

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.7D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Standard Errors of Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	0.90	0.85	0.74	0.73	0.59	0.57
Marijuana and Hashish	0.91	0.89	0.67	0.65	0.54	0.52
Cocaine	0.68	0.64	0.25	0.31	0.13	0.20
Crack	0.31	0.38	0.06	0.16	0.03	0.13
Heroin	0.24	0.29	0.11	0.15	0.08	0.08
Hallucinogens	0.71	0.71	0.21	0.27	0.09	0.15
LSD	0.56	0.57	0.06	0.09	0.02	0.03
PCP	0.21	0.26	0.02	0.07	0.02	0.03
Ecstasy	0.61	0.60	0.17	0.23	0.07	0.13
Inhalants	0.51	0.56	0.12	0.13	0.08	0.05
Nonmedical Use of Psychotherapeutics ^{2,3}	0.79	0.75	0.48	0.50	0.33	0.33
Pain Relievers	0.73	0.69	0.41	0.46	0.29	0.29
OxyContin [®]	0.33	0.37	0.16	0.15	0.08	0.10
Tranquilizers	0.60	0.59	0.32	0.34	0.18	0.18
Stimulants ³	0.54	0.58	0.19	0.27	0.13	0.18
Methamphetamine ³	0.43	0.47	0.14	0.20	0.10	0.14
Sedatives	0.19	0.20	0.07	0.09	0.02	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.84	0.84	0.53	0.55	0.35	0.36

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.7P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLICIT DRUGS¹	0.3064		0.0204		0.2226	
Marijuana and Hashish	0.2041		0.0799		0.1492	
Cocaine	0.0780		0.0331		0.1144	
Crack	0.0299		0.0397		0.1216	
Heroin	0.5793		0.3815		0.6168	
Hallucinogens	0.1879		0.0609		0.4597	
LSD	0.8574		0.0450		0.5296	
PCP	0.1407		0.2078		0.7754	
Ecstasy	0.0364		0.0781		0.8824	
Inhalants	0.0388		0.8717		0.2442	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0181		0.0733		0.7917	
Pain Relievers	0.0266		0.4411		0.9437	
OxyContin [®]	0.0067		0.5308		0.2611	
Tranquilizers	0.0154		0.0243		0.2876	
Stimulants ³	0.0453		0.0037		0.2179	
Methamphetamine ³	0.1991		0.2533		0.4959	
Sedatives	0.4001		0.0753		0.4048	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0084		0.0127		0.5032	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.8C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	936	874	453	510	348	399
Marijuana and Hashish	918	910	367	415	300	341
Cocaine	642	640	123	159	84	116
Crack	302	311	64	93	40	82
Heroin	203	219	45	46	26	33
Hallucinogens	553	583	75	102	21	53
LSD	471	495	28	52	15	24
PCP	293	297	*	16	*	*
Ecstasy	243	280	47	74	13	37
Inhalants	436	421	75	97	46	53
Nonmedical Use of Psychotherapeutics ^{2,3}	670	693	285	331	177	214
Pain Relievers	506	532	232	285	142	168
OxyContin [®]	149	175	68	72	38	8
Tranquilizers	414	477	161	201	101	136
Stimulants ³	448	489	111	96	66	68
Methamphetamine ³	365	369	96	66	60	46
Sedatives	343	366	54	52	47	46
ILLCIT DRUGS OTHER THAN MARIJUANA¹	807	789	312	359	197	245

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.8D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Standard Errors of Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLICIT DRUGS¹	0.58	0.53	0.28	0.31	0.21	0.24
Marijuana and Hashish	0.57	0.56	0.23	0.25	0.19	0.21
Cocaine	0.40	0.39	0.08	0.10	0.05	0.07
Crack	0.19	0.19	0.04	0.06	0.02	0.05
Heroin	0.13	0.13	0.03	0.03	0.02	0.02
Hallucinogens	0.34	0.36	0.05	0.06	0.01	0.03
LSD	0.29	0.30	0.02	0.03	0.01	0.01
PCP	0.18	0.18	*	0.01	*	*
Ecstasy	0.15	0.17	0.03	0.05	0.01	0.02
Inhalants	0.27	0.26	0.05	0.06	0.03	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.41	0.42	0.18	0.20	0.11	0.13
Pain Relievers	0.31	0.32	0.14	0.17	0.09	0.10
OxyContin [®]	0.09	0.11	0.04	0.04	0.02	0.00
Tranquilizers	0.26	0.29	0.10	0.12	0.06	0.08
Stimulants ³	0.28	0.30	0.07	0.06	0.04	0.04
Methamphetamine ³	0.23	0.23	0.06	0.04	0.04	0.03
Sedatives	0.21	0.22	0.03	0.03	0.03	0.03
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.50	0.48	0.19	0.22	0.12	0.15

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.8P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	0.1075		0.0052		0.0506	
Marijuana and Hashish	0.1857		0.1164		0.2759	
Cocaine	0.8695		0.0133		0.0944	
Crack	0.3179		0.2322		0.1714	
Heroin	0.4415		0.6054		0.7527	
Hallucinogens	0.3532		0.2097		0.0301	
LSD	0.5282		0.2794		0.8234	
PCP	0.6357		*		*	
Ecstasy	0.0621		0.1806		0.1117	
Inhalants	0.6466		0.7696		0.5056	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1191		0.0056		0.0766	
Pain Relievers	0.0268		0.0028		0.2315	
OxyContin [®]	0.2884		0.8970		0.0029	
Tranquilizers	0.1613		0.1203		0.2012	
Stimulants ³	0.8134		0.5992		0.8469	
Methamphetamine ³	0.9748		0.4703		0.4447	
Sedatives	0.5658		0.9766		0.8316	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.4978		0.0009		0.0169	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.9C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	664	660	430	455	340	357
Marijuana and Hashish	667	679	386	417	319	329
Cocaine	522	525	142	188	88	128
Crack	281	299	61	103	34	83
Heroin	179	206	59	71	29	47
Hallucinogens	462	497	117	137	47	74
LSD	402	433	47	70	15	17
PCP	253	257	17	32	9	12
Ecstasy	260	318	83	107	35	58
Inhalants	379	385	91	109	57	61
Nonmedical Use of Psychotherapeutics ^{2,3}	518	557	250	293	165	181
Pain Relievers	436	463	218	276	145	152
OxyContin [®]	164	200	86	82	44	41
Tranquilizers	341	395	133	166	79	106
Stimulants ³	364	408	117	122	74	85
Methamphetamine ³	318	341	104	95	60	63
Sedatives	243	299	34	43	20	41
ILLCIT DRUGS OTHER THAN MARIJUANA¹	609	637	289	342	187	224

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.9D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: Standard Errors of Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	0.53	0.52	0.34	0.36	0.27	0.28
Marijuana and Hashish	0.53	0.54	0.31	0.33	0.26	0.26
Cocaine	0.42	0.42	0.11	0.15	0.07	0.10
Crack	0.23	0.24	0.05	0.08	0.03	0.07
Heroin	0.14	0.16	0.05	0.06	0.02	0.04
Hallucinogens	0.37	0.39	0.09	0.11	0.04	0.06
LSD	0.32	0.34	0.04	0.06	0.01	0.01
PCP	0.20	0.20	0.01	0.03	0.01	0.01
Ecstasy	0.21	0.25	0.07	0.09	0.03	0.05
Inhalants	0.30	0.31	0.07	0.09	0.05	0.05
Nonmedical Use of Psychotherapeutics ^{2,3}	0.42	0.44	0.20	0.23	0.13	0.14
Pain Relievers	0.35	0.37	0.18	0.22	0.12	0.12
OxyContin [®]	0.13	0.16	0.07	0.07	0.04	0.03
Tranquilizers	0.27	0.31	0.11	0.13	0.06	0.08
Stimulants ³	0.29	0.32	0.09	0.10	0.06	0.07
Methamphetamine ³	0.25	0.27	0.08	0.08	0.05	0.05
Sedatives	0.19	0.24	0.03	0.03	0.02	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.49	0.51	0.23	0.27	0.15	0.18

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.9P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	0.0435		0.0120		0.1759	
Marijuana and Hashish	0.1627		0.0575		0.4391	
Cocaine	0.6369		0.0025		0.0344	
Crack	0.1992		0.0300		0.0399	
Heroin	0.0528		0.4398		0.0755	
Hallucinogens	0.2918		0.2443		0.3021	
LSD	0.4516		0.0385		0.7642	
PCP	0.3200		0.2638		0.7511	
Ecstasy	0.0034		0.0916		0.4776	
Inhalants	0.2781		0.4521		0.2761	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0541		0.0178		0.2199	
Pain Relievers	0.0441		0.0327		0.6770	
OxyContin [®]	0.1508		0.5226		0.4795	
Tranquilizers	0.1143		0.0107		0.0761	
Stimulants ³	0.5379		0.1709		0.4919	
Methamphetamine ³	0.8701		0.8392		0.8856	
Sedatives	0.2073		0.7482		0.1166	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0799		0.0047		0.0871	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.10C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	687	661	368	392	260	289
Marijuana and Hashish	658	676	305	307	215	231
Cocaine	424	431	87	99	54	56
Crack	166	161	36	42	24	33
Heroin	134	117	38	32	35	17
Hallucinogens	369	412	77	91	37	54
LSD	308	326	34	40	17	26
PCP	165	162	11	11	*	4
Ecstasy	238	225	67	70	30	42
Inhalants	265	252	54	51	30	23
Nonmedical Use of Psychotherapeutics ^{2,3}	496	509	242	277	152	173
Pain Relievers	360	394	201	232	120	135
OxyContin [®]	116	135	57	61	29	21
Tranquilizers	336	355	159	184	103	119
Stimulants ³	317	349	87	103	48	54
Methamphetamine ³	236	232	51	57	39	40
Sedatives	239	230	52	50	44	27
ILLCIT DRUGS OTHER THAN MARIJUANA¹	578	572	260	297	161	190

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.10D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: Standard Errors of Percentages, 2011 and 2012

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLICIT DRUGS¹	0.52	0.49	0.28	0.29	0.20	0.22
Marijuana and Hashish	0.49	0.50	0.23	0.23	0.16	0.17
Cocaine	0.32	0.32	0.07	0.07	0.04	0.04
Crack	0.12	0.12	0.03	0.03	0.02	0.02
Heroin	0.10	0.09	0.03	0.02	0.03	0.01
Hallucinogens	0.28	0.31	0.06	0.07	0.03	0.04
LSD	0.23	0.24	0.03	0.03	0.01	0.02
PCP	0.12	0.12	0.01	0.01	*	0.00
Ecstasy	0.18	0.17	0.05	0.05	0.02	0.03
Inhalants	0.20	0.19	0.04	0.04	0.02	0.02
Nonmedical Use of Psychotherapeutics ^{2,3}	0.37	0.38	0.18	0.21	0.11	0.13
Pain Relievers	0.27	0.29	0.15	0.17	0.09	0.10
OxyContin [®]	0.09	0.10	0.04	0.05	0.02	0.02
Tranquilizers	0.25	0.26	0.12	0.14	0.08	0.09
Stimulants ³	0.24	0.26	0.07	0.08	0.04	0.04
Methamphetamine ³	0.18	0.17	0.04	0.04	0.03	0.03
Sedatives	0.18	0.17	0.04	0.04	0.03	0.02
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.43	0.43	0.20	0.22	0.12	0.14

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.10P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
ILLCIT DRUGS¹	0.5112		0.0144		0.1744	
Marijuana and Hashish	0.2978		0.3511		0.4177	
Cocaine	0.9296		0.6551		0.4149	
Crack	0.3600		0.6904		0.5073	
Heroin	0.3399		0.5770		0.2057	
Hallucinogens	0.4123		0.9107		0.3383	
LSD	0.8951		1.0000		0.4484	
PCP	0.9090		0.4488		*	
Ecstasy	0.4722		0.4832		0.5492	
Inhalants	0.5249		0.2447		0.1824	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0823		0.0061		0.1207	
Pain Relievers	0.0226		0.0983		0.1512	
OxyContin [®]	0.2053		0.2825		0.3050	
Tranquilizers	0.0444		0.1358		0.7585	
Stimulants ³	0.2163		0.0088		0.1229	
Methamphetamine ³	0.6658		0.2693		0.8707	
Sedatives	0.6596		0.5406		0.5009	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.7276		0.0196		0.2471	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.