

**Table 1.59C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	1,036	956	603	648	460	492
<b>GEOGRAPHIC DIVISION</b>						
Northeast	445	398	248	261	194	209
New England	203	181	119	111	97	101
Middle Atlantic	394	353	219	236	169	183
Midwest	389	368	212	248	176	166
East North Central	335	296	183	211	154	141
West North Central	217	236	108	134	82	85
South	595	602	370	374	253	285
South Atlantic	471	461	290	289	195	225
East South Central	215	219	120	132	101	86
West South Central	313	332	198	192	137	148
West	582	513	342	354	273	295
Mountain	254	233	151	152	105	118
Pacific	522	457	310	319	252	268
<b>COUNTY TYPE</b>						
Large Metro	1,262	1,221	524	568	381	415
Small Metro	874	916	390	416	275	294
250K – 1 Mil. Pop.	732	759	300	331	218	240
< 250K Pop.	551	575	247	256	165	177
Nonmetro	583	611	225	239	164	146
Urbanized	410	440	171	182	121	117
Less Urbanized	408	384	140	154	104	85
Completely Rural	177	244	59	55	43	41

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.59D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.40	0.37	0.23	0.25	0.18	0.19
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.95	0.84	0.53	0.55	0.41	0.44
New England	1.65	1.46	0.97	0.89	0.79	0.82
Middle Atlantic	1.14	1.02	0.63	0.68	0.49	0.53
Midwest	0.70	0.66	0.38	0.44	0.32	0.30
East North Central	0.87	0.76	0.47	0.54	0.40	0.36
West North Central	1.27	1.38	0.64	0.78	0.48	0.50
South	0.63	0.62	0.39	0.39	0.27	0.30
South Atlantic	0.94	0.91	0.58	0.57	0.39	0.44
East South Central	1.40	1.42	0.78	0.86	0.66	0.56
West South Central	1.05	1.10	0.67	0.64	0.46	0.49
West	0.97	0.85	0.57	0.58	0.46	0.49
Mountain	1.40	1.27	0.83	0.83	0.58	0.64
Pacific	1.25	1.08	0.74	0.76	0.60	0.64
<b>COUNTY TYPE</b>						
Large Metro	0.59	0.53	0.34	0.36	0.26	0.28
Small Metro	0.63	0.65	0.42	0.47	0.32	0.35
250K – 1 Mil. Pop.	0.79	0.77	0.49	0.56	0.39	0.42
< 250K Pop.	1.12	1.16	0.75	0.82	0.54	0.61
Nonmetro	0.91	0.91	0.46	0.49	0.35	0.33
Urbanized	1.30	1.37	0.77	0.86	0.58	0.60
Less Urbanized	1.27	1.23	0.62	0.66	0.48	0.40
Completely Rural	2.26	2.82	1.22	1.01	0.95	0.76

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.59P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.0649		0.0009		0.0723	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.5394		0.1553		0.5026	
New England	0.3990		0.4737		0.2952	
Middle Atlantic	0.8054		0.2203		0.8510	
Midwest	0.2070		0.0302		0.8766	
East North Central	0.0386		0.0203		0.6884	
West North Central	0.4233		0.6807		0.6990	
South	0.7617		0.1737		0.4889	
South Atlantic	0.3998		0.4056		0.1095	
East South Central	0.2054		0.9852		0.0920	
West South Central	0.8259		0.1785		0.9599	
West	0.0765		0.0447		0.0604	
Mountain	0.2212		0.1098		0.1334	
Pacific	0.1620		0.1383		0.1594	
<b>COUNTY TYPE</b>						
Large Metro	0.4862		0.0023		0.0747	
Small Metro	0.0088		0.1086		0.2208	
250K – 1 Mil. Pop.	0.0659		0.1406		0.2999	
< 250K Pop.	0.0491		0.4675		0.5145	
Nonmetro	0.7826		0.6363		0.5195	
Urbanized	0.8265		0.8844		0.7928	
Less Urbanized	0.7622		0.3431		0.5880	
Completely Rural	0.5774		0.2783		0.5016	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.60C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	103	92	93	83	68	63
<b>GEOGRAPHIC DIVISION</b>						
Northeast	38	36	36	33	25	26
New England	18	18	16	16	13	13
Middle Atlantic	33	31	32	29	22	22
Midwest	40	39	32	32	24	23
East North Central	32	32	25	27	19	19
West North Central	23	23	19	17	14	13
South	63	60	57	53	42	42
South Atlantic	46	45	42	39	32	31
East South Central	22	20	19	18	13	12
West South Central	35	37	32	32	25	26
West	61	53	56	47	39	36
Mountain	27	27	24	24	17	18
Pacific	54	45	51	41	36	31
<b>COUNTY TYPE</b>						
Large Metro	103	100	85	83	57	59
Small Metro	69	61	61	50	42	35
250K – 1 Mil. Pop.	58	48	52	40	35	29
< 250K Pop.	40	41	33	32	25	20
Nonmetro	45	40	38	33	24	25
Urbanized	31	29	27	23	19	15
Less Urbanized	34	27	25	21	15	16
Completely Rural	15	15	11	14	9	12

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.60D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.41	0.37	0.37	0.33	0.27	0.25
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.88	0.85	0.84	0.77	0.59	0.60
New England	1.58	1.61	1.44	1.44	1.13	1.18
Middle Atlantic	1.05	1.00	1.02	0.91	0.68	0.71
Midwest	0.73	0.72	0.59	0.58	0.44	0.42
East North Central	0.85	0.84	0.66	0.72	0.50	0.50
West North Central	1.43	1.40	1.18	1.04	0.85	0.81
South	0.68	0.65	0.62	0.57	0.45	0.45
South Atlantic	1.00	0.96	0.91	0.85	0.68	0.66
East South Central	1.47	1.36	1.25	1.22	0.85	0.81
West South Central	1.12	1.15	1.02	1.00	0.78	0.80
West	1.01	0.89	0.93	0.79	0.65	0.60
Mountain	1.44	1.45	1.29	1.29	0.91	0.98
Pacific	1.31	1.10	1.23	0.98	0.86	0.76
<b>COUNTY TYPE</b>						
Large Metro	0.61	0.57	0.54	0.50	0.38	0.38
Small Metro	0.66	0.62	0.65	0.56	0.50	0.42
250K – 1 Mil. Pop.	0.84	0.72	0.79	0.65	0.60	0.50
< 250K Pop.	1.11	1.23	1.12	1.11	0.90	0.80
Nonmetro	0.96	0.84	0.85	0.74	0.59	0.60
Urbanized	1.47	1.13	1.35	1.06	1.01	0.83
Less Urbanized	1.43	1.33	1.16	1.11	0.75	0.90
Completely Rural	3.21	2.68	2.60	2.59	2.16	2.49

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.60P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.0209		0.0423		0.1309	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.0182		0.0333		0.2955	
New England	0.1776		0.2720		0.6231	
Middle Atlantic	0.0496		0.0677		0.3562	
Midwest	0.8110		0.9266		0.9280	
East North Central	0.6240		0.4999		0.9585	
West North Central	0.3008		0.2890		0.9335	
South	0.6675		0.4189		0.8012	
South Atlantic	0.1539		0.1359		0.1195	
East South Central	0.8350		0.5966		0.0477	
West South Central	0.3423		0.8073		0.5838	
West	0.0046		0.0041		0.0254	
Mountain	0.5590		0.3916		0.9546	
Pacific	0.0034		0.0057		0.0121	
<b>COUNTY TYPE</b>						
Large Metro	0.1469		0.3511		0.5295	
Small Metro	0.1754		0.1220		0.0311	
250K – 1 Mil. Pop.	0.0807		0.0484		0.1508	
< 250K Pop.	0.8060		0.8510		0.0930	
Nonmetro	0.1859		0.1152		0.7035	
Urbanized	0.3725		0.0502		0.4791	
Less Urbanized	0.4389		0.6713		0.4839	
Completely Rural	0.4487		0.9092		0.1556	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.61C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	174	175	172	174	142	138
<b>GEOGRAPHIC DIVISION</b>						
Northeast	69	66	71	69	56	60
New England	34	36	36	39	29	33
Middle Atlantic	61	56	61	58	48	50
Midwest	69	63	65	66	56	56
East North Central	60	51	58	55	51	50
West North Central	36	39	33	36	27	24
South	111	107	111	105	91	74
South Atlantic	81	83	80	85	70	60
East South Central	37	32	31	31	26	24
West South Central	60	58	62	50	49	36
West	91	106	84	102	79	87
Mountain	41	40	40	41	36	36
Pacific	81	98	75	93	70	79
<b>COUNTY TYPE</b>						
Large Metro	270	269	197	211	142	149
Small Metro	231	225	166	180	121	107
250K – 1 Mil. Pop.	146	167	101	133	75	81
< 250K Pop.	179	153	130	120	94	68
Nonmetro	115	99	86	64	63	43
Urbanized	94	72	72	49	52	31
Less Urbanized	70	69	46	42	34	29
Completely Rural	29	24	23	16	15	10

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.61D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.51	0.51	0.50	0.50	0.42	0.40
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.13	1.08	1.16	1.12	0.91	0.97
New England	2.14	2.23	2.25	2.38	1.81	2.04
Middle Atlantic	1.34	1.24	1.36	1.28	1.06	1.10
Midwest	0.94	0.86	0.89	0.89	0.77	0.76
East North Central	1.19	1.01	1.15	1.08	1.00	0.99
West North Central	1.57	1.69	1.47	1.58	1.19	1.05
South	0.88	0.84	0.88	0.82	0.72	0.58
South Atlantic	1.26	1.26	1.25	1.30	1.08	0.92
East South Central	1.83	1.58	1.54	1.52	1.27	1.16
West South Central	1.43	1.39	1.49	1.20	1.17	0.85
West	1.10	1.28	1.03	1.22	0.96	1.04
Mountain	1.64	1.62	1.61	1.65	1.46	1.45
Pacific	1.40	1.69	1.31	1.60	1.22	1.35
<b>COUNTY TYPE</b>						
Large Metro	0.71	0.72	0.70	0.69	0.59	0.60
Small Metro	0.95	0.92	0.88	1.00	0.75	0.69
250K – 1 Mil. Pop.	1.09	1.12	1.06	1.24	0.86	0.89
< 250K Pop.	1.60	1.67	1.55	1.71	1.35	1.02
Nonmetro	1.17	1.11	1.22	0.96	1.00	0.75
Urbanized	1.61	1.68	1.81	1.44	1.55	1.14
Less Urbanized	1.65	1.71	1.56	1.45	1.26	1.09
Completely Rural	3.85	3.44	3.79	2.76	2.60	1.85

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.61P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.2442		0.0958		0.8661	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1221		0.0520		0.1771	
New England	0.4587		0.5608		0.8345	
Middle Atlantic	0.1773		0.0566		0.1395	
Midwest	0.4393		0.6439		0.6130	
East North Central	0.6228		0.8173		0.6161	
West North Central	0.5229		0.6219		0.0457	
South	0.7888		0.5413		0.4420	
South Atlantic	0.2991		0.9173		0.6334	
East South Central	0.7909		0.9188		0.4145	
West South Central	0.2302		0.1687		0.7713	
West	0.3903		0.5860		0.8869	
Mountain	1.0000		0.6086		0.7424	
Pacific	0.3447		0.7319		0.7437	
<b>COUNTY TYPE</b>						
Large Metro	0.0135		0.0282		0.4338	
Small Metro	0.7511		0.4934		0.4748	
250K – 1 Mil. Pop.	0.4247		0.9135		0.4568	
< 250K Pop.	0.6695		0.1634		0.8203	
Nonmetro	0.1240		0.1620		0.1443	
Urbanized	0.0707		0.1293		0.0784	
Less Urbanized	0.8602		0.6861		0.9248	
Completely Rural	0.5155		0.7837		0.4875	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.62C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	1,011	925	550	583	420	452
<b>GEOGRAPHIC DIVISION</b>						
Northeast	438	381	223	230	177	187
New England	200	175	107	103	88	89
Middle Atlantic	390	336	197	205	154	165
Midwest	377	352	192	224	156	152
East North Central	325	286	169	195	139	131
West North Central	210	224	96	109	73	74
South	586	588	330	333	219	261
South Atlantic	461	455	245	255	156	203
East South Central	215	209	112	122	99	79
West South Central	302	319	191	171	130	136
West	557	499	311	329	246	274
Mountain	241	226	135	140	91	103
Pacific	501	447	282	295	228	251
<b>COUNTY TYPE</b>						
Large Metro	1,174	1,135	459	492	343	367
Small Metro	782	825	315	343	224	262
250K – 1 Mil. Pop.	677	697	257	288	187	224
< 250K Pop.	469	492	178	189	113	144
Nonmetro	522	554	184	214	137	130
Urbanized	360	396	139	162	98	106
Less Urbanized	360	344	110	136	86	72
Completely Rural	147	223	44	42	34	32

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.62D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.51	0.46	0.28	0.29	0.21	0.23
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.20	1.04	0.61	0.62	0.48	0.51
New England	2.08	1.81	1.12	1.07	0.92	0.92
Middle Atlantic	1.45	1.24	0.73	0.76	0.57	0.61
Midwest	0.88	0.82	0.45	0.52	0.36	0.35
East North Central	1.09	0.96	0.57	0.65	0.47	0.44
West North Central	1.60	1.70	0.74	0.83	0.56	0.56
South	0.80	0.79	0.45	0.45	0.30	0.35
South Atlantic	1.18	1.15	0.63	0.64	0.40	0.51
East South Central	1.82	1.76	0.95	1.02	0.83	0.66
West South Central	1.35	1.40	0.86	0.75	0.58	0.60
West	1.22	1.08	0.68	0.71	0.54	0.59
Mountain	1.74	1.61	0.97	0.99	0.66	0.73
Pacific	1.58	1.39	0.89	0.92	0.72	0.78
<b>COUNTY TYPE</b>						
Large Metro	0.76	0.67	0.41	0.42	0.31	0.33
Small Metro	0.78	0.80	0.47	0.53	0.35	0.41
250K – 1 Mil. Pop.	0.97	0.94	0.56	0.64	0.43	0.51
< 250K Pop.	1.42	1.45	0.79	0.88	0.53	0.70
Nonmetro	1.11	1.11	0.51	0.59	0.39	0.38
Urbanized	1.63	1.72	0.89	1.03	0.66	0.71
Less Urbanized	1.53	1.50	0.67	0.80	0.53	0.45
Completely Rural	2.52	3.30	1.30	1.06	0.99	0.79

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.62P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.0617		0.0004		0.0215	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.5652		0.1695		0.6272	
New England	0.4060		0.4551		0.2314	
Middle Atlantic	0.8354		0.2476		0.9134	
Midwest	0.2438		0.0233		0.7273	
East North Central	0.0497		0.0202		0.7981	
West North Central	0.3881		0.5956		0.7799	
South	0.7677		0.2396		0.3208	
South Atlantic	0.3736		0.4865		0.0884	
East South Central	0.2175		0.9228		0.2163	
West South Central	0.9080		0.2659		0.8046	
West	0.0519		0.0107		0.0132	
Mountain	0.1938		0.0861		0.1224	
Pacific	0.1229		0.0440		0.0418	
<b>COUNTY TYPE</b>						
Large Metro	0.6653		0.0058		0.0784	
Small Metro	0.0043		0.0565		0.0519	
250K – 1 Mil. Pop.	0.0269		0.0411		0.1158	
< 250K Pop.	0.0660		0.6469		0.2356	
Nonmetro	0.5120		0.1766		0.8441	
Urbanized	0.5086		0.2310		0.5673	
Less Urbanized	0.7263		0.2612		0.4132	
Completely Rural	0.6888		0.2972		0.4476	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.63C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	1,035	953	589	639	453	485
<b>GEOGRAPHIC DIVISION</b>						
Northeast	448	392	243	256	191	206
New England	204	178	115	108	95	99
Middle Atlantic	398	348	216	232	167	181
Midwest	387	362	207	244	172	165
East North Central	334	294	179	206	151	139
West North Central	213	229	106	133	80	84
South	598	603	364	366	251	279
South Atlantic	473	466	287	286	193	221
East South Central	216	216	118	129	101	83
West South Central	312	326	194	185	137	144
West	579	512	332	350	268	291
Mountain	251	231	146	149	102	114
Pacific	521	457	300	316	248	266
<b>COUNTY TYPE</b>						
Large Metro	1,239	1,202	506	552	373	402
Small Metro	854	893	375	405	270	289
250K – 1 Mil. Pop.	718	740	285	324	210	237
< 250K Pop.	533	556	239	244	161	172
Nonmetro	564	599	213	232	159	141
Urbanized	398	430	163	175	117	114
Less Urbanized	392	376	130	149	101	81
Completely Rural	167	236	54	47	40	35

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.63D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.44	0.41	0.25	0.27	0.19	0.21
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.05	0.91	0.57	0.60	0.45	0.48
New England	1.82	1.57	1.02	0.96	0.85	0.87
Middle Atlantic	1.27	1.10	0.69	0.73	0.53	0.57
Midwest	0.77	0.72	0.41	0.48	0.34	0.33
East North Central	0.96	0.84	0.51	0.59	0.43	0.40
West North Central	1.39	1.48	0.69	0.86	0.52	0.55
South	0.70	0.69	0.42	0.42	0.29	0.32
South Atlantic	1.04	1.01	0.63	0.62	0.42	0.48
East South Central	1.57	1.55	0.86	0.92	0.73	0.60
West South Central	1.17	1.21	0.73	0.69	0.52	0.53
West	1.07	0.94	0.62	0.64	0.50	0.53
Mountain	1.54	1.40	0.90	0.90	0.63	0.69
Pacific	1.39	1.20	0.80	0.83	0.66	0.70
<b>COUNTY TYPE</b>						
Large Metro	0.66	0.59	0.37	0.39	0.29	0.30
Small Metro	0.69	0.70	0.45	0.51	0.34	0.38
250K – 1 Mil. Pop.	0.86	0.83	0.52	0.62	0.41	0.47
< 250K Pop.	1.24	1.26	0.82	0.87	0.59	0.65
Nonmetro	1.00	1.00	0.50	0.53	0.38	0.35
Urbanized	1.45	1.52	0.86	0.93	0.65	0.65
Less Urbanized	1.39	1.35	0.65	0.72	0.52	0.42
Completely Rural	2.38	3.03	1.28	1.01	0.97	0.75

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 1.63P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.0427		0.0002		0.0396	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.4302		0.0824		0.4057	
New England	0.3469		0.3693		0.2561	
Middle Atlantic	0.6929		0.1368		0.7469	
Midwest	0.2037		0.0269		0.8830	
East North Central	0.0454		0.0228		0.6889	
West North Central	0.4712		0.5637		0.6803	
South	0.8119		0.2072		0.5021	
South Atlantic	0.5002		0.5433		0.1664	
East South Central	0.2059		0.9487		0.1611	
West South Central	0.7430		0.1539		0.8861	
West	0.0393		0.0116		0.0260	
Mountain	0.1954		0.0713		0.1260	
Pacific	0.0921		0.0509		0.0768	
<b>COUNTY TYPE</b>						
Large Metro	0.3894		0.0012		0.0546	
Small Metro	0.0069		0.0618		0.1224	
250K – 1 Mil. Pop.	0.0442		0.0737		0.2116	
< 250K Pop.	0.0621		0.4624		0.3589	
Nonmetro	0.7138		0.4507		0.4745	
Urbanized	0.7813		0.6468		0.8804	
Less Urbanized	0.7286		0.2886		0.5106	
Completely Rural	0.6245		0.2438		0.3284	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.