

**Table 2.47A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	173,890	173,654	81,859	82,829	68,225	69,497
<b>GEOGRAPHIC DIVISION</b>						
Northeast	31,640	31,330	15,027	14,395	12,102	11,909
New England	8,667	8,846	3,828	3,894	3,021	3,133
Middle Atlantic	22,973	22,484	11,198	10,501	9,080	8,776
Midwest	39,653	39,482	19,145	19,598	16,281	16,833
East North Central	27,310	27,325	13,370	13,918	11,359	12,027
West North Central	12,344	12,157	5,776	5,680	4,922	4,806
South	64,494	64,388	31,206	31,584	26,597	26,876
South Atlantic	34,112	34,456	15,529	15,800	13,023	13,404
East South Central	10,953	10,662	5,877	5,857	5,258	5,266
West South Central	19,428	19,271	9,801	9,928	8,316	8,205
West	38,103	38,454	16,480	17,252	13,245	13,879
Mountain	11,803	12,379	5,581 <sup>a</sup>	6,167	4,696	5,178
Pacific	26,301	26,075	10,899	11,085	8,548	8,701
<b>COUNTY TYPE</b>						
Large Metro	88,948	88,509	40,988	40,473	33,168	33,045
Small Metro	56,229	54,812	26,399	26,509	22,297	22,305
250K – 1 Mil. Pop.	37,798	36,340	17,547	17,054	14,732	14,304
< 250K Pop.	18,431	18,472	8,852	9,455	7,565	8,001
Nonmetro	28,713	30,333	14,471 <sup>a</sup>	15,848	12,759 <sup>a</sup>	14,147
Urbanized	11,783 <sup>a</sup>	13,353	5,863 <sup>a</sup>	6,690	5,098	5,798
Less Urbanized	13,883	13,421	7,015	7,336	6,191	6,682
Completely Rural	3,047	3,559	1,594	1,821	1,470	1,667

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.47B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	67.5	66.8	31.8	31.9	26.5	26.7
<b>GEOGRAPHIC DIVISION</b>						
Northeast	67.5	66.4	32.0	30.5	25.8	25.2
New England	70.3	71.3	31.1	31.4	24.5	25.2
Middle Atlantic	66.5	64.7	32.4	30.2	26.3	25.2
Midwest	71.2	70.6	34.4	35.0	29.2	30.1
East North Central	70.6	70.4	34.6	35.9	29.4	31.0
West North Central	72.6	71.1	34.0	33.2	29.0	28.1
South	67.8	66.8	32.8	32.8	27.9	27.9
South Atlantic	68.0	67.8	30.9	31.1	25.9	26.4
East South Central	71.6	69.3	38.4	38.0	34.4	34.2
West South Central	65.4	64.0	33.0	33.0	28.0	27.2
West	63.7	63.5	27.5	28.5	22.1	22.9
Mountain	65.0	67.2	30.7	33.5	25.9	28.1
Pacific	63.1	61.8	26.2	26.3	20.5	20.6
<b>COUNTY TYPE</b>						
Large Metro	65.0	63.5	30.0	29.1	24.2	23.7
Small Metro	69.8	69.8	32.8	33.8	27.7	28.4
250K – 1 Mil. Pop.	69.4	68.7	32.2	32.2	27.0	27.0
< 250K Pop.	70.6	72.1	33.9 <sup>a</sup>	36.9	29.0	31.2
Nonmetro	71.5	71.8	36.0	37.5	31.8	33.5
Urbanized	70.1	72.3	34.9	36.2	30.3	31.4
Less Urbanized	72.4	70.7	36.6	38.6	32.3	35.2
Completely Rural	72.5	74.7	37.9	38.2	35.0	35.0

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.48A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	5,782 <sup>b</sup>	5,354	4,203 <sup>b</sup>	3,801	2,490 <sup>b</sup>	2,152
<b>GEOGRAPHIC DIVISION</b>						
Northeast	940	840	757 <sup>a</sup>	651	470 <sup>b</sup>	352
New England	269 <sup>a</sup>	220	230 <sup>a</sup>	186	139 <sup>a</sup>	103
Middle Atlantic	671	620	527	465	331 <sup>b</sup>	249
Midwest	1,319	1,241	953	889	575	538
East North Central	893	839	631	605	378	368
West North Central	427	402	321	284	197	170
South	2,193	2,107	1,577	1,498	935	864
South Atlantic	1,052	1,014	791	724	448	415
East South Central	412	400	290	284	192	172
West South Central	729	693	496	490	296	277
West	1,330 <sup>a</sup>	1,166	916 <sup>a</sup>	763	510 <sup>a</sup>	399
Mountain	422	429	297	280	187	153
Pacific	908 <sup>b</sup>	737	618 <sup>b</sup>	483	323 <sup>a</sup>	246
<b>COUNTY TYPE</b>						
Large Metro	2,719	2,560	1,973 <sup>a</sup>	1,784	1,115	980
Small Metro	1,919 <sup>b</sup>	1,679	1,434 <sup>b</sup>	1,230	870 <sup>b</sup>	686
250K – 1 Mil. Pop.	1,270 <sup>a</sup>	1,096	951 <sup>b</sup>	786	560 <sup>b</sup>	441
< 250K Pop.	649	582	483	444	311 <sup>a</sup>	245
Nonmetro	1,145	1,115	796	787	505	486
Urbanized	482	471	347	311	205	186
Less Urbanized	551	521	369	385	247	245
Completely Rural	111	123	80	91	52	55

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.48B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	23.2 <sup>b</sup>	21.5	16.8 <sup>b</sup>	15.2	10.0 <sup>b</sup>	8.6
<b>GEOGRAPHIC DIVISION</b>						
Northeast	22.0	19.8	17.7 <sup>a</sup>	15.4	11.0 <sup>b</sup>	8.3
New England	24.2 <sup>a</sup>	20.0	20.7 <sup>a</sup>	16.8	12.5 <sup>a</sup>	9.3
Middle Atlantic	21.2	19.8	16.7	14.8	10.5 <sup>a</sup>	7.9
Midwest	24.2	22.9	17.5	16.4	10.6	9.9
East North Central	23.4	22.2	16.6	16.0	9.9	9.7
West North Central	26.0	24.5	19.6	17.4	12.0	10.4
South	23.7	22.6	17.0	16.1	10.1	9.3
South Atlantic	22.8	21.8	17.1	15.6	9.7	8.9
East South Central	27.9	27.1	19.6	19.2	13.0	11.7
West South Central	23.1	21.7	15.7	15.4	9.4	8.7
West	22.2 <sup>a</sup>	19.5	15.3 <sup>a</sup>	12.8	8.5 <sup>a</sup>	6.7
Mountain	22.9	23.1	16.2	15.1	10.2	8.3
Pacific	21.9 <sup>b</sup>	17.9	14.9 <sup>a</sup>	11.7	7.8 <sup>a</sup>	6.0
<b>COUNTY TYPE</b>						
Large Metro	20.4 <sup>a</sup>	18.8	14.8 <sup>b</sup>	13.1	8.4 <sup>a</sup>	7.2
Small Metro	24.5 <sup>a</sup>	22.6	18.3 <sup>a</sup>	16.6	11.1 <sup>b</sup>	9.3
250K – 1 Mil. Pop.	23.7	21.4	17.7 <sup>a</sup>	15.4	10.4 <sup>a</sup>	8.6
< 250K Pop.	26.3	25.3	19.6	19.3	12.6	10.7
Nonmetro	30.0	28.4	20.8	20.1	13.2	12.4
Urbanized	28.5	26.0	20.5 <sup>a</sup>	17.2	12.1	10.3
Less Urbanized	31.1	30.7	20.8	22.7	14.0	14.5
Completely Rural	31.1	29.7	22.5	22.0	14.6	13.3

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.49A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	23,304	22,926	17,159	16,891	13,532	13,167
<b>GEOGRAPHIC DIVISION</b>						
Northeast	4,145	4,106	3,064	3,025	2,355	2,304
New England	1,136	1,096	838	786	628	558
Middle Atlantic	3,009	3,010	2,226	2,239	1,727	1,747
Midwest	5,248	5,179	4,003	3,975	3,249	3,182
East North Central	3,590	3,538	2,728	2,721	2,206	2,187
West North Central	1,658	1,640	1,275	1,255	1,042	994
South	8,541	8,442	6,288	6,262	4,963	4,941
South Atlantic	4,361	4,263	3,121	3,138	2,400	2,458
East South Central	1,457	1,363	1,135	1,026	980	893
West South Central	2,723	2,816	2,032	2,098	1,583	1,590
West	5,370	5,199	3,805	3,628	2,965	2,740
Mountain	1,655	1,662	1,190	1,225	943	947
Pacific	3,715	3,537	2,615	2,403	2,022 <sup>a</sup>	1,793
<b>COUNTY TYPE</b>						
Large Metro	12,178	12,033	8,837	8,731	6,833	6,693
Small Metro	7,644	7,399	5,658	5,454	4,472	4,222
250K – 1 Mil. Pop.	4,827	4,599	3,507	3,370	2,786	2,599
< 250K Pop.	2,817	2,800	2,151	2,083	1,685	1,624
Nonmetro	3,482	3,494	2,664	2,706	2,228	2,252
Urbanized	1,636	1,579	1,214	1,234	1,002	1,022
Less Urbanized	1,524	1,578	1,189	1,215	998	1,003
Completely Rural	323	337	262	258	228	226

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.49B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	67.9 <sup>a</sup>	66.3	50.0	48.8	39.5 <sup>a</sup>	38.1
<b>GEOGRAPHIC DIVISION</b>						
Northeast	67.7	66.7	50.1	49.2	38.5	37.4
New England	70.8	67.7	52.2	48.5	39.1	34.4
Middle Atlantic	66.6	66.4	49.3	49.4	38.2	38.5
Midwest	71.5	70.3	54.5	54.0	44.3	43.2
East North Central	70.9	69.7	53.9	53.6	43.6	43.1
West North Central	72.8	71.7	56.0	54.9	45.8	43.5
South	67.7	66.2	49.9	49.1	39.4	38.7
South Atlantic	67.7	65.3	48.5	48.1	37.3	37.7
East South Central	72.5 <sup>a</sup>	67.4	56.5	50.7	48.8	44.2
West South Central	65.5	66.9	48.8	49.9	38.1	37.8
West	65.2	62.5	46.2	43.6	36.0 <sup>a</sup>	33.0
Mountain	67.0	66.6	48.2	49.1	38.2	38.0
Pacific	64.5	60.8	45.4 <sup>a</sup>	41.3	35.1 <sup>a</sup>	30.8
<b>COUNTY TYPE</b>						
Large Metro	66.2 <sup>b</sup>	63.6	48.0	46.1	37.1	35.4
Small Metro	68.6	68.4	50.8	50.4	40.1	39.1
250K – 1 Mil. Pop.	68.2	66.7	49.5	48.9	39.3	37.7
< 250K Pop.	69.3	71.4	52.9	53.1	41.5	41.4
Nonmetro	73.4	72.0	56.1	55.8	46.9	46.4
Urbanized	74.1	71.1	55.0	55.5	45.4	46.0
Less Urbanized	72.8	72.3	56.8	55.7	47.7	46.0
Completely Rural	72.6	75.4	58.9	57.6	51.4	50.7

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.50A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	144,804	145,374	60,497	62,138	52,203	54,178
<b>GEOGRAPHIC DIVISION</b>						
Northeast	26,555	26,384	11,205	10,719	9,276	9,253
New England	7,262	7,529	2,760	2,923	2,254	2,472
Middle Atlantic	19,294	18,855	8,445	7,797	7,022	6,781
Midwest	33,086	33,063	14,190	14,734	12,457	13,113
East North Central	22,827	22,948	10,011	10,592	8,775	9,472
West North Central	10,259	10,115	4,180	4,141	3,682	3,641
South	53,759	53,839	23,341	23,824	20,699	21,071
South Atlantic	28,699	29,179	11,617	11,938	10,175	10,531
East South Central	9,084	8,898	4,452	4,547	4,087	4,201
West South Central	15,976	15,762	7,272	7,339	6,437	6,339
West	31,404	32,089	11,760	12,861	9,770	10,741
Mountain	9,726	10,288	4,094 <sup>a</sup>	4,662	3,566	4,078
Pacific	21,678	21,801	7,666	8,199	6,204	6,663
<b>COUNTY TYPE</b>						
Large Metro	74,052	73,916	30,178	29,958	25,221	25,373
Small Metro	46,666	45,735	19,308	19,826	16,955	17,396
250K – 1 Mil. Pop.	31,701	30,645	13,089	12,898	11,386	11,264
< 250K Pop.	14,965	15,090	6,218	6,928	5,569	6,132
Nonmetro	24,087	25,724	11,011 <sup>a</sup>	12,354	10,026 <sup>a</sup>	11,409
Urbanized	9,666 <sup>a</sup>	11,302	4,301 <sup>a</sup>	5,145	3,891 <sup>a</sup>	4,590
Less Urbanized	11,808	11,322	5,458	5,736	4,946	5,433
Completely Rural	2,614	3,099	1,252	1,472	1,190	1,385

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.50B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	73.0	72.5	30.5	31.0	26.3	27.0
<b>GEOGRAPHIC DIVISION</b>						
Northeast	72.8	71.7	30.7	29.1	25.4	25.2
New England	75.6	77.7	28.7	30.2	23.5	25.5
Middle Atlantic	71.8	69.6	31.4	28.8	26.1	25.0
Midwest	77.1	76.6	33.1	34.1	29.0	30.4
East North Central	76.6	76.6	33.6	35.4	29.4	31.6
West North Central	78.4	76.7	31.9	31.4	28.1	27.6
South	73.3	72.5	31.8	32.1	28.2	28.4
South Atlantic	73.4	73.5	29.7	30.1	26.0	26.5
East South Central	76.9	74.8	37.7	38.2	34.6	35.3
West South Central	71.4	69.4	32.5	32.3	28.8	27.9
West	68.8	69.3	25.8	27.8	21.4	23.2
Mountain	70.2	73.1	29.6	33.1	25.7	29.0
Pacific	68.3	67.7	24.1	25.4	19.5	20.7
<b>COUNTY TYPE</b>						
Large Metro	70.5	69.2	28.7	28.1	24.0	23.8
Small Metro	75.7	75.9	31.3	32.9	27.5	28.9
250K – 1 Mil. Pop.	75.4	74.9	31.1	31.5	27.1	27.5
< 250K Pop.	76.5	77.8	31.8 <sup>a</sup>	35.7	28.5	31.6
Nonmetro	76.2	76.9	34.8	36.9	31.7	34.1
Urbanized	74.9	78.2	33.4	35.6	30.2	31.8
Less Urbanized	77.1	74.9	35.6	37.9	32.3	35.9
Completely Rural	76.9	79.4	36.8	37.7	35.0	35.5

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.51A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	168,108	168,300	77,656	79,029	65,735	67,345
<b>GEOGRAPHIC DIVISION</b>						
Northeast	30,700	30,489	14,269	13,744	11,631	11,558
New England	8,398	8,625	3,598	3,709	2,882	3,030
Middle Atlantic	22,303	21,864	10,671	10,036	8,749	8,528
Midwest	38,334	38,241	18,193	18,709	15,706	16,295
East North Central	26,417	26,486	12,738	13,313	10,981	11,659
West North Central	11,917	11,755	5,455	5,396	4,725	4,636
South	62,300	62,282	29,629	30,086	25,663	26,012
South Atlantic	33,060	33,442	14,738	15,076	12,575	12,989
East South Central	10,541	10,262	5,587	5,573	5,067	5,094
West South Central	18,699	18,578	9,304	9,437	8,021	7,929
West	36,774	37,288	15,565	16,489	12,735	13,481
Mountain	11,381	11,950	5,283 <sup>a</sup>	5,887	4,510	5,025
Pacific	25,393	25,338	10,281	10,602	8,226	8,456
<b>COUNTY TYPE</b>						
Large Metro	86,230	85,949	39,015	38,689	32,054	32,065
Small Metro	54,310	53,133	24,965	25,279	21,427	21,619
250K – 1 Mil. Pop.	36,529	35,243	16,596	16,268	14,172	13,863
< 250K Pop.	17,781	17,890	8,369	9,012	7,255	7,756
Nonmetro	27,568	29,218	13,675 <sup>a</sup>	15,060	12,254 <sup>a</sup>	13,661
Urbanized	11,301 <sup>a</sup>	12,882	5,515 <sup>a</sup>	6,379	4,892	5,612
Less Urbanized	13,331	12,900	6,646	6,951	5,944	6,437
Completely Rural	2,936	3,436	1,514	1,730	1,418	1,612

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.51B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	72.3	71.6	33.4	33.6	28.3	28.6
<b>GEOGRAPHIC DIVISION</b>						
Northeast	72.0	71.0	33.5	32.0	27.3	26.9
New England	74.9	76.3	32.1	32.8	25.7	26.8
Middle Atlantic	71.0	69.1	34.0	31.7	27.9	27.0
Midwest	76.3	75.7	36.2	37.0	31.3	32.3
East North Central	75.7	75.6	36.5	38.0	31.5	33.3
West North Central	77.6	76.0	35.5	34.9	30.8	30.0
South	72.5	71.5	34.5	34.6	29.9	29.9
South Atlantic	72.6	72.4	32.3	32.6	27.6	28.1
East South Central	76.2	73.7	40.4	40.0	36.6	36.6
West South Central	70.5	69.0	35.1	35.0	30.2	29.4
West	68.3	68.3	28.9	30.2	23.7	24.7
Mountain	69.7	72.1	32.4	35.5	27.6	30.3
Pacific	67.7	66.6	27.4	27.9	21.9	22.2
<b>COUNTY TYPE</b>						
Large Metro	69.8	68.4	31.6	30.8	26.0	25.5
Small Metro	74.6	74.7	34.3	35.6	29.4	30.4
250K – 1 Mil. Pop.	74.3	73.8	33.8	34.0	28.8	29.0
< 250K Pop.	75.3	76.7	35.4 <sup>a</sup>	38.7	30.7	33.3
Nonmetro	75.8	76.2	37.6	39.3	33.7	35.6
Urbanized	74.8	77.3	36.5	38.3	32.4	33.7
Less Urbanized	76.6	74.6	38.2	40.2	34.1	37.2
Completely Rural	76.4	78.9	39.4	39.7	36.9	37.0

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.