

**Table 2.52A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	161,799	161,057	67,126	67,802	56,819	57,525
<b>GEOGRAPHIC DIVISION</b>						
Northeast	29,408	29,108	12,368	11,650	10,395	9,882
New England	7,949	8,190	2,983	3,106	2,486	2,584
Middle Atlantic	21,459	20,918	9,385	8,544	7,910	7,298
Midwest	36,949	36,428	15,646	15,946	13,462	13,810
East North Central	25,399	25,298	10,988	11,523	9,510	9,969
West North Central	11,549	11,130	4,658	4,423	3,953	3,841
South	59,766	59,639	25,704	26,076	22,102	22,263
South Atlantic	31,455	31,898	12,685	13,213	10,775	11,246
East South Central	10,151	9,954	4,835	4,911	4,326	4,407
West South Central	18,160	17,787	8,184	7,952	7,001	6,610
West	35,676	35,882	13,407	14,130	10,859	11,569
Mountain	11,049 <sup>a</sup>	11,667	4,547 <sup>a</sup>	5,075	3,785	4,258
Pacific	24,627	24,215	8,861	9,056	7,074	7,311
<b>COUNTY TYPE</b>						
Large Metro	82,791	82,185	33,527	33,312	27,858	27,766
Small Metro	52,299	50,735	21,502	21,455	18,358	18,203
250K – 1 Mil. Pop.	35,078	33,796	14,189	13,767	12,114	11,656
< 250K Pop.	17,221	16,939	7,313	7,688	6,244	6,548
Nonmetro	26,708	28,137	12,097	13,035	10,603	11,555
Urbanized	10,916 <sup>a</sup>	12,395	4,919	5,501	4,288	4,789
Less Urbanized	12,909	12,478	5,852	6,034	5,109	5,457
Completely Rural	2,884	3,264	1,326	1,500	1,207	1,309

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.52B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	62.8	61.9	26.1	26.1	22.1	22.1
<b>GEOGRAPHIC DIVISION</b>						
Northeast	62.7	61.7	26.4	24.7	22.2	20.9
New England	64.5	66.0	24.2	25.0	20.2	20.8
Middle Atlantic	62.1	60.2	27.1 <sup>a</sup>	24.6	22.9	21.0
Midwest	66.3	65.1	28.1	28.5	24.2	24.7
East North Central	65.6	65.2	28.4	29.7	24.6	25.7
West North Central	67.9	65.1	27.4	25.9	23.3	22.5
South	62.8	61.9	27.0	27.1	23.2	23.1
South Atlantic	62.7	62.7	25.3	26.0	21.5	22.1
East South Central	66.3	64.7	31.6	31.9	28.3	28.6
West South Central	61.2	59.1	27.6	26.4	23.6	21.9
West	59.6	59.2	22.4	23.3	18.1	19.1
Mountain	60.8	63.3	25.0	27.5	20.8	23.1
Pacific	59.1	57.4	21.3	21.5	17.0	17.3
<b>COUNTY TYPE</b>						
Large Metro	60.5 <sup>a</sup>	59.0	24.5	23.9	20.4	19.9
Small Metro	64.9	64.6	26.7	27.3	22.8	23.2
250K – 1 Mil. Pop.	64.4	63.9	26.0	26.0	22.2	22.0
< 250K Pop.	66.0	66.1	28.0	30.0	23.9	25.6
Nonmetro	66.5	66.6	30.1	30.9	26.4	27.4
Urbanized	65.0	67.1	29.3	29.8	25.5	25.9
Less Urbanized	67.3	65.7	30.5	31.8	26.6	28.7
Completely Rural	68.6	68.5	31.6	31.5	28.7	27.5

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.53A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	4,773 <sup>b</sup>	4,338	3,287 <sup>b</sup>	2,948	1,939 <sup>b</sup>	1,634
<b>GEOGRAPHIC DIVISION</b>						
Northeast	771 <sup>b</sup>	646	589 <sup>b</sup>	466	359 <sup>b</sup>	241
New England	212 <sup>a</sup>	157	168 <sup>a</sup>	120	101 <sup>a</sup>	67
Middle Atlantic	560	490	421 <sup>a</sup>	346	257 <sup>b</sup>	174
Midwest	1,060	1,053	711	721	444	422
East North Central	717	709	468	504	282	296
West North Central	343	344	243	217	162	126
South	1,802	1,696	1,227	1,166	707	666
South Atlantic	852	853	615	584	344	340
East South Central	331	300	219	215	144	128
West South Central	619	543	392	367	220	198
West	1,140 <sup>b</sup>	943	760 <sup>b</sup>	595	428 <sup>b</sup>	305
Mountain	354	348	238	210	144	113
Pacific	787 <sup>b</sup>	595	522 <sup>b</sup>	386	284 <sup>a</sup>	193
<b>COUNTY TYPE</b>						
Large Metro	2,221	2,091	1,536	1,408	864	755
Small Metro	1,600 <sup>b</sup>	1,364	1,112 <sup>a</sup>	957	680 <sup>b</sup>	524
250K – 1 Mil. Pop.	1,058 <sup>a</sup>	889	734 <sup>a</sup>	608	441 <sup>b</sup>	330
< 250K Pop.	543	475	378	348	239	194
Nonmetro	952	884	638	583	394	355
Urbanized	406	379	286 <sup>a</sup>	226	171	134
Less Urbanized	450	412	288	290	185	179
Completely Rural	97	92	65	67	38	41

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.53B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	19.1 <sup>b</sup>	17.4	13.2 <sup>b</sup>	11.8	7.8 <sup>b</sup>	6.6
<b>GEOGRAPHIC DIVISION</b>						
Northeast	18.0 <sup>a</sup>	15.3	13.8 <sup>b</sup>	11.0	8.4 <sup>b</sup>	5.7
New England	19.0 <sup>a</sup>	14.2	15.1 <sup>a</sup>	10.9	9.1 <sup>a</sup>	6.1
Middle Atlantic	17.7	15.6	13.3	11.0	8.1 <sup>b</sup>	5.6
Midwest	19.5	19.4	13.1	13.3	8.2	7.8
East North Central	18.8	18.8	12.3	13.3	7.4	7.8
West North Central	20.9	21.0	14.8	13.3	9.9	7.7
South	19.5	18.2	13.3	12.5	7.6	7.2
South Atlantic	18.4	18.4	13.3	12.6	7.4	7.3
East South Central	22.4	20.3	14.8	14.6	9.7	8.7
West South Central	19.6	17.0	12.4	11.5	7.0	6.2
West	19.0 <sup>b</sup>	15.8	12.7 <sup>b</sup>	10.0	7.1 <sup>b</sup>	5.1
Mountain	19.2	18.7	12.9	11.3	7.8	6.1
Pacific	18.9 <sup>b</sup>	14.5	12.6 <sup>b</sup>	9.4	6.8 <sup>a</sup>	4.7
<b>COUNTY TYPE</b>						
Large Metro	16.7	15.4	11.5 <sup>a</sup>	10.4	6.5 <sup>a</sup>	5.6
Small Metro	20.4 <sup>a</sup>	18.4	14.2	12.9	8.7 <sup>b</sup>	7.1
250K – 1 Mil. Pop.	19.7 <sup>a</sup>	17.4	13.7 <sup>a</sup>	11.9	8.2 <sup>b</sup>	6.5
< 250K Pop.	22.0	20.6	15.3	15.1	9.7	8.4
Nonmetro	24.9	22.5	16.7	14.9	10.3	9.0
Urbanized	24.0	20.9	16.9 <sup>b</sup>	12.5	10.1 <sup>a</sup>	7.4
Less Urbanized	25.4	24.3	16.3	17.1	10.5	10.6
Completely Rural	27.2	22.3	18.1	16.2	10.6	10.0

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.54A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	20,929	20,593	14,516	14,195	11,488 <sup>a</sup>	11,008
<b>GEOGRAPHIC DIVISION</b>						
Northeast	3,673	3,595	2,543	2,491	2,006	1,951
New England	962	951	662	629	524	463
Middle Atlantic	2,711	2,644	1,880	1,863	1,482	1,488
Midwest	4,688	4,594	3,379	3,298	2,756	2,624
East North Central	3,204	3,166	2,296	2,258	1,880	1,804
West North Central	1,484	1,428	1,083	1,040	876	820
South	7,657	7,659	5,320	5,326	4,200	4,129
South Atlantic	3,821	3,816	2,579	2,635	2,015	2,014
East South Central	1,325	1,233	968	872	823	737
West South Central	2,511	2,610	1,773	1,818	1,363	1,377
West	4,911	4,745	3,274	3,079	2,526	2,303
Mountain	1,508	1,521	1,041	1,012	819	783
Pacific	3,403	3,224	2,233	2,067	1,707	1,520
<b>COUNTY TYPE</b>						
Large Metro	10,920	10,847	7,386	7,388	5,739	5,649
Small Metro	6,846	6,554	4,816	4,529	3,835 <sup>a</sup>	3,495
250K – 1 Mil. Pop.	4,360	4,097	3,006	2,807	2,398 <sup>a</sup>	2,138
< 250K Pop.	2,486	2,457	1,810	1,722	1,436	1,357
Nonmetro	3,163	3,192	2,314	2,278	1,914	1,864
Urbanized	1,486	1,422	1,064	1,025	875	840
Less Urbanized	1,381	1,462	1,017	1,036	837	833
Completely Rural	296	307	232	217	202	191

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.54B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	61.0 <sup>a</sup>	59.5	42.3	41.0	33.5 <sup>a</sup>	31.8
<b>GEOGRAPHIC DIVISION</b>						
Northeast	60.0	58.4	41.5	40.5	32.8	31.7
New England	60.0	58.7	41.3	38.8	32.6	28.6
Middle Atlantic	60.0	58.3	41.6	41.1	32.8	32.8
Midwest	63.9	62.4	46.0	44.8	37.5	35.6
East North Central	63.3	62.4	45.3	44.5	37.1	35.6
West North Central	65.2	62.5	47.6	45.5	38.5	35.9
South	60.7	60.0	42.2	41.7	33.3	32.4
South Atlantic	59.3	58.5	40.0	40.4	31.3	30.9
East South Central	65.9 <sup>a</sup>	61.0	48.2	43.1	40.9	36.4
West South Central	60.4	62.0	42.6	43.2	32.7	32.7
West	59.7	57.1	39.8	37.0	30.7 <sup>a</sup>	27.7
Mountain	61.0	61.0	42.2	40.6	33.2	31.4
Pacific	59.1	55.4	38.8	35.5	29.6	26.1
<b>COUNTY TYPE</b>						
Large Metro	59.3 <sup>a</sup>	57.3	40.1	39.0	31.2	29.8
Small Metro	61.4	60.6	43.2	41.9	34.4 <sup>a</sup>	32.3
250K – 1 Mil. Pop.	61.6	59.5	42.4	40.7	33.9 <sup>a</sup>	31.0
< 250K Pop.	61.2	62.6	44.5	43.9	35.3	34.6
Nonmetro	66.7	65.8	48.7	47.0	40.3	38.4
Urbanized	67.3	64.0	48.2	46.1	39.6	37.8
Less Urbanized	66.0	67.0	48.6	47.5	40.0	38.2
Completely Rural	66.7	68.7	52.2	48.7	45.4	42.7

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.55A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	136,096	136,125	49,323	50,659	43,392	44,882
<b>GEOGRAPHIC DIVISION</b>						
Northeast	24,964	24,867	9,237	8,693	8,031	7,690
New England	6,776	7,082	2,153	2,358	1,861	2,054
Middle Atlantic	18,188	17,785	7,084	6,335	6,170	5,636
Midwest	31,200	30,781	11,556	11,927	10,262	10,764
East North Central	21,478	21,423	8,224	8,761	7,348	7,868
West North Central	9,722	9,358	3,332	3,165	2,915	2,896
South	50,307	50,284	19,157	19,584	17,194	17,468
South Atlantic	26,782	27,230	9,491	9,995	8,416	8,893
East South Central	8,496	8,420	3,648	3,823	3,360	3,541
West South Central	15,030	14,634	6,018	5,766	5,419	5,034
West	29,625	30,194	9,374 <sup>a</sup>	10,456	7,905 <sup>a</sup>	8,960
Mountain	9,188 <sup>a</sup>	9,798	3,268 <sup>a</sup>	3,853	2,822 <sup>a</sup>	3,363
Pacific	20,437	20,395	6,106	6,603	5,083	5,598
<b>COUNTY TYPE</b>						
Large Metro	69,650	69,247	24,605	24,516	21,255	21,362
Small Metro	43,853	42,817	15,573	15,970	13,843	14,184
250K – 1 Mil. Pop.	29,661	28,810	10,449	10,352	9,275	9,187
< 250K Pop.	14,193	14,007	5,125	5,618	4,568	4,997
Nonmetro	22,593	24,061	9,145	10,174	8,295 <sup>a</sup>	9,336
Urbanized	9,024 <sup>a</sup>	10,593	3,568 <sup>a</sup>	4,250	3,241	3,814
Less Urbanized	11,078	10,603	4,547	4,708	4,086	4,445
Completely Rural	2,490	2,865	1,030	1,215	967	1,076

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.55B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	68.6	67.9	24.9	25.3	21.9	22.4
<b>GEOGRAPHIC DIVISION</b>						
Northeast	68.4	67.6	25.3	23.6	22.0	20.9
New England	70.5	73.1	22.4	24.3	19.4	21.2
Middle Atlantic	67.6	65.6	26.3	23.4	22.9	20.8
Midwest	72.7	71.3	26.9	27.6	23.9	24.9
East North Central	72.0	71.5	27.6	29.2	24.6	26.3
West North Central	74.3	71.0	25.5	24.0	22.3	22.0
South	68.6	67.7	26.1	26.4	23.5	23.5
South Atlantic	68.5	68.6	24.3	25.2	21.5	22.4
East South Central	71.9	70.8	30.9	32.1	28.4	29.8
West South Central	67.2	64.4	26.9	25.4	24.2	22.2
West	64.9	65.2	20.5	22.6	17.3	19.4
Mountain	66.3	69.6	23.6 <sup>a</sup>	27.4	20.4	23.9
Pacific	64.3	63.3	19.2	20.5	16.0	17.4
<b>COUNTY TYPE</b>						
Large Metro	66.3	64.8	23.4	23.0	20.2	20.0
Small Metro	71.2	71.0	25.3	26.5	22.5	23.5
250K – 1 Mil. Pop.	70.5	70.5	24.8	25.3	22.1	22.5
< 250K Pop.	72.6	72.2	26.2	29.0	23.4	25.8
Nonmetro	71.5	71.9	28.9	30.4	26.2	27.9
Urbanized	70.0	73.3	27.7	29.4	25.1	26.4
Less Urbanized	72.3	70.1	29.7	31.1	26.7	29.4
Completely Rural	73.2	73.4	30.3	31.1	28.4	27.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.56A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	157,025	156,718	63,839	64,854	54,880	55,890
<b>GEOGRAPHIC DIVISION</b>						
Northeast	28,637	28,461	11,779	11,184	10,037	9,641
New England	7,738	8,033	2,815	2,986	2,385	2,517
Middle Atlantic	20,899	20,428	8,964	8,198	7,652	7,124
Midwest	35,889	35,375	14,935	15,225	13,018	13,389
East North Central	24,682	24,588	10,520	11,019	9,228	9,673
West North Central	11,206	10,786	4,415	4,206	3,790	3,716
South	57,964	57,943	24,477	24,910	21,394	21,597
South Atlantic	30,603	31,045	12,070	12,629	10,431	10,907
East South Central	9,820	9,653	4,616	4,696	4,182	4,278
West South Central	17,541	17,244	7,792	7,584	6,781	6,412
West	34,536	34,939	12,648	13,535	10,431	11,264
Mountain	10,696 <sup>a</sup>	11,319	4,309 <sup>a</sup>	4,865	3,641 <sup>a</sup>	4,146
Pacific	23,840	23,619	8,339	8,670	6,790	7,118
<b>COUNTY TYPE</b>						
Large Metro	80,571	80,094	31,991	31,904	26,994	27,011
Small Metro	50,699	49,371	20,390	20,499	17,678	17,680
250K – 1 Mil. Pop.	34,020	32,907	13,455	13,159	11,673	11,326
< 250K Pop.	16,678	16,464	6,935	7,340	6,004	6,354
Nonmetro	25,756	27,253	11,458	12,452	10,209	11,200
Urbanized	10,510 <sup>a</sup>	12,015	4,633	5,275	4,116	4,655
Less Urbanized	12,459	12,066	5,564	5,744	4,923	5,278
Completely Rural	2,787	3,172	1,262	1,433	1,169	1,267

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.56B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	67.5	66.7	27.4	27.6	23.6	23.8
<b>GEOGRAPHIC DIVISION</b>						
Northeast	67.2	66.3	27.6	26.0	23.6	22.5
New England	69.0	71.0	25.1	26.4	21.3	22.3
Middle Atlantic	66.5	64.6	28.5	25.9	24.4	22.5
Midwest	71.4	70.0	29.7	30.1	25.9	26.5
East North Central	70.8	70.2	30.2	31.4	26.5	27.6
West North Central	73.0	69.7	28.7	27.2	24.7	24.0
South	67.5	66.5	28.5	28.6	24.9	24.8
South Atlantic	67.2	67.2	26.5	27.3	22.9	23.6
East South Central	71.0	69.4	33.4	33.7	30.2	30.7
West South Central	66.1	64.0	29.4	28.2	25.6	23.8
West	64.1	64.0	23.5	24.8	19.4	20.6
Mountain	65.5	68.3	26.4	29.4	22.3	25.0
Pacific	63.5	62.1	22.2	22.8	18.1	18.7
<b>COUNTY TYPE</b>						
Large Metro	65.2	63.7	25.9	25.4	21.9	21.5
Small Metro	69.7	69.4	28.0	28.8	24.3	24.9
250K – 1 Mil. Pop.	69.2	68.9	27.4	27.5	23.8	23.7
< 250K Pop.	70.6	70.6	29.4	31.5	25.4	27.3
Nonmetro	70.8	71.1	31.5	32.5	28.1	29.2
Urbanized	69.6	72.1	30.7	31.6	27.3	27.9
Less Urbanized	71.6	69.7	32.0	33.2	28.3	30.5
Completely Rural	72.5	72.9	32.8	32.9	30.4	29.1

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.