

**Table 2.62A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	88,505	88,596	24,980	25,647	12,865	13,417
<b>GEOGRAPHIC DIVISION</b>						
Northeast	14,979	15,633	4,618	4,932	2,118 <sup>a</sup>	2,637
New England	4,679	4,771	1,385	1,460	666	813
Middle Atlantic	10,300	10,862	3,233	3,472	1,452	1,824
Midwest	20,793	21,161	5,661	5,986	2,914	3,002
East North Central	14,137	14,437	4,074	4,154	2,076	2,203
West North Central	6,656	6,724	1,586	1,832	839	799
South	32,008	31,927	9,420	8,970	5,172	5,233
South Atlantic	16,751	17,253	4,978	4,755	2,855	2,929
East South Central	5,674 <sup>a</sup>	5,045	1,642	1,397	955	825
West South Central	9,583	9,629	2,800	2,818	1,362	1,478
West	20,725	19,874	5,281	5,759	2,660	2,545
Mountain	6,682	6,664	1,776	1,985	992	915
Pacific	14,043	13,209	3,504	3,774	1,669	1,630
<b>COUNTY TYPE</b>						
Large Metro	45,533	45,277	13,182	13,450	6,638	6,883
Small Metro	29,058	28,325	8,169	8,392	4,374	4,610
250K – 1 Mil. Pop.	19,653	18,906	5,542	5,632	3,014	3,174
< 250K Pop.	9,405	9,419	2,627	2,760	1,360	1,436
Nonmetro	13,914	14,994	3,629	3,805	1,853	1,924
Urbanized	5,593 <sup>b</sup>	6,690	1,530	1,805	864	878
Less Urbanized	6,939	6,645	1,737	1,729	797	882
Completely Rural	1,382	1,659	362	271	192	164

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.62B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	34.4	34.1	9.7	9.9	5.0	5.2
<b>GEOGRAPHIC DIVISION</b>						
Northeast	31.9	33.1	9.8	10.5	4.5 <sup>a</sup>	5.6
New England	38.0	38.4	11.2	11.8	5.4	6.5
Middle Atlantic	29.8	31.2	9.4	10.0	4.2	5.2
Midwest	37.3	37.8	10.2	10.7	5.2	5.4
East North Central	36.5	37.2	10.5	10.7	5.4	5.7
West North Central	39.2	39.3	9.3	10.7	4.9	4.7
South	33.6	33.1	9.9	9.3	5.4	5.4
South Atlantic	33.4	33.9	9.9	9.3	5.7	5.8
East South Central	37.1 <sup>a</sup>	32.8	10.7	9.1	6.2	5.4
West South Central	32.3	32.0	9.4	9.4	4.6	4.9
West	34.6	32.8	8.8	9.5	4.4	4.2
Mountain	36.8	36.2	9.8	10.8	5.5	5.0
Pacific	33.7	31.3	8.4	9.0	4.0	3.9
<b>COUNTY TYPE</b>						
Large Metro	33.3	32.5	9.6	9.7	4.9	4.9
Small Metro	36.1	36.1	10.1	10.7	5.4	5.9
250K – 1 Mil. Pop.	36.1	35.7	10.2	10.6	5.5	6.0
< 250K Pop.	36.0	36.8	10.1	10.8	5.2	5.6
Nonmetro	34.6	35.5	9.0	9.0	4.6	4.6
Urbanized	33.3	36.2	9.1	9.8	5.1	4.7
Less Urbanized	36.2	35.0	9.1	9.1	4.2	4.6
Completely Rural	32.9	34.8	8.6 <sup>a</sup>	5.7	4.6	3.4

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.63A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	2,675 <sup>b</sup>	2,389	1,939 <sup>b</sup>	1,684	858 <sup>b</sup>	645
<b>GEOGRAPHIC DIVISION</b>						
Northeast	487 <sup>a</sup>	408	386	326	182 <sup>b</sup>	120
New England	156	130	136	115	60	38
Middle Atlantic	331	277	249	211	122 <sup>a</sup>	82
Midwest	603	538	442 <sup>a</sup>	384	196 <sup>a</sup>	157
East North Central	415	363	296	259	150 <sup>a</sup>	114
West North Central	188	175	146	124	46	43
South	1,003	899	744 <sup>a</sup>	614	312	247
South Atlantic	483	464	376	320	144	121
East South Central	182	155	124	105	62	50
West South Central	339	280	244	188	106	76
West	581	545	368	360	167 <sup>a</sup>	120
Mountain	188	200	121	125	60	45
Pacific	394	344	247	235	107	75
<b>COUNTY TYPE</b>						
Large Metro	1,301	1,156	940 <sup>a</sup>	815	392 <sup>b</sup>	280
Small Metro	916 <sup>b</sup>	762	690 <sup>b</sup>	524	334 <sup>b</sup>	216
250K – 1 Mil. Pop.	614 <sup>a</sup>	498	467 <sup>b</sup>	349	215 <sup>a</sup>	150
< 250K Pop.	302	265	222	176	119 <sup>b</sup>	66
Nonmetro	458	471	310	345	132	148
Urbanized	195	197	135	138	53	47
Less Urbanized	211	233	143	172	68	85
Completely Rural	52	41	31	34	11	16

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.63B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	10.7 <sup>b</sup>	9.6	7.8 <sup>b</sup>	6.8	3.4 <sup>b</sup>	2.6
<b>GEOGRAPHIC DIVISION</b>						
Northeast	11.4	9.6	9.0	7.7	4.3 <sup>a</sup>	2.8
New England	14.0	11.8	12.2	10.4	5.4	3.4
Middle Atlantic	10.5	8.9	7.9	6.7	3.9	2.6
Midwest	11.1	9.9	8.1 <sup>a</sup>	7.1	3.6 <sup>a</sup>	2.9
East North Central	10.9	9.6	7.8	6.9	3.9 <sup>a</sup>	3.0
West North Central	11.5	10.7	8.9	7.6	2.8	2.6
South	10.8	9.7	8.0 <sup>a</sup>	6.6	3.4 <sup>a</sup>	2.7
South Atlantic	10.4	10.0	8.1	6.9	3.1	2.6
East South Central	12.3	10.5	8.4	7.1	4.2	3.4
West South Central	10.7	8.8	7.7	5.9	3.4	2.4
West	9.7	9.1	6.1	6.0	2.8 <sup>a</sup>	2.0
Mountain	10.2	10.8	6.6	6.7	3.3	2.4
Pacific	9.5	8.4	5.9	5.7	2.6	1.8
<b>COUNTY TYPE</b>						
Large Metro	9.8 <sup>a</sup>	8.5	7.1 <sup>a</sup>	6.0	2.9 <sup>b</sup>	2.1
Small Metro	11.7 <sup>a</sup>	10.3	8.8 <sup>b</sup>	7.1	4.3 <sup>b</sup>	2.9
250K – 1 Mil. Pop.	11.4 <sup>a</sup>	9.7	8.7 <sup>b</sup>	6.8	4.0 <sup>a</sup>	2.9
< 250K Pop.	12.2	11.5	9.0	7.6	4.8 <sup>b</sup>	2.9
Nonmetro	12.0	12.0	8.1	8.8	3.5	3.8
Urbanized	11.5	10.9	8.0	7.6	3.1	2.6
Less Urbanized	11.9	13.7	8.1	10.2	3.9	5.0
Completely Rural	14.6	9.9	8.8	8.3	3.0	3.9

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.64A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	13,540	13,490	7,568	7,521	3,724	3,716
<b>GEOGRAPHIC DIVISION</b>						
Northeast	2,290	2,431	1,263	1,398	576 <sup>a</sup>	681
New England	731	703	381	413	165	194
Middle Atlantic	1,558 <sup>a</sup>	1,728	882	985	412	487
Midwest	3,246	3,218	1,853	1,829	943	868
East North Central	2,218	2,164	1,282	1,220	667	593
West North Central	1,028	1,055	572	609	276	275
South	4,875	4,818	2,845	2,684	1,451	1,439
South Atlantic	2,573	2,499	1,530	1,378	790	735
East South Central	845	766	491	428	266	245
West South Central	1,457	1,553	824	878	395	459
West	3,129	3,022	1,607	1,609	754	729
Mountain	1,040	1,083	563	599	280	279
Pacific	2,089	1,938	1,044	1,010	474	450
<b>COUNTY TYPE</b>						
Large Metro	6,940	6,902	3,913	3,864	1,948	2,003
Small Metro	4,601	4,588	2,578	2,538	1,244	1,165
250K – 1 Mil. Pop.	2,854	2,777	1,591	1,495	782	707
< 250K Pop.	1,747	1,811	987	1,043	463	458
Nonmetro	1,999	1,999	1,077	1,119	532	549
Urbanized	945	942	525	546	262	272
Less Urbanized	862	872	449	480	217	229
Completely Rural	192	186	104	93	52	47

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.64B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	39.5	39.0	22.1	21.7	10.9	10.7
<b>GEOGRAPHIC DIVISION</b>						
Northeast	37.4	39.5	20.6	22.7	9.4	11.1
New England	45.6	43.4	23.7	25.5	10.3	12.0
Middle Atlantic	34.5 <sup>a</sup>	38.1	19.5	21.7	9.1	10.7
Midwest	44.2	43.7	25.2	24.9	12.8	11.8
East North Central	43.8	42.6	25.3	24.0	13.2	11.7
West North Central	45.2	46.1	25.1	26.6	12.1	12.0
South	38.7	37.8	22.6	21.0	11.5	11.3
South Atlantic	39.9	38.3	23.8	21.1	12.3	11.3
East South Central	42.1	37.9	24.5	21.2	13.3	12.1
West South Central	35.0	36.9	19.8	20.9	9.5	10.9
West	38.0	36.3	19.5	19.4	9.2	8.8
Mountain	42.1	43.5	22.8	24.0	11.3	11.2
Pacific	36.3	33.3	18.1	17.3	8.2	7.7
<b>COUNTY TYPE</b>						
Large Metro	37.7	36.5	21.3	20.4	10.6	10.6
Small Metro	41.3	42.4	23.1	23.5	11.2	10.8
250K – 1 Mil. Pop.	40.3	40.3	22.5	21.7	11.0	10.3
< 250K Pop.	43.0	46.2	24.3	26.6	11.4	11.7
Nonmetro	42.1	41.2	22.7	23.1	11.2	11.3
Urbanized	42.8	42.4	23.8	24.6	11.9	12.3
Less Urbanized	41.2	40.0	21.4	22.0	10.4	10.5
Completely Rural	43.2	41.5	23.3	20.7	11.7	10.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.65A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	72,290	72,716	15,472	16,443	8,283	9,055
<b>GEOGRAPHIC DIVISION</b>						
Northeast	12,202	12,794	2,969	3,208	1,360 <sup>a</sup>	1,836
New England	3,792	3,938	868	932	442	581
Middle Atlantic	8,411	8,856	2,102	2,276	918	1,255
Midwest	16,944	17,405	3,366	3,773	1,775	1,977
East North Central	11,503	11,911	2,497	2,675	1,259	1,496
West North Central	5,440	5,495	869	1,099	516	481
South	26,129	26,210	5,831	5,672	3,409	3,547
South Atlantic	13,696	14,290	3,072	3,057	1,922	2,073
East South Central	4,647	4,124	1,027	864	626	530
West South Central	7,786	7,796	1,732	1,751	861	944
West	17,015	16,307	3,306	3,790	1,740	1,695
Mountain	5,454	5,380	1,092	1,261	652	590
Pacific	11,560	10,927	2,214	2,529	1,088	1,105
<b>COUNTY TYPE</b>						
Large Metro	37,292	37,218	8,329	8,771	4,298	4,600
Small Metro	23,541	22,975	4,901	5,330	2,796	3,229
250K – 1 Mil. Pop.	16,185	15,632	3,484	3,789	2,017	2,318
< 250K Pop.	7,356	7,343	1,417	1,541	779	911
Nonmetro	11,458	12,523	2,242	2,342	1,189	1,227
Urbanized	4,453 <sup>b</sup>	5,551	870	1,121	549	558
Less Urbanized	5,866	5,540	1,145	1,077	512	568
Completely Rural	1,138	1,432	227	144	129	101

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.65B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	36.5	36.3	7.8	8.2	4.2	4.5
<b>GEOGRAPHIC DIVISION</b>						
Northeast	33.4	34.8	8.1	8.7	3.7 <sup>a</sup>	5.0
New England	39.5	40.6	9.0	9.6	4.6	6.0
Middle Atlantic	31.3	32.7	7.8	8.4	3.4	4.6
Midwest	39.5	40.3	7.8	8.7	4.1	4.6
East North Central	38.6	39.8	8.4	8.9	4.2	5.0
West North Central	41.6	41.7	6.6	8.3	3.9	3.6
South	35.6	35.3	8.0	7.6	4.6	4.8
South Atlantic	35.0	36.0	7.9	7.7	4.9	5.2
East South Central	39.3 <sup>a</sup>	34.7	8.7	7.3	5.3	4.5
West South Central	34.8	34.3	7.7	7.7	3.8	4.2
West	37.3	35.2	7.2	8.2	3.8	3.7
Mountain	39.4	38.2	7.9	9.0	4.7	4.2
Pacific	36.4	33.9	7.0	7.8	3.4	3.4
<b>COUNTY TYPE</b>						
Large Metro	35.5	34.9	7.9	8.2	4.1	4.3
Small Metro	38.2	38.1	8.0	8.8	4.5	5.4
250K – 1 Mil. Pop.	38.5	38.2	8.3	9.3	4.8	5.7
< 250K Pop.	37.6	37.9	7.2	7.9	4.0	4.7
Nonmetro	36.2	37.4	7.1	7.0	3.8	3.7
Urbanized	34.5	38.4	6.7	7.8	4.3	3.9
Less Urbanized	38.3	36.6	7.5	7.1	3.3	3.8
Completely Rural	33.5	36.7	6.7 <sup>a</sup>	3.7	3.8	2.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.66A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	85,830	86,206	23,040	23,964	12,007	12,772
<b>GEOGRAPHIC DIVISION</b>						
Northeast	14,492	15,226	4,232	4,606	1,936 <sup>b</sup>	2,517
New England	4,523	4,641	1,248	1,345	606	775
Middle Atlantic	9,969	10,585	2,984	3,261	1,330 <sup>a</sup>	1,742
Midwest	20,190	20,624	5,219	5,603	2,718	2,845
East North Central	13,722	14,074	3,778	3,895	1,926	2,089
West North Central	6,468	6,549	1,441	1,708	792	755
South	31,004	31,028	8,676	8,356	4,860	4,986
South Atlantic	16,269	16,789	4,602	4,435	2,712	2,808
East South Central	5,492 <sup>a</sup>	4,890	1,519	1,291	893	775
West South Central	9,244	9,349	2,556	2,630	1,256	1,402
West	20,144	19,329	4,913	5,399	2,493	2,425
Mountain	6,494	6,464	1,655	1,860	932	869
Pacific	13,649	12,865	3,257	3,539	1,562	1,555
<b>COUNTY TYPE</b>						
Large Metro	44,232	44,120	12,242	12,635	6,246	6,603
Small Metro	28,142	27,563	7,479	7,868	4,040	4,394
250K – 1 Mil. Pop.	19,039	18,409	5,075	5,283	2,799	3,024
< 250K Pop.	9,103	9,155	2,404	2,585	1,241	1,370
Nonmetro	13,456	14,523	3,319	3,460	1,721	1,775
Urbanized	5,398 <sup>b</sup>	6,493	1,394	1,667	811	830
Less Urbanized	6,728	6,412	1,594	1,557	729	797
Completely Rural	1,330	1,618	331	236	181	148

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.66B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	36.9	36.7	9.9	10.2	5.2	5.4
<b>GEOGRAPHIC DIVISION</b>						
Northeast	34.0	35.5	9.9	10.7	4.5 <sup>a</sup>	5.9
New England	40.4	41.0	11.1	11.9	5.4	6.9
Middle Atlantic	31.7	33.5	9.5	10.3	4.2 <sup>a</sup>	5.5
Midwest	40.2	40.8	10.4	11.1	5.4	5.6
East North Central	39.3	40.2	10.8	11.1	5.5	6.0
West North Central	42.1	42.3	9.4	11.0	5.2	4.9
South	36.1	35.6	10.1	9.6	5.7	5.7
South Atlantic	35.7	36.3	10.1	9.6	6.0	6.1
East South Central	39.7 <sup>a</sup>	35.1	11.0	9.3	6.5	5.6
West South Central	34.8	34.7	9.6	9.8	4.7	5.2
West	37.4	35.4	9.1	9.9	4.6	4.4
Mountain	39.8	39.0	10.1	11.2	5.7	5.2
Pacific	36.4	33.8	8.7	9.3	4.2	4.1
<b>COUNTY TYPE</b>						
Large Metro	35.8	35.1	9.9	10.1	5.1	5.3
Small Metro	38.7	38.8	10.3	11.1	5.6	6.2
250K – 1 Mil. Pop.	38.7	38.5	10.3	11.1	5.7	6.3
< 250K Pop.	38.5	39.3	10.2	11.1	5.3	5.9
Nonmetro	37.0	37.9	9.1	9.0	4.7	4.6
Urbanized	35.7	39.0	9.2	10.0	5.4	5.0
Less Urbanized	38.7	37.1	9.2	9.0	4.2	4.6
Completely Rural	34.6	37.2	8.6 <sup>a</sup>	5.4	4.7	3.4

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.