

**Table 2.47C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	926	939	900	933	846	882
<b>GEOGRAPHIC DIVISION</b>						
Northeast	398	376	394	350	364	330
New England	191	157	190	171	171	167
Middle Atlantic	347	340	346	304	321	283
Midwest	308	345	355	382	345	365
East North Central	260	251	293	317	288	299
West North Central	165	237	199	219	192	216
South	552	592	558	586	522	570
South Atlantic	429	445	430	432	394	434
East South Central	198	203	218	204	221	195
West South Central	280	316	269	312	259	290
West	524	518	456	483	425	435
Mountain	220	216	212	217	207	209
Pacific	471	468	397	432	362	379
<b>COUNTY TYPE</b>						
Large Metro	1,579	1,510	859	833	765	751
Small Metro	1,238	1,279	623	678	556	609
250K – 1 Mil. Pop.	1,015	1,036	488	529	443	481
< 250K Pop.	776	813	420	459	367	411
Nonmetro	814	878	486	555	445	515
Urbanized	527	598	298	356	275	321
Less Urbanized	674	626	381	388	349	366
Completely Rural	287	390	156	223	148	208

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.47D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.36	0.36	0.35	0.36	0.33	0.34
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.85	0.80	0.84	0.74	0.78	0.70
New England	1.55	1.26	1.55	1.38	1.39	1.34
Middle Atlantic	1.00	0.98	1.00	0.88	0.93	0.81
Midwest	0.55	0.62	0.64	0.68	0.62	0.65
East North Central	0.67	0.65	0.76	0.82	0.74	0.77
West North Central	0.97	1.38	1.17	1.28	1.13	1.26
South	0.58	0.61	0.59	0.61	0.55	0.59
South Atlantic	0.85	0.87	0.86	0.85	0.79	0.85
East South Central	1.29	1.32	1.42	1.32	1.44	1.27
West South Central	0.94	1.05	0.91	1.04	0.87	0.96
West	0.88	0.86	0.76	0.80	0.71	0.72
Mountain	1.21	1.17	1.17	1.18	1.14	1.13
Pacific	1.13	1.11	0.95	1.02	0.87	0.90
<b>COUNTY TYPE</b>						
Large Metro	0.54	0.53	0.49	0.49	0.46	0.46
Small Metro	0.58	0.58	0.58	0.63	0.56	0.61
250K – 1 Mil. Pop.	0.74	0.72	0.74	0.76	0.71	0.76
< 250K Pop.	0.92	1.02	1.01	1.09	0.94	1.02
Nonmetro	0.77	0.76	0.82	0.82	0.78	0.81
Urbanized	1.25	1.08	1.28	1.25	1.20	1.23
Less Urbanized	1.04	1.16	1.24	1.17	1.18	1.18
Completely Rural	1.99	2.43	2.14	2.36	2.12	2.21

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.47P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.1528		0.8801		0.6014	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.3470		0.1662		0.5850	
New England	0.6587		0.8872		0.7075	
Middle Atlantic	0.1825		0.0894		0.4000	
Midwest	0.4573		0.4762		0.3337	
East North Central	0.8371		0.2387		0.1254	
West North Central	0.3427		0.6598		0.6127	
South	0.2615		0.9870		0.9410	
South Atlantic	0.8569		0.9159		0.7200	
East South Central	0.2304		0.8415		0.9332	
West South Central	0.2943		0.9698		0.5290	
West	0.8697		0.3823		0.4321	
Mountain	0.1841		0.0713		0.1325	
Pacific	0.4401		0.9191		0.9187	
<b>COUNTY TYPE</b>						
Large Metro	0.0527		0.1908		0.4267	
Small Metro	0.9445		0.2004		0.3364	
250K – 1 Mil. Pop.	0.5248		0.9614		0.9888	
< 250K Pop.	0.2654		0.0363		0.0987	
Nonmetro	0.7576		0.1853		0.1113	
Urbanized	0.2045		0.4766		0.5597	
Less Urbanized	0.2479		0.2116		0.0692	
Completely Rural	0.4957		0.9345		0.9937	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.48C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	99	89	85	80	68	61
<b>GEOGRAPHIC DIVISION</b>						
Northeast	40	34	37	30	28	21
New England	17	16	17	14	14	10
Middle Atlantic	36	30	32	26	24	19
Midwest	37	36	33	31	28	24
East North Central	31	27	27	24	22	19
West North Central	21	23	19	20	17	16
South	60	59	51	54	40	44
South Atlantic	42	45	37	40	30	32
East South Central	21	24	18	22	15	16
West South Central	36	36	30	30	23	24
West	53	49	45	40	33	29
Mountain	25	26	22	20	17	14
Pacific	46	41	39	34	29	24
<b>COUNTY TYPE</b>						
Large Metro	84	86	70	66	53	48
Small Metro	67	61	57	50	43	34
250K – 1 Mil. Pop.	56	46	48	36	35	25
< 250K Pop.	39	40	32	34	25	22
Nonmetro	51	50	37	41	29	30
Urbanized	33	36	25	26	18	17
Less Urbanized	39	38	28	33	23	24
Completely Rural	16	16	13	14	10	10

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.48D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.40	0.36	0.34	0.32	0.27	0.25
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.93	0.81	0.86	0.71	0.67	0.50
New England	1.57	1.49	1.54	1.30	1.29	0.89
Middle Atlantic	1.12	0.97	1.01	0.84	0.77	0.59
Midwest	0.68	0.66	0.60	0.57	0.51	0.44
East North Central	0.81	0.71	0.70	0.63	0.58	0.49
West North Central	1.26	1.41	1.18	1.24	1.02	0.96
South	0.65	0.64	0.55	0.59	0.43	0.47
South Atlantic	0.91	0.96	0.80	0.87	0.65	0.69
East South Central	1.42	1.60	1.22	1.51	1.01	1.09
West South Central	1.15	1.11	0.94	0.95	0.71	0.75
West	0.88	0.82	0.75	0.66	0.55	0.48
Mountain	1.38	1.39	1.20	1.05	0.90	0.75
Pacific	1.11	0.99	0.95	0.82	0.69	0.59
<b>COUNTY TYPE</b>						
Large Metro	0.53	0.51	0.46	0.43	0.37	0.33
Small Metro	0.68	0.64	0.63	0.55	0.49	0.41
250K – 1 Mil. Pop.	0.83	0.71	0.76	0.58	0.58	0.44
< 250K Pop.	1.23	1.24	1.12	1.13	0.87	0.86
Nonmetro	0.97	0.96	0.79	0.87	0.70	0.70
Urbanized	1.34	1.30	1.09	1.05	0.93	0.82
Less Urbanized	1.55	1.68	1.30	1.60	1.10	1.19
Completely Rural	3.05	2.89	2.46	2.66	2.25	2.12

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.48P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.0018		0.0007		0.0003	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.0816		0.0356		0.0015	
New England	0.0467		0.0456		0.0392	
Middle Atlantic	0.3388		0.1722		0.0118	
Midwest	0.1566		0.1649		0.3387	
East North Central	0.2267		0.5077		0.7775	
West North Central	0.4299		0.1701		0.2646	
South	0.2352		0.2389		0.2030	
South Atlantic	0.4822		0.2140		0.4386	
East South Central	0.7023		0.8302		0.3844	
West South Central	0.3893		0.7868		0.4909	
West	0.0245		0.0116		0.0127	
Mountain	0.9288		0.5031		0.1030	
Pacific	0.0072		0.0104		0.0489	
<b>COUNTY TYPE</b>						
Large Metro	0.0266		0.0065		0.0187	
Small Metro	0.0477		0.0397		0.0034	
250K – 1 Mil. Pop.	0.0505		0.0135		0.0126	
< 250K Pop.	0.5368		0.8614		0.1221	
Nonmetro	0.2576		0.5037		0.3893	
Urbanized	0.1744		0.0264		0.1285	
Less Urbanized	0.8620		0.3549		0.7531	
Completely Rural	0.7075		0.9000		0.6436	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.49C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	160	164	171	163	167	164
<b>GEOGRAPHIC DIVISION</b>						
Northeast	66	60	67	63	67	65
New England	31	34	28	32	31	31
Middle Atlantic	59	50	61	54	59	55
Midwest	57	61	71	66	71	69
East North Central	46	49	60	53	58	52
West North Central	32	34	36	39	40	44
South	102	103	109	98	103	95
South Atlantic	74	80	79	70	79	69
East South Central	37	33	45	39	46	38
West South Central	57	54	61	60	49	60
West	86	93	92	94	92	87
Mountain	38	41	40	43	40	39
Pacific	78	84	83	83	82	78
<b>COUNTY TYPE</b>						
Large Metro	292	282	227	233	192	194
Small Metro	266	257	205	194	156	155
250K – 1 Mil. Pop.	163	171	123	126	106	99
< 250K Pop.	214	194	165	148	116	121
Nonmetro	131	123	109	104	95	92
Urbanized	95	87	79	74	70	65
Less Urbanized	90	87	72	72	63	63
Completely Rural	39	36	35	31	32	29

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.49D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.47	0.48	0.50	0.47	0.49	0.47
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.09	0.98	1.09	1.02	1.09	1.05
New England	1.90	2.11	1.73	1.95	1.92	1.92
Middle Atlantic	1.30	1.10	1.34	1.19	1.31	1.22
Midwest	0.78	0.82	0.96	0.90	0.96	0.94
East North Central	0.91	0.96	1.18	1.04	1.15	1.03
West North Central	1.42	1.48	1.59	1.69	1.75	1.93
South	0.81	0.81	0.87	0.77	0.82	0.74
South Atlantic	1.15	1.23	1.22	1.08	1.22	1.05
East South Central	1.86	1.66	2.25	1.93	2.28	1.90
West South Central	1.37	1.29	1.46	1.42	1.18	1.43
West	1.05	1.12	1.12	1.13	1.12	1.04
Mountain	1.53	1.66	1.63	1.73	1.61	1.57
Pacific	1.35	1.44	1.43	1.42	1.43	1.33
<b>COUNTY TYPE</b>						
Large Metro	0.65	0.69	0.69	0.68	0.68	0.67
Small Metro	0.80	0.75	0.86	0.77	0.85	0.79
250K – 1 Mil. Pop.	0.96	0.93	1.06	0.94	1.05	0.96
< 250K Pop.	1.34	1.30	1.37	1.34	1.37	1.39
Nonmetro	0.99	1.07	1.13	1.16	1.14	1.15
Urbanized	1.41	1.53	1.83	1.56	1.78	1.59
Less Urbanized	1.49	1.68	1.47	1.90	1.54	1.91
Completely Rural	3.59	2.69	3.79	3.04	4.44	3.52

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.



**Table 2.49P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.0109		0.0791		0.0433	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.4873		0.5550		0.4920	
New England	0.2449		0.1560		0.0592	
Middle Atlantic	0.8852		0.9615		0.8782	
Midwest	0.3131		0.6872		0.4168	
East North Central	0.3729		0.8718		0.7464	
West North Central	0.6020		0.6344		0.3688	
South	0.1624		0.4932		0.5692	
South Atlantic	0.1404		0.8117		0.8097	
East South Central	0.0424		0.0628		0.1276	
West South Central	0.4292		0.6021		0.8781	
West	0.0700		0.0958		0.0455	
Mountain	0.8758		0.6825		0.9258	
Pacific	0.0512		0.0383		0.0301	
<b>COUNTY TYPE</b>						
Large Metro	0.0060		0.0524		0.0703	
Small Metro	0.8895		0.7782		0.3463	
250K – 1 Mil. Pop.	0.3055		0.6812		0.2463	
< 250K Pop.	0.2077		0.9230		0.9671	
Nonmetro	0.3691		0.8389		0.7565	
Urbanized	0.1398		0.8161		0.7945	
Less Urbanized	0.8372		0.6585		0.5085	
Completely Rural	0.5166		0.7928		0.9053	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.50C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	877	890	857	882	805	841
<b>GEOGRAPHIC DIVISION</b>						
Northeast	386	349	376	341	346	318
New England	180	152	175	174	159	165
Middle Atlantic	340	312	334	293	308	272
Midwest	291	321	339	359	332	346
East North Central	246	237	281	302	276	286
West North Central	154	217	188	205	185	201
South	512	556	533	550	505	539
South Atlantic	396	421	403	408	376	409
East South Central	184	183	208	188	211	180
West South Central	261	296	258	296	252	278
West	493	493	425	455	393	422
Mountain	207	202	196	212	191	208
Pacific	443	448	370	403	334	365
<b>COUNTY TYPE</b>						
Large Metro	1,488	1,418	781	761	698	704
Small Metro	1,134	1,178	545	591	507	550
250K – 1 Mil. Pop.	956	976	441	473	410	443
< 250K Pop.	687	714	350	382	323	355
Nonmetro	742	806	429	494	400	468
Urbanized	475	545	256	312	243	288
Less Urbanized	612	565	337	343	313	331
Completely Rural	250	360	133	198	130	190

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.50D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.44	0.44	0.43	0.44	0.41	0.42
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.06	0.95	1.03	0.93	0.95	0.87
New England	1.87	1.57	1.83	1.80	1.66	1.70
Middle Atlantic	1.26	1.15	1.24	1.08	1.15	1.00
Midwest	0.68	0.74	0.79	0.83	0.77	0.80
East North Central	0.83	0.79	0.94	1.01	0.93	0.96
West North Central	1.18	1.65	1.44	1.56	1.41	1.52
South	0.70	0.75	0.73	0.74	0.69	0.73
South Atlantic	1.01	1.06	1.03	1.03	0.96	1.03
East South Central	1.56	1.54	1.76	1.58	1.79	1.51
West South Central	1.17	1.30	1.16	1.30	1.13	1.22
West	1.08	1.07	0.93	0.98	0.86	0.91
Mountain	1.50	1.44	1.41	1.50	1.38	1.48
Pacific	1.39	1.39	1.16	1.25	1.05	1.13
<b>COUNTY TYPE</b>						
Large Metro	0.68	0.65	0.61	0.61	0.57	0.58
Small Metro	0.68	0.71	0.71	0.78	0.69	0.76
250K – 1 Mil. Pop.	0.86	0.88	0.90	0.94	0.87	0.94
< 250K Pop.	1.14	1.23	1.24	1.32	1.19	1.24
Nonmetro	0.93	0.93	0.98	0.98	0.94	0.98
Urbanized	1.56	1.39	1.49	1.53	1.46	1.51
Less Urbanized	1.25	1.37	1.50	1.43	1.43	1.43
Completely Rural	2.32	2.83	2.63	2.77	2.60	2.68

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.50P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.4125		0.4198		0.2191	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.4604		0.2610		0.8383	
New England	0.4290		0.5962		0.3910	
Middle Atlantic	0.1904		0.1053		0.4730	
Midwest	0.6235		0.3483		0.2233	
East North Central	0.9773		0.1958		0.1030	
West North Central	0.3807		0.8038		0.8014	
South	0.3908		0.8225		0.8974	
South Atlantic	0.9116		0.7868		0.6995	
East South Central	0.3693		0.8014		0.7387	
West South Central	0.2378		0.9023		0.5769	
West	0.7648		0.1293		0.1467	
Mountain	0.1638		0.0619		0.0868	
Pacific	0.7700		0.4356		0.4553	
<b>COUNTY TYPE</b>						
Large Metro	0.1955		0.4478		0.7720	
Small Metro	0.8924		0.1148		0.1698	
250K – 1 Mil. Pop.	0.7181		0.7363		0.7020	
< 250K Pop.	0.4256		0.0260		0.0636	
Nonmetro	0.6211		0.1209		0.0715	
Urbanized	0.1038		0.2908		0.4518	
Less Urbanized	0.2208		0.2452		0.0579	
Completely Rural	0.5026		0.8228		0.9006	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.51C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	897	914	895	921	845	874
<b>GEOGRAPHIC DIVISION</b>						
Northeast	395	360	393	348	363	326
New England	186	154	187	171	169	166
Middle Atlantic	346	324	347	303	321	280
Midwest	296	329	352	374	343	359
East North Central	250	242	291	313	287	296
West North Central	157	224	196	213	190	211
South	525	572	555	578	521	564
South Atlantic	407	433	427	428	395	430
East South Central	190	193	216	200	218	193
West South Central	268	303	267	310	257	289
West	511	505	451	477	421	431
Mountain	211	205	209	213	205	205
Pacific	461	458	392	427	358	377
<b>COUNTY TYPE</b>						
Large Metro	1,560	1,488	843	820	753	744
Small Metro	1,220	1,254	611	664	551	601
250K – 1 Mil. Pop.	1,002	1,019	477	519	437	475
< 250K Pop.	758	795	412	448	361	406
Nonmetro	792	865	473	546	437	510
Urbanized	511	585	288	349	270	318
Less Urbanized	654	611	369	378	341	361
Completely Rural	279	382	151	216	144	204

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.51D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.39	0.39	0.38	0.39	0.36	0.37
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.93	0.84	0.92	0.81	0.85	0.76
New England	1.66	1.36	1.67	1.52	1.51	1.46
Middle Atlantic	1.10	1.03	1.10	0.96	1.02	0.88
Midwest	0.59	0.65	0.70	0.74	0.68	0.71
East North Central	0.72	0.69	0.83	0.89	0.82	0.84
West North Central	1.02	1.44	1.28	1.38	1.23	1.36
South	0.61	0.66	0.65	0.66	0.61	0.65
South Atlantic	0.89	0.94	0.94	0.93	0.87	0.93
East South Central	1.37	1.38	1.56	1.44	1.57	1.38
West South Central	1.01	1.12	1.01	1.15	0.97	1.07
West	0.95	0.92	0.84	0.87	0.78	0.79
Mountain	1.29	1.24	1.28	1.29	1.26	1.24
Pacific	1.23	1.21	1.04	1.12	0.96	0.99
<b>COUNTY TYPE</b>						
Large Metro	0.59	0.57	0.54	0.54	0.51	0.51
Small Metro	0.60	0.62	0.63	0.69	0.62	0.67
250K – 1 Mil. Pop.	0.77	0.77	0.81	0.84	0.78	0.83
< 250K Pop.	0.96	1.07	1.10	1.18	1.02	1.11
Nonmetro	0.83	0.81	0.90	0.89	0.86	0.89
Urbanized	1.35	1.19	1.41	1.38	1.33	1.36
Less Urbanized	1.11	1.23	1.36	1.29	1.29	1.30
Completely Rural	2.15	2.61	2.35	2.54	2.33	2.42

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 2.51P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2011)</b>	<b>Lifetime (2012)</b>	<b>Past Year (2011)</b>	<b>Past Year (2012)</b>	<b>Past Month (2011)</b>	<b>Past Month (2012)</b>
<b>TOTAL</b>	0.2124		0.6654		0.4449	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.3988		0.2267		0.7383	
New England	0.5485		0.7685		0.6057	
Middle Atlantic	0.1917		0.1144		0.5005	
Midwest	0.4996		0.4152		0.3077	
East North Central	0.8901		0.2251		0.1259	
West North Central	0.3395		0.7387		0.6651	
South	0.2733		0.9352		0.9915	
South Atlantic	0.8770		0.8315		0.6833	
East South Central	0.2203		0.8504		0.9821	
West South Central	0.3129		0.9873		0.5661	
West	0.9905		0.2692		0.3359	
Mountain	0.1762		0.0549		0.0972	
Pacific	0.5470		0.7540		0.8214	
<b>COUNTY TYPE</b>						
Large Metro	0.0807		0.2852		0.5360	
Small Metro	0.9080		0.1499		0.2608	
250K – 1 Mil. Pop.	0.5862		0.8058		0.8755	
< 250K Pop.	0.2957		0.0353		0.0818	
Nonmetro	0.7230		0.1709		0.1043	
Urbanized	0.1613		0.3738		0.5077	
Less Urbanized	0.2128		0.2664		0.0809	
Completely Rural	0.4440		0.9151		0.9652	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.