

Table 2.52C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	927	956	859	890	816	839
GEOGRAPHIC DIVISION						
Northeast	409	386	378	337	344	319
New England	198	161	172	171	154	165
Middle Atlantic	357	351	337	290	305	272
Midwest	332	352	342	354	327	332
East North Central	274	269	281	293	269	273
West North Central	186	225	198	204	192	198
South	560	600	513	554	497	532
South Atlantic	427	449	405	418	384	410
East South Central	208	212	208	191	210	184
West South Central	297	322	260	302	256	271
West	510	518	426	459	403	423
Mountain	227	217	195	214	191	206
Pacific	454	468	376	406	348	368
COUNTY TYPE						
Large Metro	1,498	1,418	767	743	697	679
Small Metro	1,145	1,194	543	598	490	540
250K – 1 Mil. Pop.	935	969	424	467	393	427
< 250K Pop.	737	753	364	405	323	362
Nonmetro	764	837	441	499	421	467
Urbanized	492	573	277	315	266	290
Less Urbanized	641	596	337	343	313	327
Completely Rural	274	357	144	196	136	179

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.52D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.36	0.37	0.33	0.34	0.32	0.32
GEOGRAPHIC DIVISION						
Northeast	0.87	0.82	0.81	0.71	0.73	0.68
New England	1.61	1.29	1.39	1.38	1.25	1.33
Middle Atlantic	1.03	1.01	0.97	0.83	0.88	0.78
Midwest	0.60	0.63	0.61	0.63	0.59	0.59
East North Central	0.71	0.69	0.73	0.75	0.69	0.70
West North Central	1.09	1.32	1.17	1.19	1.13	1.16
South	0.59	0.62	0.54	0.57	0.52	0.55
South Atlantic	0.85	0.88	0.81	0.82	0.76	0.81
East South Central	1.36	1.38	1.36	1.24	1.37	1.20
West South Central	1.00	1.07	0.88	1.00	0.86	0.90
West	0.85	0.85	0.71	0.76	0.67	0.70
Mountain	1.25	1.18	1.07	1.16	1.05	1.12
Pacific	1.09	1.11	0.90	0.96	0.84	0.87
COUNTY TYPE						
Large Metro	0.54	0.53	0.48	0.47	0.44	0.43
Small Metro	0.58	0.61	0.55	0.61	0.53	0.58
250K – 1 Mil. Pop.	0.76	0.75	0.69	0.73	0.67	0.71
< 250K Pop.	0.95	1.06	0.94	1.05	0.90	0.97
Nonmetro	0.77	0.83	0.78	0.80	0.78	0.79
Urbanized	1.23	1.16	1.17	1.21	1.17	1.21
Less Urbanized	1.06	1.26	1.20	1.16	1.16	1.15
Completely Rural	1.99	2.76	2.16	2.34	2.16	2.14

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.52P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.0847		0.9761		0.8854	
GEOGRAPHIC DIVISION						
Northeast	0.3856		0.1120		0.2045	
New England	0.4930		0.6772		0.7082	
Middle Atlantic	0.1713		0.0399		0.0988	
Midwest	0.1464		0.6370		0.5308	
East North Central	0.6237		0.2163		0.2612	
West North Central	0.0707		0.3560		0.6200	
South	0.2739		0.9452		0.8705	
South Atlantic	0.9688		0.5318		0.5566	
East South Central	0.4008		0.8589		0.8380	
West South Central	0.1342		0.3620		0.1703	
West	0.7441		0.3420		0.2958	
Mountain	0.1376		0.0783		0.1092	
Pacific	0.2897		0.8600		0.7482	
COUNTY TYPE						
Large Metro	0.0469		0.3617		0.4792	
Small Metro	0.7467		0.3930		0.5813	
250K – 1 Mil. Pop.	0.6498		0.9960		0.8391	
< 250K Pop.	0.9168		0.1505		0.2102	
Nonmetro	0.9093		0.4921		0.3714	
Urbanized	0.2217		0.7740		0.8171	
Less Urbanized	0.2990		0.4375		0.1840	
Completely Rural	0.9609		0.9741		0.6725	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.53C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	92	84	77	72	60	55
GEOGRAPHIC DIVISION						
Northeast	38	30	33	26	25	16
New England	17	14	16	11	13	7
Middle Atlantic	34	27	28	23	21	15
Midwest	35	35	29	28	26	22
East North Central	29	26	24	23	20	18
West North Central	21	23	17	18	15	13
South	57	56	46	49	34	39
South Atlantic	41	43	34	38	25	30
East South Central	20	22	16	19	14	13
West South Central	33	32	27	26	20	21
West	48	46	40	38	30	26
Mountain	22	23	18	17	14	12
Pacific	43	39	36	33	27	23
COUNTY TYPE						
Large Metro	75	76	60	59	46	42
Small Metro	62	55	49	44	36	30
250K – 1 Mil. Pop.	52	41	42	33	30	22
< 250K Pop.	36	37	26	29	21	20
Nonmetro	46	43	34	35	25	26
Urbanized	30	30	23	20	16	14
Less Urbanized	34	31	24	27	19	20
Completely Rural	15	14	12	12	9	9

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.53D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.37	0.34	0.31	0.29	0.24	0.22
GEOGRAPHIC DIVISION						
Northeast	0.90	0.72	0.76	0.60	0.59	0.39
New England	1.53	1.22	1.46	0.98	1.20	0.66
Middle Atlantic	1.08	0.88	0.89	0.74	0.67	0.47
Midwest	0.65	0.65	0.53	0.52	0.47	0.41
East North Central	0.76	0.68	0.64	0.60	0.53	0.48
West North Central	1.30	1.40	1.06	1.08	0.94	0.78
South	0.61	0.61	0.50	0.53	0.36	0.42
South Atlantic	0.89	0.92	0.74	0.82	0.53	0.64
East South Central	1.36	1.50	1.10	1.26	0.94	0.90
West South Central	1.04	0.99	0.84	0.83	0.63	0.65
West	0.81	0.77	0.67	0.63	0.50	0.44
Mountain	1.19	1.24	1.00	0.93	0.75	0.65
Pacific	1.04	0.95	0.87	0.80	0.65	0.56
COUNTY TYPE						
Large Metro	0.49	0.47	0.41	0.39	0.32	0.29
Small Metro	0.66	0.62	0.55	0.52	0.42	0.38
250K – 1 Mil. Pop.	0.82	0.70	0.69	0.57	0.51	0.41
< 250K Pop.	1.14	1.19	0.88	1.04	0.72	0.76
Nonmetro	0.95	0.86	0.75	0.77	0.62	0.61
Urbanized	1.28	1.16	1.05	0.90	0.87	0.71
Less Urbanized	1.50	1.42	1.19	1.35	0.95	1.06
Completely Rural	3.05	2.71	2.45	2.23	2.06	1.88

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.53P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.0007		0.0012		0.0002	
GEOGRAPHIC DIVISION						
Northeast	0.0141		0.0046		0.0001	
New England	0.0145		0.0154		0.0244	
Middle Atlantic	0.1278		0.0501		0.0017	
Midwest	0.9809		0.7263		0.5458	
East North Central	0.9511		0.1998		0.5147	
West North Central	0.9774		0.2984		0.0794	
South	0.1397		0.3105		0.3754	
South Atlantic	0.9723		0.5229		0.8894	
East South Central	0.2897		0.8674		0.4131	
West South Central	0.0609		0.4135		0.3642	
West	0.0037		0.0026		0.0024	
Mountain	0.7718		0.2226		0.0734	
Pacific	0.0014		0.0053		0.0124	
COUNTY TYPE						
Large Metro	0.0527		0.0371		0.0311	
Small Metro	0.0218		0.0784		0.0035	
250K – 1 Mil. Pop.	0.0347		0.0427		0.0065	
< 250K Pop.	0.3603		0.8881		0.2251	
Nonmetro	0.0547		0.0709		0.1307	
Urbanized	0.0707		0.0007		0.0131	
Less Urbanized	0.6032		0.6439		0.9409	
Completely Rural	0.2124		0.5451		0.8072	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.54C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	169	171	173	166	162	161
GEOGRAPHIC DIVISION						
Northeast	71	63	70	63	65	64
New England	32	33	30	31	28	30
Middle Atlantic	63	53	63	55	59	55
Midwest	66	67	72	72	72	69
East North Central	57	52	62	59	60	55
West North Central	33	39	36	40	40	41
South	103	105	101	95	96	94
South Atlantic	75	80	76	66	75	66
East South Central	36	32	37	38	37	38
West South Central	57	59	54	56	45	56
West	91	98	95	96	90	84
Mountain	39	41	40	43	42	38
Pacific	83	89	85	86	78	75
COUNTY TYPE						
Large Metro	262	263	200	213	173	181
Small Metro	229	225	172	159	134	127
250K – 1 Mil. Pop.	148	155	112	107	96	84
< 250K Pop.	177	166	133	121	96	97
Nonmetro	121	117	99	93	86	80
Urbanized	89	80	74	63	64	55
Less Urbanized	83	83	64	65	56	55
Completely Rural	37	34	32	28	30	26

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.54D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.49	0.49	0.50	0.48	0.47	0.47
GEOGRAPHIC DIVISION						
Northeast	1.15	1.02	1.14	1.03	1.06	1.03
New England	2.01	2.06	1.85	1.92	1.72	1.86
Middle Atlantic	1.39	1.17	1.40	1.20	1.31	1.21
Midwest	0.90	0.91	0.98	0.97	0.98	0.94
East North Central	1.12	1.03	1.22	1.16	1.18	1.08
West North Central	1.45	1.69	1.56	1.73	1.77	1.81
South	0.82	0.82	0.80	0.74	0.76	0.74
South Atlantic	1.16	1.23	1.18	1.00	1.16	1.00
East South Central	1.78	1.60	1.82	1.90	1.85	1.89
West South Central	1.37	1.40	1.31	1.33	1.09	1.33
West	1.11	1.18	1.15	1.16	1.09	1.01
Mountain	1.58	1.64	1.62	1.74	1.70	1.53
Pacific	1.44	1.53	1.48	1.47	1.36	1.29
COUNTY TYPE						
Large Metro	0.70	0.73	0.71	0.72	0.66	0.68
Small Metro	0.82	0.78	0.82	0.74	0.80	0.73
250K – 1 Mil. Pop.	1.01	0.98	1.03	0.93	0.99	0.91
< 250K Pop.	1.35	1.36	1.32	1.22	1.31	1.20
Nonmetro	1.04	1.13	1.21	1.17	1.15	1.15
Urbanized	1.47	1.65	1.88	1.60	1.71	1.56
Less Urbanized	1.58	1.79	1.61	1.93	1.58	1.90
Completely Rural	3.93	2.87	4.64	3.15	4.98	3.23

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.54P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.0327		0.0668		0.0110	
GEOGRAPHIC DIVISION						
Northeast	0.2754		0.4948		0.4625	
New England	0.5767		0.3064		0.0674	
Middle Atlantic	0.3422		0.7759		1.0000	
Midwest	0.2330		0.3630		0.1374	
East North Central	0.5382		0.6060		0.2880	
West North Central	0.2277		0.3657		0.2870	
South	0.5526		0.6794		0.3607	
South Atlantic	0.6016		0.8253		0.7757	
East South Central	0.0424		0.0523		0.0850	
West South Central	0.4052		0.7581		0.9896	
West	0.1014		0.0864		0.0374	
Mountain	0.9880		0.4995		0.4169	
Pacific	0.0667		0.1121		0.0549	
COUNTY TYPE						
Large Metro	0.0443		0.2744		0.1533	
Small Metro	0.4768		0.2318		0.0434	
250K – 1 Mil. Pop.	0.1324		0.2228		0.0300	
< 250K Pop.	0.4264		0.7186		0.6637	
Nonmetro	0.5657		0.2974		0.2466	
Urbanized	0.1200		0.4018		0.4216	
Less Urbanized	0.6600		0.6583		0.4764	
Completely Rural	0.6847		0.5404		0.6549	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.55C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	882	912	811	834	771	796
GEOGRAPHIC DIVISION						
Northeast	394	362	363	328	329	305
New England	184	156	158	173	145	164
Middle Atlantic	348	326	327	278	294	258
Midwest	313	333	326	325	312	310
East North Central	259	257	268	273	256	256
West North Central	174	212	186	188	184	185
South	526	569	487	516	478	500
South Atlantic	400	425	379	394	367	389
East South Central	195	195	198	176	197	171
West South Central	278	309	252	285	249	256
West	480	492	389	430	368	407
Mountain	214	203	184	207	179	202
Pacific	426	449	339	378	315	352
COUNTY TYPE						
Large Metro	1,423	1,340	707	677	644	632
Small Metro	1,059	1,109	476	532	444	489
250K – 1 Mil. Pop.	882	919	377	425	356	393
< 250K Pop.	664	666	312	340	287	314
Nonmetro	701	773	395	444	382	427
Urbanized	447	528	241	279	236	265
Less Urbanized	586	543	301	305	282	298
Completely Rural	240	331	124	175	122	163

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.55D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.44	0.45	0.41	0.42	0.39	0.40
GEOGRAPHIC DIVISION						
Northeast	1.08	0.98	1.00	0.89	0.90	0.83
New England	1.92	1.61	1.65	1.78	1.50	1.69
Middle Atlantic	1.30	1.20	1.22	1.03	1.09	0.95
Midwest	0.73	0.77	0.76	0.75	0.73	0.72
East North Central	0.87	0.86	0.90	0.91	0.86	0.86
West North Central	1.33	1.61	1.43	1.42	1.41	1.40
South	0.72	0.77	0.66	0.69	0.65	0.67
South Atlantic	1.02	1.07	0.97	0.99	0.94	0.98
East South Central	1.65	1.64	1.67	1.48	1.67	1.44
West South Central	1.24	1.36	1.13	1.25	1.11	1.13
West	1.05	1.06	0.85	0.93	0.81	0.88
Mountain	1.55	1.45	1.33	1.47	1.29	1.43
Pacific	1.34	1.39	1.07	1.17	0.99	1.09
COUNTY TYPE						
Large Metro	0.68	0.66	0.59	0.57	0.54	0.54
Small Metro	0.71	0.75	0.67	0.75	0.65	0.71
250K – 1 Mil. Pop.	0.90	0.91	0.83	0.90	0.81	0.88
< 250K Pop.	1.20	1.28	1.16	1.27	1.12	1.20
Nonmetro	0.94	1.03	0.94	0.95	0.94	0.95
Urbanized	1.55	1.49	1.39	1.46	1.44	1.48
Less Urbanized	1.26	1.51	1.45	1.39	1.39	1.38
Completely Rural	2.27	3.10	2.62	2.75	2.64	2.57

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.55P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.2438		0.4851		0.3516	
GEOGRAPHIC DIVISION						
Northeast	0.5767		0.2057		0.3582	
New England	0.3388		0.4306		0.3974	
Middle Atlantic	0.2405		0.0593		0.1305	
Midwest	0.1803		0.5092		0.3177	
East North Central	0.6619		0.1932		0.1841	
West North Central	0.0799		0.4715		0.8759	
South	0.3506		0.8077		0.9512	
South Atlantic	0.9152		0.4977		0.5006	
East South Central	0.6440		0.5477		0.5245	
West South Central	0.1194		0.3458		0.1766	
West	0.8560		0.0876		0.0744	
Mountain	0.1137		0.0385		0.0552	
Pacific	0.5921		0.4002		0.3307	
COUNTY TYPE						
Large Metro	0.1393		0.5758		0.7733	
Small Metro	0.8859		0.1977		0.2500	
250K – 1 Mil. Pop.	0.9515		0.6846		0.7210	
< 250K Pop.	0.8552		0.1083		0.1388	
Nonmetro	0.7641		0.2574		0.2036	
Urbanized	0.1124		0.3843		0.5382	
Less Urbanized	0.2455		0.4549		0.1490	
Completely Rural	0.9765		0.8260		0.8130	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.56C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	904	931	853	880	814	832
GEOGRAPHIC DIVISION						
Northeast	406	372	376	336	341	316
New England	193	159	168	172	152	164
Middle Atlantic	357	336	337	288	304	270
Midwest	322	342	341	349	327	328
East North Central	265	265	279	290	268	270
West North Central	178	217	198	200	192	195
South	538	581	509	543	499	526
South Atlantic	407	436	402	411	388	407
East South Central	200	203	205	188	207	183
West South Central	287	312	258	298	254	269
West	498	503	422	454	399	420
Mountain	219	206	192	210	189	202
Pacific	445	458	372	403	345	366
COUNTY TYPE						
Large Metro	1,486	1,399	757	734	689	673
Small Metro	1,130	1,175	534	588	486	534
250K – 1 Mil. Pop.	925	955	415	460	388	423
< 250K Pop.	721	737	358	396	318	358
Nonmetro	746	826	430	491	414	463
Urbanized	478	563	268	311	262	288
Less Urbanized	625	584	327	337	305	323
Completely Rural	267	351	140	191	134	176

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.56D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.39	0.40	0.37	0.37	0.35	0.35
GEOGRAPHIC DIVISION						
Northeast	0.95	0.87	0.88	0.78	0.80	0.74
New England	1.72	1.41	1.50	1.52	1.36	1.45
Middle Atlantic	1.14	1.06	1.07	0.91	0.97	0.85
Midwest	0.64	0.68	0.68	0.69	0.65	0.65
East North Central	0.76	0.76	0.80	0.83	0.77	0.77
West North Central	1.16	1.40	1.29	1.29	1.25	1.26
South	0.63	0.67	0.59	0.62	0.58	0.60
South Atlantic	0.89	0.94	0.88	0.89	0.85	0.88
East South Central	1.45	1.46	1.48	1.35	1.50	1.32
West South Central	1.08	1.16	0.97	1.11	0.96	1.00
West	0.93	0.92	0.78	0.83	0.74	0.77
Mountain	1.34	1.25	1.18	1.27	1.16	1.22
Pacific	1.19	1.20	0.99	1.06	0.92	0.96
COUNTY TYPE						
Large Metro	0.59	0.57	0.52	0.51	0.49	0.47
Small Metro	0.62	0.65	0.61	0.66	0.59	0.63
250K – 1 Mil. Pop.	0.80	0.80	0.76	0.80	0.75	0.78
< 250K Pop.	1.01	1.11	1.01	1.14	0.98	1.06
Nonmetro	0.83	0.90	0.86	0.87	0.86	0.87
Urbanized	1.34	1.27	1.29	1.33	1.30	1.33
Less Urbanized	1.13	1.35	1.31	1.27	1.27	1.26
Completely Rural	2.14	2.90	2.37	2.53	2.36	2.32

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.56P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.1253		0.7799		0.7093	
GEOGRAPHIC DIVISION						
Northeast	0.4680		0.1689		0.2960	
New England	0.3852		0.5474		0.6008	
Middle Atlantic	0.1915		0.0556		0.1404	
Midwest	0.1233		0.6665		0.5150	
East North Central	0.5835		0.2586		0.2883	
West North Central	0.0532		0.3927		0.7089	
South	0.3039		0.8819		0.9078	
South Atlantic	0.9949		0.4953		0.5575	
East South Central	0.4295		0.8505		0.7953	
West South Central	0.1723		0.3960		0.1902	
West	0.9022		0.2206		0.2068	
Mountain	0.1224		0.0565		0.0808	
Pacific	0.3949		0.6753		0.6215	
COUNTY TYPE						
Large Metro	0.0671		0.4624		0.5791	
Small Metro	0.7912		0.3323		0.4856	
250K – 1 Mil. Pop.	0.7371		0.8802		0.9585	
< 250K Pop.	0.9817		0.1522		0.1939	
Nonmetro	0.8228		0.4119		0.3320	
Urbanized	0.1703		0.5979		0.7157	
Less Urbanized	0.2786		0.4821		0.1973	
Completely Rural	0.9136		0.9761		0.6894	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.