

Table 2.62C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	920	882	504	511	373	388
GEOGRAPHIC DIVISION						
Northeast	393	356	213	214	147	169
New England	210	151	110	96	86	83
Middle Atlantic	327	321	182	191	119	147
Midwest	346	362	184	197	138	143
East North Central	286	293	161	159	113	120
West North Central	193	224	90	127	75	79
South	590	535	322	298	235	241
South Atlantic	461	413	257	233	185	191
East South Central	199	201	112	100	92	79
West South Central	298	298	154	159	108	118
West	503	483	276	290	211	189
Mountain	225	214	150	135	131	87
Pacific	447	432	229	257	163	168
COUNTY TYPE						
Large Metro	985	947	414	426	292	305
Small Metro	779	752	298	310	215	233
250K – 1 Mil. Pop.	637	624	235	260	175	197
< 250K Pop.	448	446	180	179	119	126
Nonmetro	464	514	196	202	133	124
Urbanized	283	349	115	143	94	78
Less Urbanized	398	351	144	140	81	92
Completely Rural	141	205	56	41	34	32

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.62D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.36	0.34	0.20	0.20	0.14	0.15
GEOGRAPHIC DIVISION						
Northeast	0.84	0.76	0.46	0.45	0.31	0.36
New England	1.70	1.21	0.90	0.78	0.70	0.67
Middle Atlantic	0.95	0.92	0.53	0.55	0.34	0.42
Midwest	0.62	0.65	0.33	0.35	0.25	0.26
East North Central	0.74	0.75	0.42	0.41	0.29	0.31
West North Central	1.13	1.31	0.53	0.74	0.44	0.46
South	0.62	0.55	0.34	0.31	0.25	0.25
South Atlantic	0.92	0.81	0.51	0.46	0.37	0.38
East South Central	1.30	1.31	0.73	0.65	0.60	0.52
West South Central	1.00	0.99	0.52	0.53	0.36	0.39
West	0.84	0.80	0.46	0.48	0.35	0.31
Mountain	1.24	1.16	0.82	0.73	0.72	0.47
Pacific	1.07	1.03	0.55	0.61	0.39	0.40
COUNTY TYPE						
Large Metro	0.52	0.50	0.27	0.29	0.21	0.22
Small Metro	0.63	0.58	0.33	0.35	0.24	0.28
250K – 1 Mil. Pop.	0.77	0.71	0.38	0.45	0.29	0.36
< 250K Pop.	1.12	1.04	0.64	0.58	0.42	0.44
Nonmetro	0.75	0.78	0.46	0.42	0.32	0.28
Urbanized	1.08	1.21	0.69	0.71	0.58	0.40
Less Urbanized	1.24	1.06	0.66	0.61	0.39	0.44
Completely Rural	2.05	2.52	1.11	0.78	0.79	0.66

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.62P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.5603		0.5579		0.4289	
GEOGRAPHIC DIVISION						
Northeast	0.2964		0.3680		0.0249	
New England	0.8291		0.6853		0.2398	
Middle Atlantic	0.2796		0.4200		0.0562	
Midwest	0.5766		0.2651		0.7129	
East North Central	0.5402		0.7719		0.4758	
West North Central	0.9310		0.1369		0.6858	
South	0.5562		0.2016		0.9896	
South Atlantic	0.6654		0.4153		0.8951	
East South Central	0.0183		0.0754		0.2685	
West South Central	0.8296		0.9182		0.5569	
West	0.1129		0.3197		0.6117	
Mountain	0.7203		0.3398		0.5765	
Pacific	0.1052		0.5289		0.8081	
COUNTY TYPE						
Large Metro	0.2842		0.9591		0.7623	
Small Metro	0.9729		0.2352		0.2040	
250K – 1 Mil. Pop.	0.7647		0.4144		0.2898	
< 250K Pop.	0.6159		0.3958		0.5153	
Nonmetro	0.4288		0.9694		0.8899	
Urbanized	0.0717		0.5287		0.5917	
Less Urbanized	0.4550		0.9584		0.4169	
Completely Rural	0.5822		0.0364		0.2698	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.63C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	71	63	59	54	41	32
GEOGRAPHIC DIVISION						
Northeast	30	25	26	22	19	14
New England	13	14	13	13	9	7
Middle Atlantic	27	21	22	18	16	12
Midwest	27	24	22	19	15	12
East North Central	23	19	18	16	14	10
West North Central	15	16	13	12	7	7
South	46	41	39	36	25	22
South Atlantic	31	33	29	29	19	16
East South Central	15	14	12	12	9	10
West South Central	28	22	23	18	13	12
West	36	33	28	27	19	15
Mountain	16	18	14	13	11	8
Pacific	33	27	25	23	16	12
COUNTY TYPE						
Large Metro	57	53	46	42	30	23
Small Metro	44	39	37	29	26	17
250K – 1 Mil. Pop.	36	30	30	24	22	15
< 250K Pop.	28	24	23	17	14	9
Nonmetro	27	28	22	25	14	14
Urbanized	17	17	15	15	8	7
Less Urbanized	20	24	16	20	11	11
Completely Rural	11	8	7	7	4	5

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.63D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.29	0.25	0.24	0.22	0.16	0.13
GEOGRAPHIC DIVISION						
Northeast	0.70	0.59	0.60	0.52	0.45	0.32
New England	1.18	1.26	1.18	1.19	0.85	0.65
Middle Atlantic	0.84	0.67	0.68	0.57	0.52	0.37
Midwest	0.49	0.45	0.41	0.36	0.28	0.23
East North Central	0.60	0.50	0.47	0.41	0.36	0.27
West North Central	0.90	0.99	0.82	0.75	0.44	0.42
South	0.49	0.45	0.43	0.39	0.27	0.24
South Atlantic	0.67	0.71	0.63	0.63	0.41	0.35
East South Central	1.00	0.92	0.82	0.84	0.63	0.65
West South Central	0.87	0.69	0.72	0.57	0.41	0.38
West	0.61	0.55	0.47	0.45	0.32	0.25
Mountain	0.88	0.96	0.76	0.70	0.58	0.44
Pacific	0.79	0.66	0.60	0.56	0.39	0.30
COUNTY TYPE						
Large Metro	0.38	0.36	0.32	0.29	0.22	0.17
Small Metro	0.52	0.45	0.44	0.35	0.31	0.23
250K – 1 Mil. Pop.	0.59	0.49	0.50	0.42	0.38	0.28
< 250K Pop.	1.07	0.89	0.91	0.65	0.55	0.40
Nonmetro	0.63	0.64	0.52	0.58	0.35	0.34
Urbanized	0.87	0.80	0.75	0.72	0.45	0.41
Less Urbanized	0.98	1.17	0.82	1.06	0.57	0.62
Completely Rural	2.31	1.80	1.70	1.57	1.08	1.22

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.63P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.0037		0.0020		0.0000	
GEOGRAPHIC DIVISION						
Northeast	0.0621		0.1081		0.0113	
New England	0.2085		0.2785		0.0810	
Middle Atlantic	0.1471		0.2159		0.0544	
Midwest	0.0730		0.0429		0.0445	
East North Central	0.0785		0.1101		0.0334	
West North Central	0.5401		0.2440		0.7569	
South	0.0765		0.0129		0.0455	
South Atlantic	0.6450		0.1596		0.3436	
East South Central	0.2023		0.3078		0.3883	
West South Central	0.0930		0.0563		0.0813	
West	0.4677		0.8641		0.0489	
Mountain	0.6700		0.8739		0.2586	
Pacific	0.2598		0.7682		0.1129	
COUNTY TYPE						
Large Metro	0.0155		0.0148		0.0016	
Small Metro	0.0392		0.0024		0.0006	
250K – 1 Mil. Pop.	0.0295		0.0038		0.0244	
< 250K Pop.	0.5716		0.2222		0.0056	
Nonmetro	0.9725		0.3670		0.4905	
Urbanized	0.5721		0.7077		0.3769	
Less Urbanized	0.2300		0.1179		0.1587	
Completely Rural	0.0980		0.8273		0.6016	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.64C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	170	171	139	134	100	93
GEOGRAPHIC DIVISION						
Northeast	62	70	50	55	34	43
New England	32	36	24	26	16	22
Middle Atlantic	51	60	43	49	30	37
Midwest	59	67	54	54	39	40
East North Central	48	48	45	42	33	33
West North Central	33	44	29	33	21	24
South	114	100	96	80	66	57
South Atlantic	85	75	74	61	52	44
East South Central	38	36	33	26	24	20
West South Central	60	59	47	45	28	35
West	89	90	68	73	54	51
Mountain	45	42	33	37	29	27
Pacific	75	79	59	64	45	44
COUNTY TYPE						
Large Metro	195	201	133	137	91	89
Small Metro	193	181	125	117	72	65
250K – 1 Mil. Pop.	110	115	68	72	47	45
< 250K Pop.	157	136	103	88	54	45
Nonmetro	86	82	62	58	37	36
Urbanized	62	59	45	41	26	25
Less Urbanized	58	55	38	40	25	25
Completely Rural	30	24	23	16	12	11

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.64D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.50	0.49	0.41	0.39	0.29	0.27
GEOGRAPHIC DIVISION						
Northeast	1.01	1.13	0.82	0.89	0.55	0.69
New England	2.01	2.22	1.52	1.63	0.97	1.38
Middle Atlantic	1.14	1.33	0.95	1.07	0.66	0.81
Midwest	0.80	0.91	0.74	0.73	0.54	0.54
East North Central	0.95	0.94	0.90	0.83	0.65	0.64
West North Central	1.45	1.92	1.26	1.44	0.93	1.06
South	0.90	0.79	0.76	0.62	0.52	0.44
South Atlantic	1.32	1.15	1.15	0.94	0.80	0.67
East South Central	1.89	1.79	1.65	1.28	1.19	0.99
West South Central	1.45	1.40	1.12	1.07	0.68	0.82
West	1.08	1.08	0.83	0.88	0.66	0.61
Mountain	1.82	1.68	1.34	1.46	1.17	1.09
Pacific	1.31	1.36	1.02	1.10	0.78	0.75
COUNTY TYPE						
Large Metro	0.66	0.69	0.55	0.53	0.41	0.40
Small Metro	0.92	0.81	0.74	0.71	0.49	0.48
250K – 1 Mil. Pop.	1.03	0.93	0.83	0.85	0.61	0.58
< 250K Pop.	1.61	1.42	1.31	1.17	0.80	0.82
Nonmetro	1.07	1.09	0.95	0.91	0.66	0.64
Urbanized	1.54	1.62	1.43	1.30	1.02	0.92
Less Urbanized	1.52	1.56	1.28	1.42	0.98	1.00
Completely Rural	4.00	3.59	4.00	2.79	2.26	2.11

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.64P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.4852		0.5634		0.7892	
GEOGRAPHIC DIVISION						
Northeast	0.1576		0.0894		0.0522	
New England	0.4484		0.4515		0.2905	
Middle Atlantic	0.0372		0.1304		0.1029	
Midwest	0.6732		0.7067		0.1843	
East North Central	0.3679		0.2875		0.1030	
West North Central	0.7058		0.4760		0.9418	
South	0.4307		0.1106		0.7513	
South Atlantic	0.2997		0.0676		0.3786	
East South Central	0.1025		0.1140		0.4477	
West South Central	0.3599		0.4840		0.2044	
West	0.2463		0.8832		0.6807	
Mountain	0.5775		0.5174		0.9343	
Pacific	0.1025		0.6141		0.6652	
COUNTY TYPE						
Large Metro	0.1939		0.2710		1.0000	
Small Metro	0.2968		0.7191		0.5679	
250K – 1 Mil. Pop.	0.9967		0.5133		0.3537	
< 250K Pop.	0.0736		0.1475		0.7974	
Nonmetro	0.5684		0.7799		0.9083	
Urbanized	0.8636		0.6564		0.7910	
Less Urbanized	0.5962		0.7750		0.9327	
Completely Rural	0.7594		0.6000		0.6923	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.65C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	889	852	465	481	352	372
GEOGRAPHIC DIVISION						
Northeast	389	346	201	206	139	164
New England	206	148	102	91	83	80
Middle Atlantic	326	312	173	185	112	143
Midwest	340	347	171	182	127	134
East North Central	280	283	149	150	104	116
West North Central	188	211	84	114	71	68
South	561	508	285	278	223	229
South Atlantic	436	394	220	214	171	182
East South Central	190	194	108	92	89	76
West South Central	281	283	141	147	104	108
West	480	468	260	272	199	181
Mountain	211	213	132	126	114	83
Pacific	430	417	223	242	162	162
COUNTY TYPE						
Large Metro	931	887	379	392	270	289
Small Metro	711	696	254	273	199	221
250K – 1 Mil. Pop.	601	597	217	237	170	189
< 250K Pop.	397	386	133	146	101	115
Nonmetro	433	484	181	180	124	116
Urbanized	263	323	101	127	87	71
Less Urbanized	369	327	135	123	76	85
Completely Rural	115	192	44	32	29	28

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.65D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.45	0.42	0.23	0.24	0.18	0.19
GEOGRAPHIC DIVISION						
Northeast	1.07	0.94	0.55	0.56	0.38	0.44
New England	2.14	1.53	1.06	0.93	0.86	0.83
Middle Atlantic	1.21	1.15	0.64	0.68	0.41	0.53
Midwest	0.79	0.80	0.40	0.42	0.30	0.31
East North Central	0.94	0.95	0.50	0.50	0.35	0.39
West North Central	1.44	1.60	0.64	0.87	0.54	0.51
South	0.77	0.68	0.39	0.37	0.30	0.31
South Atlantic	1.11	0.99	0.56	0.54	0.44	0.46
East South Central	1.61	1.63	0.91	0.78	0.75	0.64
West South Central	1.25	1.25	0.63	0.65	0.46	0.48
West	1.05	1.01	0.57	0.59	0.44	0.39
Mountain	1.52	1.51	0.95	0.90	0.82	0.59
Pacific	1.35	1.29	0.70	0.75	0.51	0.50
COUNTY TYPE						
Large Metro	0.66	0.62	0.34	0.35	0.25	0.27
Small Metro	0.76	0.73	0.38	0.42	0.30	0.35
250K – 1 Mil. Pop.	0.93	0.92	0.47	0.55	0.37	0.45
< 250K Pop.	1.40	1.29	0.67	0.67	0.50	0.55
Nonmetro	0.93	0.97	0.55	0.50	0.39	0.33
Urbanized	1.33	1.50	0.78	0.84	0.68	0.48
Less Urbanized	1.52	1.35	0.83	0.73	0.47	0.54
Completely Rural	2.37	2.85	1.23	0.81	0.89	0.71

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.65P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.7602		0.2439		0.1815	
GEOGRAPHIC DIVISION						
Northeast	0.3580		0.4838		0.0333	
New England	0.6730		0.7162		0.2430	
Middle Atlantic	0.4125		0.5494		0.0752	
Midwest	0.4540		0.1217		0.3145	
East North Central	0.3843		0.4416		0.1524	
West North Central	0.9626		0.1161		0.6897	
South	0.7245		0.5570		0.7696	
South Atlantic	0.5185		0.8494		0.6189	
East South Central	0.0441		0.2247		0.3962	
West South Central	0.7799		0.9694		0.6504	
West	0.1482		0.2590		0.7932	
Mountain	0.6071		0.3958		0.5985	
Pacific	0.1668		0.4028		0.9958	
COUNTY TYPE						
Large Metro	0.4892		0.5556		0.5478	
Small Metro	0.9302		0.1159		0.0591	
250K – 1 Mil. Pop.	0.8434		0.1717		0.1144	
< 250K Pop.	0.8848		0.4688		0.3239	
Nonmetro	0.3884		0.8976		0.8458	
Urbanized	0.0506		0.3994		0.6479	
Less Urbanized	0.4139		0.7447		0.5629	
Completely Rural	0.4180		0.0462		0.3026	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.66C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	913	880	498	510	369	387
GEOGRAPHIC DIVISION						
Northeast	395	354	212	213	145	168
New England	211	147	108	95	85	82
Middle Atlantic	329	321	182	190	117	147
Midwest	345	359	183	195	137	142
East North Central	286	293	160	158	112	120
West North Central	190	219	90	125	74	77
South	581	530	317	298	233	240
South Atlantic	456	413	254	232	182	190
East South Central	195	200	110	98	91	79
West South Central	289	292	150	158	108	117
West	496	483	271	288	208	189
Mountain	221	215	147	134	129	87
Pacific	441	433	225	256	162	169
COUNTY TYPE						
Large Metro	970	938	406	423	288	305
Small Metro	770	743	291	306	211	232
250K – 1 Mil. Pop.	629	616	229	256	171	196
< 250K Pop.	443	441	176	177	117	126
Nonmetro	456	508	195	198	133	123
Urbanized	278	344	115	140	93	78
Less Urbanized	391	345	141	136	80	90
Completely Rural	135	203	53	38	33	31

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.66D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.39	0.37	0.21	0.22	0.16	0.16
GEOGRAPHIC DIVISION						
Northeast	0.93	0.83	0.50	0.50	0.34	0.39
New England	1.88	1.30	0.96	0.84	0.76	0.72
Middle Atlantic	1.05	1.01	0.58	0.60	0.37	0.46
Midwest	0.69	0.71	0.36	0.39	0.27	0.28
East North Central	0.82	0.83	0.46	0.45	0.32	0.34
West North Central	1.24	1.42	0.58	0.81	0.48	0.50
South	0.68	0.61	0.37	0.34	0.27	0.28
South Atlantic	1.00	0.89	0.56	0.50	0.40	0.41
East South Central	1.41	1.44	0.80	0.70	0.66	0.57
West South Central	1.09	1.09	0.56	0.59	0.41	0.43
West	0.92	0.89	0.50	0.53	0.39	0.35
Mountain	1.35	1.30	0.90	0.81	0.79	0.52
Pacific	1.18	1.14	0.60	0.67	0.43	0.44
COUNTY TYPE						
Large Metro	0.58	0.55	0.30	0.32	0.23	0.24
Small Metro	0.68	0.63	0.35	0.38	0.26	0.31
250K – 1 Mil. Pop.	0.83	0.78	0.41	0.50	0.32	0.40
< 250K Pop.	1.22	1.14	0.68	0.63	0.45	0.48
Nonmetro	0.83	0.86	0.51	0.46	0.36	0.30
Urbanized	1.18	1.34	0.78	0.77	0.63	0.45
Less Urbanized	1.36	1.18	0.73	0.66	0.43	0.49
Completely Rural	2.24	2.68	1.21	0.82	0.86	0.70

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.66P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.6700		0.3527		0.2381	
GEOGRAPHIC DIVISION						
Northeast	0.2520		0.2817		0.0114	
New England	0.7713		0.5890		0.1692	
Middle Atlantic	0.2488		0.3517		0.0337	
Midwest	0.5093		0.1821		0.5821	
East North Central	0.4800		0.6600		0.3623	
West North Central	0.9007		0.0997		0.6992	
South	0.6271		0.3206		0.8540	
South Atlantic	0.6503		0.5057		0.8284	
East South Central	0.0214		0.0938		0.3038	
West South Central	0.9360		0.8703		0.4310	
West	0.1093		0.3088		0.7202	
Mountain	0.6857		0.3427		0.6352	
Pacific	0.1069		0.5110		0.9061	
COUNTY TYPE						
Large Metro	0.3668		0.7506		0.5494	
Small Metro	0.9180		0.1205		0.1001	
250K – 1 Mil. Pop.	0.8468		0.2586		0.1945	
< 250K Pop.	0.6400		0.3114		0.3437	
Nonmetro	0.4622		0.8857		0.8282	
Urbanized	0.0690		0.5056		0.6307	
Less Urbanized	0.3715		0.8687		0.5171	
Completely Rural	0.4882		0.0343		0.2345	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.