

Table 3.13C Selected Risk and Protective Factors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic/Geographic Characteristic	RISK FACTORS ¹						PROTECTIVE FACTORS ¹			
	Youth Moved 2 or More Times in the Past 5 Years		Youth Argued with at Least One Parent 10 or More Times in the Past Year		Youth Was Approached by Someone Selling Drugs in the Past Month		Youth Had Someone to Talk to about Problems ²		Youth Attended 25 or More Religious Services in the Past Year ³	
	2011	2012	2011	2012	2011	2012	2011	2012	2011	2012
TOTAL	128	108	96	93	80	77	46	42	111	111
AGE										
12-13	76	67	54	50	29	27	144	143	69	70
14-15	70	67	64	62	53	48	145	149	75	79
16-17	74	59	72	67	64	62	151	138	78	74
GENDER										
Male	83	72	61	59	60	57	32	35	74	77
Female	78	68	70	68	51	49	29	27	78	75
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	103	90	81	81	64	61	37	36	98	95
White	81	73	89	93	59	57	226	230	119	115
Black or African American	72	57	34	32	37	36	114	116	48	51
American Indian or Alaska Native	8	9	5	3	4	4	16	15	7	9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*
Asian	30	28	25	25	17	11	76	71	42	40
Two or More Races	23	21	20	18	14	14	42	37	19	19
Hispanic or Latino	62	56	48	44	45	46	25	24	53	52
COUNTY TYPE										
Large Metro	116	100	98	94	75	72	266	252	126	123
Small Metro	91	66	69	67	49	42	195	188	89	87
Nonmetro	52	44	40	42	25	24	118	117	57	60

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Respondents were able to select multiple categories of persons that they would talk to about a serious problem, including the choice of "nobody." Respondents who reported both a person that they would talk to and that they had nobody to talk to were excluded from the analysis.

³ Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 3.13D Selected Risk and Protective Factors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic/Geographic Characteristic	RISK FACTORS ¹						PROTECTIVE FACTORS ¹			
	Youth Moved 2 or More Times in the Past 5 Years		Youth Argued with at Least One Parent 10 or More Times in the Past Year		Youth Was Approached by Someone Selling Drugs in the Past Month		Youth Had Someone to Talk to about Problems ²		Youth Attended 25 or More Religious Services in the Past Year ³	
	2011	2012	2011	2012	2011	2012	2011	2012	2011	2012
TOTAL	0.53	0.45	0.39	0.38	0.32	0.31	0.19	0.17	0.46	0.46
AGE										
12-13	0.82	0.72	0.61	0.56	0.35	0.32	0.29	0.28	0.72	0.70
14-15	0.71	0.66	0.64	0.60	0.57	0.54	0.28	0.32	0.74	0.73
16-17	0.72	0.63	0.69	0.68	0.64	0.63	0.34	0.32	0.71	0.72
GENDER										
Male	0.67	0.58	0.49	0.47	0.47	0.45	0.26	0.28	0.60	0.62
Female	0.65	0.57	0.58	0.57	0.42	0.40	0.25	0.23	0.66	0.63
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.54	0.47	0.42	0.42	0.33	0.31	0.20	0.19	0.51	0.50
White	0.52	0.49	0.49	0.51	0.36	0.35	0.19	0.21	0.59	0.58
Black or African American	1.35	1.30	0.82	0.81	0.86	0.89	0.49	0.49	1.17	1.17
American Indian or Alaska Native	4.72	4.59	2.69	2.15	2.58	2.14	2.91	2.34	4.11	5.15
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*
Asian	2.20	2.03	1.88	1.85	1.37	0.95	1.32	1.13	2.59	2.77
Two or More Races	2.58	2.30	2.36	2.08	1.83	1.81	0.87	0.96	2.24	2.26
Hispanic or Latino	1.18	1.06	0.90	0.82	0.83	0.85	0.47	0.44	1.01	0.97
COUNTY TYPE										
Large Metro	0.74	0.65	0.58	0.55	0.48	0.49	0.28	0.25	0.66	0.64
Small Metro	0.88	0.75	0.64	0.68	0.53	0.46	0.33	0.28	0.76	0.87
Nonmetro	1.22	0.89	0.80	0.86	0.57	0.58	0.34	0.48	1.10	1.11

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Respondents were able to select multiple categories of persons that they would talk to about a serious problem, including the choice of "nobody." Respondents who reported both a person that they would talk to and that they had nobody to talk to were excluded from the analysis.

³ Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 3.13P Selected Risk and Protective Factors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic/Geographic Characteristic	RISK FACTORS ¹						PROTECTIVE FACTORS ¹			
	Youth Moved 2 or More Times in the Past 5 Years		Youth Argued with at Least One Parent 10 or More Times in the Past Year		Youth Was Approached by Someone Selling Drugs in the Past Month		Youth Had Someone to Talk to about Problems ²		Youth Attended 25 or More Religious Services in the Past Year ³	
	2011	2012	2011	2012	2011	2012	2011	2012	2011	2012
TOTAL	0.5026		0.2429		0.1447		0.8709		0.6415	
AGE										
12-13	0.9091		0.3003		0.6149		0.6277		0.8200	
14-15	0.8849		0.9189		0.4995		0.0929		0.8872	
16-17	0.2303		0.3719		0.3293		0.1067		0.3908	
GENDER										
Male	0.2035		0.9103		0.2190		0.7788		0.3463	
Female	0.7457		0.1386		0.4097		0.9436		0.1257	
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.4957		0.2436		0.0309		0.4867		0.6339	
White	0.8207		0.8316		0.1009		0.5352		0.8858	
Black or African American	0.0640		0.0637		0.5899		0.3876		0.4324	
American Indian or Alaska Native	0.8564		0.0210		0.2707		0.8359		0.3478	
Native Hawaiian or Other Pacific Islander	*		*		*		*		*	
Asian	0.8011		0.7055		0.0202		0.5920		0.8008	
Two or More Races	0.4937		0.4315		0.6045		0.8493		0.4714	
Hispanic or Latino	0.7539		0.7167		0.6461		0.4526		0.0981	
COUNTY TYPE										
Large Metro	0.5789		0.2545		0.5756		0.5373		0.2216	
Small Metro	0.0170		0.9496		0.0949		0.7493		0.8483	
Nonmetro	0.5434		0.5661		0.4792		0.0277		0.2189	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.² Respondents were able to select multiple categories of persons that they would talk to about a serious problem, including the choice of "nobody." Respondents who reported both a person that they would talk to and that they had nobody to talk to were excluded from the analysis.³ Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.