

**Table 3.21C Past Month Use of Selected Substances, by Youth's Perceptions of Parents' Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2012**

Feelings about Substance Use Behaviors <sup>1</sup>	SUBSTANCE USE IN THE PAST MONTH							
	Used Illicit Drugs <sup>2</sup>		Used Marijuana		Used Cigarettes		Binge Use of Alcohol <sup>3</sup>	
	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove
<b>YOUTH'S PERCEPTIONS OF PARENTS' FEELINGS ABOUT YOUTH...</b>								
Smoking One or More Packs of Cigarettes Per Day	63	30	52	27	47	30	56	25
Trying Marijuana or Hashish Once or Twice	54	41	43	39	46	33	49	34
Using Marijuana or Hashish Once a Month or More	54	40	44	38	48	31	52	33
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	59	33	49	30	47	30	50	32

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012.

**Table 3.21D Past Month Use of Selected Substances, by Youth's Perceptions of Parents' Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Standard Errors of Percentages, 2012**

Feelings about Substance Use Behaviors <sup>1</sup>	SUBSTANCE USE IN THE PAST MONTH							
	Used Illicit Drugs <sup>2</sup>		Used Marijuana		Used Cigarettes		Binge Use of Alcohol <sup>3</sup>	
	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove
<b>YOUTH'S PERCEPTIONS OF PARENTS' FEELINGS ABOUT YOUTH...</b>								
Smoking One or More Packs of Cigarettes Per Day	0.25	1.49	0.21	1.41	0.20	1.49	0.23	1.32
Trying Marijuana or Hashish Once or Twice	0.23	1.24	0.19	1.21	0.20	1.06	0.21	1.12
Using Marijuana or Hashish Once a Month or More	0.23	1.44	0.19	1.39	0.20	1.22	0.21	1.32
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	0.25	1.20	0.21	1.11	0.20	1.16	0.21	1.17

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012.

**Table 3.22C Past Month Use of Selected Substances, by Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2012**

Feelings about Substance Use Behaviors <sup>1</sup>	SUBSTANCE USE IN THE PAST MONTH							
	Used Illicit Drugs <sup>2</sup>		Used Marijuana		Used Cigarettes		Binge Use of Alcohol <sup>3</sup>	
	Strongly/ Somewhat Disapprove	Neither Approve Nor Disapprove						
<b>YOUTH'S PERCEPTIONS OF CLOSE FRIENDS' FEELINGS ABOUT YOUTH...</b>								
Smoking One or More Packs of Cigarettes Per Day	60	35	52	30	44	35	52	31
Trying Marijuana or Hashish Once or Twice	42	57	33	50	36	44	41	43
Using Marijuana or Hashish Once a Month or More	43	56	34	50	35	45	42	45
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	54	44	46	38	40	38	47	40
<b>YOUTH'S FEELINGS ABOUT PEERS...</b>								
Smoking One or More Packs of Cigarettes Per Day	62	33	52	30	43	35	52	30
Trying Marijuana or Hashish Once or Twice	43	55	30	50	34	45	40	43
Using Marijuana or Hashish Once a Month or More	40	56	28	51	32	47	39	44
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	58	41	48	36	42	37	48	38

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012.

**Table 3.22D Past Month Use of Selected Substances, by Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Standard Errors of Percentages, 2012**

Feelings about Substance Use Behaviors <sup>1</sup>	SUBSTANCE USE IN THE PAST MONTH							
	Used Illicit Drugs <sup>2</sup>		Used Marijuana		Used Cigarettes		Binge Use of Alcohol <sup>3</sup>	
	Strongly/ Somewhat Disapprove	Neither Approve Nor Disapprove						
<b>YOUTH'S PERCEPTIONS OF CLOSE FRIENDS' FEELINGS ABOUT YOUTH...</b>								
Smoking One or More Packs of Cigarettes Per Day	0.25	1.11	0.22	0.98	0.20	1.11	0.22	0.98
Trying Marijuana or Hashish Once or Twice	0.21	0.93	0.16	0.85	0.18	0.81	0.20	0.75
Using Marijuana or Hashish Once a Month or More	0.21	0.97	0.16	0.89	0.17	0.85	0.20	0.82
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	0.24	1.09	0.21	0.98	0.18	0.99	0.21	1.00
<b>YOUTH'S FEELINGS ABOUT PEERS...</b>								
Smoking One or More Packs of Cigarettes Per Day	0.25	1.35	0.22	1.24	0.18	1.39	0.21	1.20
Trying Marijuana or Hashish Once or Twice	0.21	0.93	0.15	0.87	0.17	0.82	0.19	0.78
Using Marijuana or Hashish Once a Month or More	0.19	0.92	0.14	0.86	0.16	0.84	0.19	0.78
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	0.24	1.27	0.21	1.15	0.19	1.11	0.21	1.13

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012.