

**Table 5.15A Received Substance Use Treatment in the Past Year, by Detailed Age Category: Numbers in Thousands, 2011 and 2012**

Age Category	Illicit Drugs <sup>1</sup> (2011)	Illicit Drugs <sup>1</sup> (2012)	Alcohol (2011)	Alcohol (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)
<b>TOTAL</b>	2,017	2,235	2,644	2,611	1,211	1,213	3,764	4,004
12	4	2	1	1	1	*	5	3
13	8	11	5	8	4	7	13	19
14	20	22	7	17	7	14	22	30
15	50	49	34	26	28	24	67	61
16	77 <sup>a</sup>	45	54	38	44	26	107 <sup>a</sup>	62
17	69	95	42	74	30 <sup>a</sup>	63	87	111
18	74	44	71	52	43	20	111	99
19	55	65	65	46	32	21	103	102
20	85	90	69	69	52	32	108	140
21	68	54	55	41	35	25	103	77
22	57	80	54	61	24	42	94	103
23	102	73	88	49	68 <sup>a</sup>	23	129	113
24	74	74	82 <sup>a</sup>	40	47	28	116	99
25	66	72	61	53	25	31	109	109
26-29	193	310	244	292	124	173	337	469
30-34	177	194	278	337	91	123	387	448
35-39	205	227	314	194	147	101	394	372
40-44	178	165	240	227	105	80	327	331
45-49	146	217	226	249	84	137	324	342
50-54	178	198	260	323	111	150	385	381
55-59	60	106	168	191	55	51	186	245
60-64	53	41	98	131	37	41	114	157
65 or Older	18	2	128	93	18	*	138	133

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.15B Received Substance Use Treatment in the Past Year, by Detailed Age Category: Percentages, 2011 and 2012**

Age Category	Illicit Drugs <sup>1</sup> (2011)	Illicit Drugs <sup>1</sup> (2012)	Alcohol (2011)	Alcohol (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)
<b>TOTAL</b>	0.8	0.9	1.0	1.0	0.5	0.5	1.5	1.5
12	0.1	0.0	0.0	0.0	0.0	*	0.1	0.1
13	0.2	0.3	0.1	0.2	0.1	0.2	0.3	0.5
14	0.5	0.5	0.2	0.4	0.2	0.3	0.5	0.7
15	1.2	1.2	0.8	0.6	0.7	0.6	1.6	1.5
16	1.8	1.1	1.2	0.9	1.0	0.6	2.5 <sup>a</sup>	1.5
17	1.6	2.2	1.0	1.7	0.7 <sup>a</sup>	1.5	2.1	2.6
18	1.6	0.9	1.5	1.1	0.9	0.4	2.3	2.1
19	1.3	1.5	1.5	1.1	0.7	0.5	2.4	2.4
20	1.9	2.1	1.5	1.6	1.2	0.7	2.4	3.3
21	1.5	1.2	1.3	0.9	0.8	0.6	2.4	1.7
22	1.3	1.8	1.3	1.4	0.6	0.9	2.2	2.3
23	2.5	1.7	2.2 <sup>a</sup>	1.1	1.7 <sup>b</sup>	0.5	3.2	2.6
24	1.8	1.8	2.0 <sup>a</sup>	1.0	1.1	0.7	2.8	2.4
25	1.7	1.8	1.6	1.3	0.6	0.8	2.8	2.7
26-29	1.1	1.8	1.4	1.7	0.7	1.0	2.0	2.7
30-34	0.9	1.0	1.4	1.7	0.5	0.6	2.0	2.3
35-39	1.0	1.2	1.6	1.0	0.7	0.5	2.0	1.9
40-44	0.9	0.8	1.2	1.1	0.5	0.4	1.6	1.6
45-49	0.7	1.0	1.0	1.2	0.4	0.6	1.5	1.6
50-54	0.8	0.8	1.1	1.4	0.5	0.6	1.7	1.6
55-59	0.3	0.5	0.9	0.9	0.3	0.2	1.0	1.2
60-64	0.3	0.2	0.5	0.8	0.2	0.2	0.6	0.9
65 or Older	0.0	0.0	0.3	0.2	0.0	*	0.3	0.3

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.16A Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2011)	Illicit Drugs <sup>1</sup> (2012)	Alcohol (2011)	Alcohol (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)
<b>TOTAL</b>	2,017	2,235	2,644	2,611	1,211	1,213	3,764	4,004
<b>AGE</b>								
12-17	228	223	144	164	113	135	301	285
18-25	581	552	544 <sup>b</sup>	411	326 <sup>a</sup>	221	872	841
26 or Older	1,208	1,461	1,956	2,036	772	857	2,591	2,878
<b>GENDER</b>								
Male	1,287	1,472	1,765	1,839	800	863	2,448	2,660
Female	730	764	879	772	411	350	1,316	1,344
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1,698	1,981	2,153	2,229	1,001	1,068	3,095	3,435
White	1,247	1,509	1,725	1,732	706	748	2,420	2,696
Black or African American	332	330	325	379	215	257	508	523
American Indian or Alaska Native	44	35	46	50	41	13	53	77
Native Hawaiian or Other Pacific Islander	*	*	*	2	*	1	18	*
Asian	17	6	17	10	9	6	33	11
Two or More Races	46	75	27	56	20	43	62	99
Hispanic or Latino	319	254	491	382	210	145	669	568

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.16B Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2011 and 2012**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2011)	Illicit Drugs <sup>1</sup> (2012)	Alcohol (2011)	Alcohol (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)
<b>TOTAL</b>	0.8	0.9	1.0	1.0	0.5	0.5	1.5	1.5
<b>AGE</b>								
12-17	0.9	0.9	0.6	0.7	0.5	0.5	1.2	1.1
18-25	1.7	1.6	1.6 <sup>b</sup>	1.2	0.9 <sup>a</sup>	0.6	2.5	2.4
26 or Older	0.6	0.7	1.0	1.0	0.4	0.4	1.3	1.4
<b>GENDER</b>								
Male	1.0	1.2	1.4	1.5	0.6	0.7	2.0	2.1
Female	0.5	0.6	0.7	0.6	0.3	0.3	1.0	1.0
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.8	0.9	1.0	1.0	0.5	0.5	1.4	1.6
White	0.7	0.9	1.0	1.0	0.4	0.4	1.4	1.6
Black or African American	1.1	1.1	1.1	1.2	0.7	0.8	1.7	1.7
American Indian or Alaska Native	3.1	2.4	3.2	3.5	2.9	0.9	3.7	5.3
Native Hawaiian or Other Pacific Islander	*	*	*	0.2	*	0.1	1.9	*
Asian	0.1	0.0	0.1	0.1	0.1	0.0	0.3	0.1
Two or More Races	1.1	1.8	0.7	1.3	0.5	1.0	1.6	2.4
Hispanic or Latino	0.8	0.6	1.2	0.9	0.5	0.4	1.7	1.4

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.17A Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2011)	Illicit Drugs <sup>1</sup> (2012)	Alcohol (2011)	Alcohol (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)
<b>TOTAL</b>	228	223	144	164	113	135	301	285
<b>GENDER</b>								
Male	131	143	76	95	58	78	170	180
Female	98	80	67	69	55	57	132	105
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	180	174	116	127	90	105	236	225
White	126	121	82	81	63	67	161	151
Black or African American	24	29	23	25	18	20	36	41
American Indian or Alaska Native	1	2	1	4	1	2	2	6
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	5	2	5	*	5	7	5
Two or More Races	27	17	8	12	8	10	28	21
Hispanic or Latino	49	49	27	37	23	30	65	60
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	67	76	42	46	30	38	87	92
Female, White, Not Hispanic	58	45	40	35	33	29	75	59
Male, Black, Not Hispanic	20	14	15	12	13	8	24	23
Female, Black, Not Hispanic	5	15	8	13	5	12	12	18
Male, Hispanic	31	35	17	21	14	19	38	39
Female, Hispanic	18	14	10	16	9	11	27	21

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.17B Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2011 and 2012**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2011)	Illicit Drugs <sup>1</sup> (2012)	Alcohol (2011)	Alcohol (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)
<b>TOTAL</b>	0.9	0.9	0.6	0.7	0.5	0.5	1.2	1.1
<b>GENDER</b>								
Male	1.0	1.1	0.6	0.7	0.5	0.6	1.3	1.4
Female	0.8	0.7	0.6	0.6	0.5	0.5	1.1	0.9
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.9	0.9	0.6	0.7	0.5	0.5	1.2	1.2
White	0.9	0.9	0.6	0.6	0.5	0.5	1.2	1.1
Black or African American	0.7	0.8	0.7	0.7	0.5	0.6	1.0	1.2
American Indian or Alaska Native	0.8	1.2	0.6	2.6	0.6	1.2	1.4	4.2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	0.4	0.2	0.4	*	0.4	0.6	0.4
Two or More Races	3.8	2.3	1.2	1.6	1.2	1.4	3.9	2.9
Hispanic or Latino	0.9	0.9	0.5	0.7	0.4	0.6	1.2	1.1
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	0.9	1.1	0.6	0.7	0.4	0.5	1.2	1.3
Female, White, Not Hispanic	0.9	0.7	0.6	0.5	0.5	0.4	1.1	0.9
Male, Black, Not Hispanic	1.1	0.8	0.8	0.7	0.7	0.5	1.3	1.3
Female, Black, Not Hispanic	0.3	0.9	0.5	0.7	0.3	0.7	0.7	1.0
Male, Hispanic	1.1	1.2	0.6	0.7	0.5	0.7	1.4	1.4
Female, Hispanic	0.7	0.5	0.4	0.6	0.3	0.4	1.0	0.8

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.18A Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2011)	Illicit Drugs <sup>1</sup> (2012)	Alcohol (2011)	Alcohol (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)
<b>TOTAL</b>	581	552	544 <sup>b</sup>	411	326 <sup>a</sup>	221	872	841
<b>GENDER</b>								
Male	395	387	393 <sup>b</sup>	280	239 <sup>a</sup>	162	593	573
Female	186	165	151	131	87	59	279	268
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	485	483	448 <sup>b</sup>	329	267	197	724	693
White	377	407	353	283	198	165	571	582
Black or African American	78	46	72 <sup>a</sup>	31	54 <sup>a</sup>	23	112 <sup>a</sup>	62
American Indian or Alaska Native	6	*	7	7	5	5	8	*
Native Hawaiian or Other Pacific Islander	*	*	*	2	*	0	*	6
Asian	17	1	10	1	9	1	20 <sup>a</sup>	2
Two or More Races	6	7	5	6	1	3	11	18
Hispanic or Latino	96	68	97	82	59	24	148	148
<b>EDUCATION</b>								
< High School	180	153	149	109	106	67	245	217
High School Graduate	229	190	193	140	111	77	346	303
Some College	147	191	158	137	90	64	230	288
College Graduate	25	19	44	24	19	13	51	33
<b>CURRENT EMPLOYMENT</b>								
Full-Time	160	188	174	177	87	94	271	308
Part-Time	132	156	128 <sup>a</sup>	81	78 <sup>a</sup>	41	192	224
Unemployed	135	127	111	76	69	56	199	167
Other <sup>3</sup>	154 <sup>b</sup>	80	132 <sup>a</sup>	76	92 <sup>b</sup>	30	211 <sup>a</sup>	142

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.18B Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2011 and 2012**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2011)	Illicit Drugs <sup>1</sup> (2012)	Alcohol (2011)	Alcohol (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)
<b>TOTAL</b>	1.7	1.6	1.6 <sup>b</sup>	1.2	0.9 <sup>a</sup>	0.6	2.5	2.4
<b>GENDER</b>								
Male	2.3	2.2	2.3 <sup>b</sup>	1.6	1.4 <sup>a</sup>	0.9	3.5	3.3
Female	1.1	1.0	0.9	0.8	0.5	0.3	1.6	1.6
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1.8	1.8	1.6 <sup>b</sup>	1.2	1.0 <sup>a</sup>	0.7	2.7	2.5
White	1.9	2.1	1.8	1.4	1.0	0.8	2.9	3.0
Black or African American	1.7	0.9	1.5 <sup>b</sup>	0.6	1.1 <sup>a</sup>	0.5	2.4 <sup>a</sup>	1.3
American Indian or Alaska Native	2.7	*	3.3	2.5	2.3	2.0	3.7	*
Native Hawaiian or Other Pacific Islander	*	*	*	0.8	*	0.2	*	3.0
Asian	0.9	0.1	0.5	0.1	0.5	0.0	1.1 <sup>a</sup>	0.1
Two or More Races	0.9	0.9	0.8	0.7	0.1	0.4	1.5	2.4
Hispanic or Latino	1.4	1.0	1.4	1.1	0.8	0.3	2.1	2.1
<b>EDUCATION</b>								
< High School	3.1	2.9	2.6	2.0	1.8	1.3	4.3	4.1
High School Graduate	2.0	1.6	1.6	1.2	0.9	0.7	3.0	2.6
Some College	1.2	1.5	1.3	1.1	0.8	0.5	1.9	2.3
College Graduate	0.5	0.4	0.9	0.5	0.4	0.3	1.0	0.6
<b>CURRENT EMPLOYMENT</b>								
Full-Time	1.3	1.4	1.4	1.3	0.7	0.7	2.2	2.3
Part-Time	1.4	1.7	1.4 <sup>a</sup>	0.9	0.8 <sup>a</sup>	0.4	2.0	2.4
Unemployed	3.0	3.1	2.5	1.9	1.5	1.4	4.4	4.1
Other <sup>3</sup>	1.9 <sup>a</sup>	1.1	1.7 <sup>a</sup>	1.0	1.2 <sup>b</sup>	0.4	2.6 <sup>a</sup>	1.9

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.19A Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2011)	Illicit Drugs <sup>1</sup> (2012)	Alcohol (2011)	Alcohol (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)
<b>TOTAL</b>	1,208	1,461	1,956	2,036	772	857	2,591	2,878
<b>GENDER</b>								
Male	761	942	1,295	1,465	504	623	1,685	1,906
Female	447	519	661	571	269	234	905	972
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1,033	1,323	1,589	1,773	643	766	2,134	2,518
White	745	981	1,289	1,368	445	516	1,688	1,962
Black or African American	229	255	230	323	143	214	360	420
American Indian or Alaska Native	*	13	*	40	*	6	*	48
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	5	4	*	*	5	4
Two or More Races	12	51	13	38	10	30	23	60
Hispanic or Latino	175	137	367	263	129	91	457	360
<b>EDUCATION</b>								
< High School	445	388	516	537	309	294	724	701
High School Graduate	294 <sup>a</sup>	533	448	662	192	290	590 <sup>b</sup>	1,015
Some College	347	422	597	520	194	228	803	760
College Graduate	122	118	395	317	77	45	475	403
<b>CURRENT EMPLOYMENT</b>								
Full-Time	343 <sup>a</sup>	583	670 <sup>a</sup>	979	159 <sup>b</sup>	350	934 <sup>a</sup>	1,263
Part-Time	151	152	261	188	112	98	340	290
Unemployed	232	216	283	229	135	135	382	319
Other <sup>3</sup>	482	509	742	640	366	274	935	1,006

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.19B Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2011 and 2012**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2011)	Illicit Drugs <sup>1</sup> (2012)	Alcohol (2011)	Alcohol (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)
<b>TOTAL</b>	0.6	0.7	1.0	1.0	0.4	0.4	1.3	1.4
<b>GENDER</b>								
Male	0.8	1.0	1.4	1.5	0.5	0.7	1.8	2.0
Female	0.4	0.5	0.6	0.5	0.3	0.2	0.9	0.9
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.6	0.8	0.9	1.0	0.4	0.4	1.2	1.5
White	0.5	0.7	1.0	1.0	0.3	0.4	1.2	1.4
Black or African American	1.0	1.1	1.0	1.5	0.6	1.0	1.6	1.9
American Indian or Alaska Native	*	1.2	*	3.9	*	0.6	*	4.7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	0.1	0.0	*	*	0.1	0.0
Two or More Races	0.5	1.9	0.5	1.4	0.4	1.1	0.9	2.2
Hispanic or Latino	0.6	0.5	1.4	1.0	0.5	0.3	1.7	1.3
<b>EDUCATION</b>								
< High School	1.6	1.3	1.9	1.9	1.1	1.0	2.7	2.4
High School Graduate	0.5 <sup>a</sup>	0.9	0.8	1.1	0.3	0.5	1.0 <sup>b</sup>	1.8
Some College	0.7	0.8	1.2	1.0	0.4	0.5	1.6	1.5
College Graduate	0.2	0.2	0.6	0.5	0.1	0.1	0.8	0.6
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.3 <sup>a</sup>	0.6	0.6 <sup>a</sup>	0.9	0.2 <sup>b</sup>	0.3	0.9 <sup>a</sup>	1.2
Part-Time	0.7	0.7	1.1	0.8	0.5	0.4	1.5	1.2
Unemployed	2.5	2.3	3.1	2.4	1.5	1.4	4.2	3.4
Other <sup>3</sup>	0.8	0.8	1.2	1.0	0.6	0.4	1.5	1.6

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.20A Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2011)	Illicit Drugs <sup>1</sup> (2012)	Alcohol (2011)	Alcohol (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)
<b>TOTAL</b>	1,789	2,012	2,500	2,447	1,098	1,078	3,463	3,719
<b>GENDER</b>								
Male	1,156	1,329	1,688	1,745	742	785	2,279	2,479
Female	633	683	812	703	356	293	1,184	1,239
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1,518	1,807	2,037	2,102	910	963	2,858	3,211
White	1,122	1,388	1,643	1,651	644	681	2,259	2,545
Black or African American	307	301	302	354	197	237	473	483
American Indian or Alaska Native	43	33	45	46	40	11	51	70
Native Hawaiian or Other Pacific Islander	*	*	*	2	*	0	16	*
Asian	17	1	15	5	9	1	25	6
Two or More Races	19	57	19	44	11	33	34	78
Hispanic or Latino	270	205	463	345	188	115	605	508
<b>EDUCATION</b>								
< High School	625	540	665	647	415	361	968	918
High School Graduate	524	722	640	802	303	367	935 <sup>b</sup>	1,318
Some College	494	613	755	657	284	292	1,033	1,048
College Graduate	146	136	439	341	96	59	526	435
<b>CURRENT EMPLOYMENT</b>								
Full-Time	503 <sup>b</sup>	772	843 <sup>a</sup>	1,157	246 <sup>b</sup>	444	1,205 <sup>a</sup>	1,570
Part-Time	283	308	390	269	189	139	532	514
Unemployed	367	343	393	305	205	191	580	486
Other <sup>3</sup>	636	590	874	716	458	304	1,146	1,148

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.20B Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2011 and 2012**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2011)	Illicit Drugs <sup>1</sup> (2012)	Alcohol (2011)	Alcohol (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)
<b>TOTAL</b>	0.8	0.9	1.1	1.0	0.5	0.5	1.5	1.6
<b>GENDER</b>								
Male	1.0	1.2	1.5	1.5	0.7	0.7	2.0	2.2
Female	0.5	0.6	0.7	0.6	0.3	0.2	1.0	1.0
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.8	0.9	1.0	1.0	0.5	0.5	1.4	1.6
White	0.7	0.9	1.1	1.1	0.4	0.4	1.5	1.6
Black or African American	1.1	1.1	1.1	1.3	0.7	0.9	1.8	1.8
American Indian or Alaska Native	3.4	2.5	3.5	3.6	3.1	0.9	3.9	5.4
Native Hawaiian or Other Pacific Islander	*	*	*	0.2	*	0.0	1.9	*
Asian	0.1	0.0	0.1	0.0	0.1	0.0	0.2	0.1
Two or More Races	0.6	1.7	0.6	1.3	0.3	1.0	1.0	2.3
Hispanic or Latino	0.8	0.6	1.4	1.0	0.6	0.3	1.8	1.5
<b>EDUCATION</b>								
< High School	1.9	1.6	2.0	1.9	1.3	1.1	2.9	2.7
High School Graduate	0.8	1.0	0.9	1.2	0.4	0.5	1.3 <sup>b</sup>	1.9
Some College	0.8	1.0	1.2	1.0	0.5	0.5	1.7	1.7
College Graduate	0.2	0.2	0.6	0.5	0.1	0.1	0.8	0.6
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.4 <sup>a</sup>	0.7	0.7 <sup>a</sup>	1.0	0.2 <sup>a</sup>	0.4	1.0 <sup>a</sup>	1.3
Part-Time	0.9	0.9	1.2	0.8	0.6	0.4	1.6	1.6
Unemployed	2.7	2.5	2.9	2.2	1.5	1.4	4.3	3.6
Other <sup>3</sup>	0.9	0.8	1.2	1.0	0.6	0.4	1.6	1.6

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.21A Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2011)</b>	<b>Illicit Drugs<sup>1</sup> (2012)</b>	<b>Alcohol (2011)</b>	<b>Alcohol (2012)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2011)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2012)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2011)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2012)</b>
<b>TOTAL</b>	2,017	2,235	2,644	2,611	1,211	1,213	3,764	4,004
<b>GEOGRAPHIC DIVISION</b>								
Northeast	408	463	533	487	223	226	746	770
New England	93	118	127	152	50	44	172	231
Middle Atlantic	314	345	407	335	174	182	574	540
Midwest	371	458	580	567	230	251	820	859
East North Central	292	326	444	405	192	186	608	617
West North Central	79	133	135	162	38	65	212	242
South	695	717	818	760	380	375	1,206	1,221
South Atlantic	381	458	473	439	222	238	676	716
East South Central	129	73	92	80	49	19	195	151
West South Central	185	186	253	241	110	118	336	354
West	543	596	713	797	378	361	991	1,153
Mountain	182	237	226	241	97	132	359	386
Pacific	361	359	487	556	281	229	632	768
<b>COUNTY TYPE</b>								
Large Metro	1,117	1,155	1,480	1,319	708	590	2,028	2,069
Small Metro	635	800	835	913	369	472	1,202	1,388
250K – 1 Mil. Pop.	452	500	503	604	266	307	747	878
< 250K Pop.	183	300	332	309	104	165	455	510
Nonmetro	265	281	328	379	134	152	534	547
Urbanized	123	169	178	189	73	96	275	275
Less Urbanized	104	94	126	123	48	40	209	189
Completely Rural	38	18	24	68	13	16	50	83

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.21B Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2011)</b>	<b>Illicit Drugs<sup>1</sup> (2012)</b>	<b>Alcohol (2011)</b>	<b>Alcohol (2012)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2011)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2012)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2011)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2012)</b>
<b>TOTAL</b>	0.8	0.9	1.0	1.0	0.5	0.5	1.5	1.5
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.9	1.0	1.1	1.0	0.5	0.5	1.6	1.6
New England	0.8	1.0	1.0	1.2	0.4	0.4	1.4	1.9
Middle Atlantic	0.9	1.0	1.2	1.0	0.5	0.5	1.7	1.6
Midwest	0.7	0.8	1.0	1.0	0.4	0.4	1.5	1.5
East North Central	0.8	0.8	1.1	1.0	0.5	0.5	1.6	1.6
West North Central	0.5	0.8	0.8	0.9	0.2	0.4	1.2	1.4
South	0.7	0.7	0.9	0.8	0.4	0.4	1.3	1.3
South Atlantic	0.8	0.9	0.9	0.9	0.4	0.5	1.3	1.4
East South Central	0.8	0.5	0.6	0.5	0.3	0.1	1.3	1.0
West South Central	0.6	0.6	0.9	0.8	0.4	0.4	1.1	1.2
West	0.9	1.0	1.2	1.3	0.6	0.6	1.7	1.9
Mountain	1.0	1.3	1.2	1.3	0.5	0.7	2.0	2.1
Pacific	0.9	0.9	1.2	1.3	0.7	0.5	1.5	1.8
<b>COUNTY TYPE</b>								
Large Metro	0.8	0.8	1.1	0.9	0.5	0.4	1.5	1.5
Small Metro	0.8	1.0	1.0	1.2	0.5	0.6	1.5	1.8
250K – 1 Mil. Pop.	0.8	0.9	0.9	1.1	0.5	0.6	1.4	1.7
< 250K Pop.	0.7	1.2	1.3	1.2	0.4	0.6	1.7	2.0
Nonmetro	0.7	0.7	0.8	0.9	0.3	0.4	1.3	1.3
Urbanized	0.7	0.9	1.1	1.0	0.4	0.5	1.6	1.5
Less Urbanized	0.5	0.5	0.7	0.6	0.3	0.2	1.1	1.0
Completely Rural	0.9	0.4	0.6	1.4	0.3	0.3	1.2	1.7

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.