

**Table 5.43A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Numbers in Thousands and Percentages, 2011 and 2012**

Age Category	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
<b>TOTAL</b>	7,186 <sup>a</sup>	8,040	1,354	1,532	5,832 <sup>a</sup>	6,508	18.8	19.1
12	32	24	1	*	31	24	*	*
13	72	54	2	3	70	51	*	*
14	129	117	7	10	122	107	*	8.2
15	247	208	33	34	213	174	13.6	16.4
16	325	295	34	26	291	269	10.4	8.7
17	381	344	47	49	334	295	12.4	14.3
18	414	495	43	26	371	469	10.4	5.2
19	379	416	34	43	345	374	9.0	10.2
20	400	421	52	50	348	371	13.0	12.0
21	387	337	50	35	336	302	13.0	10.5
22	333	364	44	50	289	315	13.3	13.6
23	316	304	67	58	250	246	21.1	*
24	281	282	51	50	231	232	18.0	17.8
25	250	230	60	54	190	176	23.9	*
26-29	681	874	123	230	558	644	18.0	26.3
30-34	659	907	144	164	515	743	21.8	18.1
35-39	494	553	150	176	344	377	*	*
40-44	364	472	89	94	275	378	*	*
45-49	321 <sup>a</sup>	524	100	151	221	373	*	*
50-54	420	345	142	140	279	205	*	*
55-59	161	302	35	74	125	228	*	*
60-64	80	145	45	15	35 <sup>a</sup>	130	*	*
65 or Older	61	27	*	2	61	25	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.43B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Percentages, 2011 and 2012**

Age Category	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
<b>TOTAL</b>	2.8 <sup>a</sup>	3.1	0.5	0.6	2.3 <sup>a</sup>	2.5	18.8	19.1
12	0.8	0.6	0.0	*	0.8	0.6	*	*
13	1.7	1.3	0.1	0.1	1.7	1.3	*	*
14	3.0	2.8	0.2	0.2	2.9	2.5	*	8.2
15	5.8	5.0	0.8	0.8	5.0	4.1	13.6	16.4
16	7.4	7.0	0.8	0.6	6.7	6.4	10.4	8.7
17	9.0	8.0	1.1	1.1	7.9	6.9	12.4	14.3
18	8.7	10.5	0.9	0.5	7.8 <sup>a</sup>	10.0	10.4	5.2
19	8.8	9.8	0.8	1.0	8.0	8.8	9.0	10.2
20	8.9	9.8	1.2	1.2	7.8	8.6	13.0	12.0
21	8.9	7.6	1.2	0.8	7.7	6.8	13.0	10.5
22	7.7	8.2	1.0	1.1	6.7	7.1	13.3	13.6
23	7.9	7.0	1.7	1.3	6.3	5.6	21.1	*
24	6.7	6.9	1.2	1.2	5.5	5.7	18.0	17.8
25	6.3	5.8	1.5	1.4	4.8	4.4	23.9	*
26-29	4.0	5.1	0.7	1.3	3.3	3.8	18.0	26.3
30-34	3.4	4.6	0.7	0.8	2.7	3.8	21.8	18.1
35-39	2.5	2.8	0.8	0.9	1.7	1.9	*	*
40-44	1.8	2.3	0.4	0.5	1.4	1.9	*	*
45-49	1.5 <sup>a</sup>	2.4	0.5	0.7	1.0	1.7	*	*
50-54	1.8	1.5	0.6	0.6	1.2	0.9	*	*
55-59	0.8	1.5	0.2	0.4	0.7	1.1	*	*
60-64	0.4	0.9	0.2	0.1	0.2 <sup>a</sup>	0.8	*	*
65 or Older	0.2	0.1	*	0.0	0.2	0.1	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.44A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2011)</b>	<b>Needed Treatment (2012)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>
<b>TOTAL</b>	7,186 <sup>a</sup>	8,040	1,354	1,532	5,832 <sup>a</sup>	6,508	18.8	19.1
<b>AGE</b>								
12-17	1,184 <sup>a</sup>	1,041	125	121	1,060 <sup>a</sup>	920	10.5	11.6
18-25	2,761	2,849	401	365	2,360	2,483	14.5	12.8
26 or Older	3,240 <sup>b</sup>	4,150	828	1,046	2,412 <sup>b</sup>	3,104	25.5	25.2
<b>GENDER</b>								
Male	4,690	5,200	827	921	3,863	4,279	17.6	17.7
Female	2,495	2,840	527	611	1,969	2,229	21.1	21.5
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	5,926 <sup>b</sup>	6,842	1,133	1,352	4,794 <sup>a</sup>	5,490	19.1	19.8
White	4,414 <sup>a</sup>	5,001	816	1,009	3,598	3,992	18.5	20.2
Black or African American	1,098 <sup>a</sup>	1,398	243	231	855 <sup>a</sup>	1,167	22.1	16.5
American Indian or Alaska Native	102	111	*	25	65	86	*	*
Native Hawaiian or Other Pacific Islander	20	49	1	*	19	25	*	*
Asian	146	81	11	5	135	76	*	*
Two or More Races	146	202	25	58	121	144	*	*
Hispanic or Latino	1,259	1,198	221	181	1,038	1,017	17.6	15.1

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.44B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2011 and 2012**

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
<b>TOTAL</b>	2.8 <sup>a</sup>	3.1	0.5	0.6	2.3 <sup>a</sup>	2.5	18.8	19.1
<b>AGE</b>								
12-17	4.7 <sup>a</sup>	4.2	0.5	0.5	4.2 <sup>a</sup>	3.7	10.5	11.6
18-25	8.0	8.2	1.2	1.1	6.9	7.2	14.5	12.8
26 or Older	1.6 <sup>b</sup>	2.1	0.4	0.5	1.2 <sup>a</sup>	1.5	25.5	25.2
<b>GENDER</b>								
Male	3.8	4.1	0.7	0.7	3.1	3.4	17.6	17.7
Female	1.9	2.1	0.4	0.5	1.5	1.7	21.1	21.5
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	2.7 <sup>b</sup>	3.1	0.5	0.6	2.2 <sup>a</sup>	2.5	19.1	19.8
White	2.6 <sup>a</sup>	2.9	0.5	0.6	2.1	2.4	18.5	20.2
Black or African American	3.6	4.6	0.8	0.8	2.8 <sup>a</sup>	3.8	22.1	16.5
American Indian or Alaska Native	7.1	7.7	*	1.7	4.5	5.9	*	*
Native Hawaiian or Other Pacific Islander	2.2	4.5	0.1	*	2.1	2.3	*	*
Asian	1.2	0.6	0.1	0.0	1.1	0.6	*	*
Two or More Races	3.7	4.9	0.6	1.4	3.0	3.5	*	*
Hispanic or Latino	3.2	3.0	0.6	0.4	2.6	2.5	17.6	15.1

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.45A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2011 and 2012**

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
<b>TOTAL</b>	6,001 <sup>b</sup>	6,999	1,229	1,411	4,772 <sup>b</sup>	5,588	20.5	20.2
<b>GENDER</b>								
Male	4,040 <sup>a</sup>	4,637	758	849	3,282 <sup>a</sup>	3,788	18.8	18.3
Female	1,961 <sup>a</sup>	2,362	472	562	1,490 <sup>a</sup>	1,800	24.0	23.8
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	5,036 <sup>b</sup>	6,049	1,034	1,246	4,002 <sup>b</sup>	4,803	20.5	20.6
White	3,781 <sup>a</sup>	4,388	742	921	3,040	3,467	19.6	21.0
Black or African American	930 <sup>a</sup>	1,288	228	223	702 <sup>b</sup>	1,065	24.5	17.3
American Indian or Alaska Native	86	102	*	24	50	78	*	*
Native Hawaiian or Other Pacific Islander	18	*	1	*	17	20	*	*
Asian	123	68	11	1	112	67	*	*
Two or More Races	98	160	16	53	81	106	*	*
Hispanic or Latino	965	949	195	165	770	785	20.2	17.4
<b>EDUCATION</b>								
< High School	1,638	1,496	475	333	1,162	1,163	29.0	22.2
High School Graduate	1,960 <sup>b</sup>	2,626	347 <sup>a</sup>	558	1,613 <sup>a</sup>	2,067	17.7	21.3
Some College	1,826	1,923	329	439	1,496	1,484	18.0	22.8
College Graduate	578 <sup>b</sup>	954	77	82	501 <sup>b</sup>	873	*	8.5
<b>CURRENT EMPLOYMENT</b>								
Full-Time	2,249 <sup>b</sup>	2,838	322	460	1,927 <sup>a</sup>	2,378	14.3	16.2
Part-Time	1,210	1,325	177	223	1,033	1,102	14.7	16.8
Unemployed	934	1,123	230	239	704	884	24.6	21.3
Other <sup>1</sup>	1,608	1,713	500	490	1,108	1,223	31.1	28.6

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.45B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2011 and 2012**

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
<b>TOTAL</b>	2.6 <sup>b</sup>	3.0	0.5	0.6	2.1 <sup>a</sup>	2.4	20.5	20.2
<b>GENDER</b>								
Male	3.6 <sup>a</sup>	4.1	0.7	0.8	2.9	3.3	18.8	18.3
Female	1.6 <sup>a</sup>	1.9	0.4	0.5	1.2 <sup>a</sup>	1.5	24.0	23.8
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	2.5 <sup>b</sup>	3.0	0.5	0.6	2.0 <sup>b</sup>	2.4	20.5	20.6
White	2.4 <sup>a</sup>	2.8	0.5	0.6	2.0	2.2	19.6	21.0
Black or African American	3.5 <sup>a</sup>	4.7	0.9	0.8	2.6 <sup>b</sup>	3.9	24.5	17.3
American Indian or Alaska Native	6.7	7.9	*	1.8	3.9	6.0	*	*
Native Hawaiian or Other Pacific Islander	2.1	*	0.1	*	2.0	2.0	*	*
Asian	1.1	0.6	0.1	0.0	1.0	0.6	*	*
Two or More Races	3.0	4.7	0.5	1.6	2.5	3.1	*	*
Hispanic or Latino	2.8	2.7	0.6	0.5	2.3	2.3	20.2	17.4
<b>EDUCATION</b>								
< High School	5.0	4.4	1.4	1.0	3.5	3.4	29.0	22.2
High School Graduate	2.8 <sup>b</sup>	3.8	0.5 <sup>a</sup>	0.8	2.3 <sup>a</sup>	3.0	17.7	21.3
Some College	3.0	3.1	0.5	0.7	2.4	2.4	18.0	22.8
College Graduate	0.8 <sup>b</sup>	1.4	0.1	0.1	0.7 <sup>b</sup>	1.3	*	8.5
<b>CURRENT EMPLOYMENT</b>								
Full-Time	1.9 <sup>b</sup>	2.4	0.3	0.4	1.7 <sup>a</sup>	2.0	14.3	16.2
Part-Time	3.7	4.0	0.5	0.7	3.2	3.4	14.7	16.8
Unemployed	6.9	8.3	1.7	1.8	5.2	6.5	24.6	21.3
Other <sup>1</sup>	2.3	2.4	0.7	0.7	1.6	1.7	31.1	28.6

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.46A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands and Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Needed Treatment (2011)</b>	<b>Needed Treatment (2012)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>
<b>TOTAL</b>	7,186 <sup>a</sup>	8,040	1,354	1,532	5,832 <sup>a</sup>	6,508	18.8	19.1
<b>GEOGRAPHIC DIVISION</b>								
Northeast	1,373	1,421	328	341	1,045	1,081	23.9	24.0
New England	344	354	64	101	280	252	*	*
Middle Atlantic	1,029	1,068	264	239	765	828	25.6	22.4
Midwest	1,414	1,556	246	339	1,168	1,217	17.4	21.8
East North Central	1,025	1,162	178	233	847	929	17.3	20.1
West North Central	389	393	68	105	321	288	17.4	*
South	2,495	2,911	446	470	2,050	2,441	17.9	16.2
South Atlantic	1,245 <sup>b</sup>	1,752	247	271	999 <sup>b</sup>	1,482	19.8	15.5
East South Central	447	415	111	58	336	356	*	14.0
West South Central	803	744	88	141	715	603	11.0	19.0
West	1,903	2,152	335	383	1,569	1,769	17.6	17.8
Mountain	633	566	109	130	524	436	17.3	*
Pacific	1,270 <sup>a</sup>	1,586	225	252	1,044 <sup>a</sup>	1,333	17.7	15.9
<b>COUNTY TYPE</b>								
Large Metro	3,905	4,413	726	758	3,179 <sup>a</sup>	3,656	18.6	17.2
Small Metro	2,321	2,557	437	592	1,884	1,964	18.8	23.2
250K – 1 Mil. Pop.	1,649	1,670	327	355	1,322	1,315	19.8	21.3
< 250K Pop.	672	887	110 <sup>a</sup>	237	562	650	16.4	26.7
Nonmetro	959	1,070	190	183	769	887	19.8	17.1
Urbanized	487	513	82	106	405	408	16.9	20.6
Less Urbanized	375	464	78	63	298	401	20.7	13.5
Completely Rural	97	93	30	14	67	79	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.46B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Needed Treatment (2011)</b>	<b>Needed Treatment (2012)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>
<b>TOTAL</b>	2.8 <sup>a</sup>	3.1	0.5	0.6	2.3 <sup>a</sup>	2.5	18.8	19.1
<b>GEOGRAPHIC DIVISION</b>								
Northeast	2.9	3.0	0.7	0.7	2.2	2.3	23.9	24.0
New England	2.8	2.9	0.5	0.8	2.3	2.0	*	*
Middle Atlantic	3.0	3.1	0.8	0.7	2.2	2.4	25.6	22.4
Midwest	2.5	2.8	0.4	0.6	2.1	2.2	17.4	21.8
East North Central	2.6	3.0	0.5	0.6	2.2	2.4	17.3	20.1
West North Central	2.3	2.3	0.4	0.6	1.9	1.7	17.4	*
South	2.6	3.0	0.5	0.5	2.2	2.5	17.9	16.2
South Atlantic	2.5 <sup>b</sup>	3.4	0.5	0.5	2.0 <sup>b</sup>	2.9	19.8	15.5
East South Central	2.9	2.7	0.7	0.4	2.2	2.3	*	14.0
West South Central	2.7	2.5	0.3	0.5	2.4	2.0	11.0	19.0
West	3.2	3.6	0.6	0.6	2.6	2.9	17.6	17.8
Mountain	3.5	3.1	0.6	0.7	2.9	2.4	17.3	*
Pacific	3.0	3.8	0.5	0.6	2.5 <sup>a</sup>	3.2	17.7	15.9
<b>COUNTY TYPE</b>								
Large Metro	2.9	3.2	0.5	0.5	2.3	2.6	18.6	17.2
Small Metro	2.9	3.3	0.5	0.8	2.3	2.5	18.8	23.2
250K – 1 Mil. Pop.	3.0	3.2	0.6	0.7	2.4	2.5	19.8	21.3
< 250K Pop.	2.6 <sup>a</sup>	3.5	0.4 <sup>a</sup>	0.9	2.2	2.5	16.4	26.7
Nonmetro	2.4	2.5	0.5	0.4	1.9	2.1	19.8	17.1
Urbanized	2.9	2.8	0.5	0.6	2.4	2.2	16.9	20.6
Less Urbanized	2.0	2.4	0.4	0.3	1.6	2.1	20.7	13.5
Completely Rural	2.3	2.0	0.7	0.3	1.6	1.7	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.47A Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Felt Need for Treatment <sup>1</sup> (2011)	Felt Need for Treatment <sup>1</sup> (2012)	Felt Need and Made Effort to Get Treatment <sup>1</sup> (2011)	Felt Need and Made Effort to Get Treatment <sup>1</sup> (2012)	Felt Need and Made No Effort to Get Treatment <sup>1</sup> (2011)	Felt Need and Made No Effort to Get Treatment <sup>1</sup> (2012)	Did Not Feel Need for Treatment <sup>1</sup> (2011)	Did Not Feel Need for Treatment <sup>1</sup> (2012)
<b>TOTAL</b>	5,832 <sup>a</sup>	6,508	488	588	187	204	301	385	5,344 <sup>a</sup>	5,919
<b>AGE</b>										
12-17	1,060 <sup>a</sup>	920	28	31	16 <sup>a</sup>	5	13	25	1,031 <sup>a</sup>	889
18-25	2,360	2,483	125	141	56	57	70	83	2,235	2,343
26 or Older	2,412 <sup>b</sup>	3,104	334	417	115	141	219	276	2,078 <sup>a</sup>	2,687
<b>GENDER</b>										
Male	3,863	4,279	371	411	121	161	250	249	3,492	3,869
Female	1,969	2,229	117	178	66	42	50 <sup>a</sup>	136	1,852	2,051

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.47B Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Percentages, 2011 and 2012**

Demographic Characteristic	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Felt Need for Treatment <sup>1</sup> (2011)	Felt Need for Treatment <sup>1</sup> (2012)	Felt Need and Made Effort to Get Treatment <sup>1</sup> (2011)	Felt Need and Made Effort to Get Treatment <sup>1</sup> (2012)	Felt Need and Made No Effort to Get Treatment <sup>1</sup> (2011)	Felt Need and Made No Effort to Get Treatment <sup>1</sup> (2012)	Did Not Feel Need for Treatment <sup>1</sup> (2011)	Did Not Feel Need for Treatment <sup>1</sup> (2012)
<b>TOTAL</b>	100.0	100.0	8.4	9.0	3.2	3.1	5.2	5.9	91.6	91.0
<b>AGE</b>										
12-17	100.0	100.0	2.7	3.3	1.5	0.6	1.2	2.8	97.3	96.7
18-25	100.0	100.0	5.3	5.7	2.4	2.3	2.9	3.4	94.7	94.3
26 or Older	100.0	100.0	13.8	13.4	4.8	4.5	9.1	8.9	86.2	86.6
<b>GENDER</b>										
Male	100.0	100.0	9.6	9.6	3.1	3.8	6.5	5.8	90.4	90.4
Female	100.0	100.0	5.9	8.0	3.4	1.9	2.6 <sup>a</sup>	6.1	94.1	92.0

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.