

Table 5.48A Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2011 and 2012

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	17,389	18,291	1,472	1,492	15,917	16,800	8.5	8.2
AGE								
12-17	978	889	63	76	915	814	6.4	8.5
18-25	5,062	5,038	315 ^b	180	4,747	4,858	6.2 ^b	3.6
26 or Older	11,349	12,364	1,093	1,236	10,255	11,128	9.6	10.0
GENDER								
Male	10,962 ^a	12,000	955	1,048	10,007 ^a	10,952	8.7	8.7
Female	6,426	6,292	517	444	5,910	5,848	8.0	7.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	14,476	15,270	1,196	1,291	13,280	13,979	8.3	8.5
White	11,902	12,312	950	988	10,952	11,324	8.0	8.0
Black or African American	1,691	1,990	199	243	1,492	1,747	11.8	12.2
American Indian or Alaska Native	191	252	8	30	183	222	4.3	*
Native Hawaiian or Other Pacific Islander	97	40	*	1	87	39	*	*
Asian	318	376	12	8	305	368	*	2.1
Two or More Races	277	301	16	21	261	279	5.8	7.1
Hispanic or Latino	2,913	3,021	276	200	2,637	2,821	9.5	6.6

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.48B Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	6.8	7.0	0.6	0.6	6.2	6.5	8.5	8.2
AGE								
12-17	3.9	3.6	0.3	0.3	3.7	3.3	6.4	8.5
18-25	14.8	14.6	0.9 ^b	0.5	13.8	14.0	6.2 ^b	3.6
26 or Older	5.7	6.2	0.6	0.6	5.2	5.5	9.6	10.0
GENDER								
Male	8.8	9.5	0.8	0.8	8.0	8.7	8.7	8.7
Female	4.8	4.7	0.4	0.3	4.4	4.4	8.0	7.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	6.6	6.9	0.5	0.6	6.1	6.4	8.3	8.5
White	7.0	7.3	0.6	0.6	6.5	6.7	8.0	8.0
Black or African American	5.6	6.5	0.7	0.8	4.9	5.7	11.8	12.2
American Indian or Alaska Native	13.4	17.4	0.6	2.1	12.8	15.3	4.3	*
Native Hawaiian or Other Pacific Islander	10.4 ^a	3.7	*	0.1	9.3	3.6	*	*
Asian	2.6	2.9	0.1	0.1	2.5	2.9	*	2.1
Two or More Races	6.9	7.2	0.4	0.5	6.5	6.7	5.8	7.1
Hispanic or Latino	7.4	7.5	0.7	0.5	6.7	7.0	9.5	6.6

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.49A Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2011 and 2012

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	16,411	17,402	1,408	1,416	15,002	15,986	8.6	8.1
GENDER								
Male	10,515 ^a	11,563	922	1,000	9,593 ^a	10,562	8.8	8.7
Female	5,895	5,839	486	416	5,409	5,424	8.2	7.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	13,725	14,610	1,145	1,223	12,580	13,387	8.3	8.4
White	11,321	11,776	913	936	10,408	10,840	8.1	7.9
Black or African American	1,588	1,926	187	234	1,401	1,692	11.8	12.1
American Indian or Alaska Native	184	244	8	29	177	215	4.2	*
Native Hawaiian or Other Pacific Islander	88	28	*	1	78	27	*	*
Asian	301	364	12	5	289	359	*	*
Two or More Races	242	272	15	19	228	253	*	6.9
Hispanic or Latino	2,686	2,792	264	193	2,423	2,599	9.8	6.9
EDUCATION								
< High School	2,523	2,896	404	383	2,119	2,513	16.0	13.2
High School Graduate	4,601	4,830	412	515	4,189	4,315	9.0	10.7
Some College	5,134	5,215	411	351	4,723	4,864	8.0	6.7
College Graduate	4,152	4,461	180	168	3,972	4,293	4.3	3.8
CURRENT EMPLOYMENT								
Full-Time	8,682	9,360	478	593	8,204	8,767	5.5	6.3
Part-Time	2,630	2,716	149	184	2,481	2,532	5.7	6.8
Unemployed	1,641	1,732	211	192	1,430	1,540	12.9	11.1
Other ^f	3,458	3,594	570	448	2,888	3,146	16.5	12.5

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

^f The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.49B Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	7.1	7.4	0.6	0.6	6.4	6.8	8.6	8.1
GENDER								
Male	9.4	10.2	0.8	0.9	8.6	9.3	8.8	8.7
Female	4.9	4.8	0.4	0.3	4.5	4.4	8.2	7.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	6.9	7.3	0.6	0.6	6.3	6.7	8.3	8.4
White	7.3	7.6	0.6	0.6	6.7	7.0	8.1	7.9
Black or African American	5.9	7.1	0.7	0.9	5.2	6.2	11.8	12.1
American Indian or Alaska Native	14.3	18.9	0.6	2.2	13.7	16.6	4.2	*
Native Hawaiian or Other Pacific Islander	10.2 ^a	2.9	*	0.1	9.1	2.8	*	*
Asian	2.7	3.1	0.1	0.0	2.6	3.1	*	*
Two or More Races	7.4	8.0	0.5	0.5	6.9	7.4	*	6.9
Hispanic or Latino	7.9	8.0	0.8	0.6	7.1	7.5	9.8	6.9
EDUCATION								
< High School	7.6	8.5	1.2	1.1	6.4	7.3	16.0	13.2
High School Graduate	6.6	6.9	0.6	0.7	6.0	6.2	9.0	10.7
Some College	8.3	8.3	0.7	0.6	7.7	7.8	8.0	6.7
College Graduate	6.1	6.5	0.3	0.2	5.8	6.3	4.3	3.8
CURRENT EMPLOYMENT								
Full-Time	7.5	8.0	0.4	0.5	7.1	7.5	5.5	6.3
Part-Time	8.1	8.3	0.5	0.6	7.6	7.7	5.7	6.8
Unemployed	12.1	12.8	1.6	1.4	10.5	11.3	12.9	11.1
Other ^f	4.9	5.1	0.8	0.6	4.1	4.4	16.5	12.5

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

^f The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.50A Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Felt Need for Treatment ¹ (2011)	Felt Need for Treatment ¹ (2012)	Felt Need and Made Effort to Get Treatment ¹ (2011)	Felt Need and Made Effort to Get Treatment ¹ (2012)	Felt Need and Made No Effort to Get Treatment ¹ (2011)	Felt Need and Made No Effort to Get Treatment ¹ (2012)	Did Not Feel Need for Treatment ¹ (2011)	Did Not Feel Need for Treatment ¹ (2012)
TOTAL	15,917	16,800	505	665	137	174	368	490	15,412	16,135
AGE										
12-17	915	814	9	7	2	1	6	6	906	807
18-25	4,747	4,858	61 ^a	112	10 ^a	35	51	78	4,686	4,745
26 or Older	10,255	11,128	435	545	125	138	310	407	9,820	10,583
GENDER										
Male	10,007 ^a	10,952	338	473	92	126	246	347	9,669	10,479
Female	5,910	5,848	167	192	45	48	122	144	5,743	5,656

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.50B Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Felt Need for Treatment ¹ (2011)	Felt Need for Treatment ¹ (2012)	Felt Need and Made Effort to Get Treatment ¹ (2011)	Felt Need and Made Effort to Get Treatment ¹ (2012)	Felt Need and Made No Effort to Get Treatment ¹ (2011)	Felt Need and Made No Effort to Get Treatment ¹ (2012)	Did Not Feel Need for Treatment ¹ (2011)	Did Not Feel Need for Treatment ¹ (2012)
TOTAL	100.0	100.0	3.2	4.0	0.9	1.0	2.3	2.9	96.8	96.0
AGE										
12-17	100.0	100.0	0.9	0.9	0.2	0.2	0.7	0.7	99.1	99.1
18-25	100.0	100.0	1.3 ^a	2.3	0.2 ^a	0.7	1.1	1.6	98.7 ^a	97.7
26 or Older	100.0	100.0	4.2	4.9	1.2	1.2	3.0	3.7	95.8	95.1
GENDER										
Male	100.0	100.0	3.4	4.3	0.9	1.2	2.5	3.2	96.6	95.7
Female	100.0	100.0	2.8	3.3	0.8	0.8	2.1	2.5	97.2	96.7

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.