

**Table 5.51A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2011)</b>	<b>Needed Treatment (2012)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>
<b>TOTAL</b>	21,579 <sup>a</sup>	23,061	2,325	2,496	19,254 <sup>a</sup>	20,565	10.8	10.8
<b>AGE</b>								
12-17	1,744 <sup>a</sup>	1,563	146	157	1,598 <sup>a</sup>	1,407	8.4	10.0
18-25	6,560	6,681	567	467	5,994	6,215	8.6 <sup>a</sup>	7.0
26 or Older	13,274 <sup>b</sup>	14,817	1,613	1,872	11,661 <sup>a</sup>	12,944	12.1	12.6
<b>GENDER</b>								
Male	13,645 <sup>b</sup>	15,048	1,457	1,616	12,188 <sup>a</sup>	13,432	10.7	10.7
Female	7,934	8,013	868	880	7,066	7,134	10.9	11.0
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	17,981 <sup>a</sup>	19,358	1,958	2,196	16,023 <sup>a</sup>	17,162	10.9	11.3
White	14,474	15,270	1,519	1,680	12,954	13,590	10.5	11.0
Black or African American	2,364 <sup>a</sup>	2,826	339	359	2,025 <sup>a</sup>	2,467	14.3	12.7
American Indian or Alaska Native	249	318	45	52	204	266	*	*
Native Hawaiian or Other Pacific Islander	109	81	*	*	99	57	*	*
Asian	419	412	16	9	403	403	*	2.1
Two or More Races	366	452	29	73	338	379	7.8	*
Hispanic or Latino	3,598	3,703	367	300	3,230	3,403	10.2	8.1

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.51B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2011)</b>	<b>Needed Treatment (2012)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>
<b>TOTAL</b>	8.4 <sup>a</sup>	8.9	0.9	1.0	7.5	7.9	10.8	10.8
<b>AGE</b>								
12-17	7.0 <sup>a</sup>	6.3	0.6	0.6	6.4 <sup>a</sup>	5.6	8.4	10.0
18-25	19.1	19.3	1.7	1.3	17.5	18.0	8.6 <sup>a</sup>	7.0
26 or Older	6.7 <sup>a</sup>	7.4	0.8	0.9	5.9 <sup>a</sup>	6.5	12.1	12.6
<b>GENDER</b>								
Male	10.9 <sup>a</sup>	12.0	1.2	1.3	9.8 <sup>a</sup>	10.7	10.7	10.7
Female	6.0	6.0	0.7	0.7	5.3	5.3	10.9	11.0
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	8.2 <sup>a</sup>	8.8	0.9	1.0	7.3	7.8	10.9	11.3
White	8.6	9.0	0.9	1.0	7.7	8.0	10.5	11.0
Black or African American	7.8 <sup>a</sup>	9.2	1.1	1.2	6.7 <sup>a</sup>	8.0	14.3	12.7
American Indian or Alaska Native	17.4	22.0	3.1	3.6	14.3	18.4	*	*
Native Hawaiian or Other Pacific Islander	11.7	7.5	*	*	10.6	5.3	*	*
Asian	3.4	3.2	0.1	0.1	3.2	3.2	*	2.1
Two or More Races	9.2	10.9	0.7	1.7	8.4	9.1	7.8	*
Hispanic or Latino	9.1	9.2	0.9	0.7	8.2	8.4	10.2	8.1

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.52A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2011 and 2012**

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
<b>TOTAL</b>	19,834 <sup>b</sup>	21,498	2,179	2,339	17,655 <sup>a</sup>	19,159	11.0	10.9
<b>GENDER</b>								
Male	12,753 <sup>b</sup>	14,240	1,377	1,517	11,377 <sup>b</sup>	12,722	10.8	10.7
Female	7,081	7,258	802	822	6,279	6,437	11.3	11.3
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	16,643 <sup>b</sup>	18,196	1,843	2,060	14,801 <sup>a</sup>	16,136	11.1	11.3
White	13,485	14,370	1,434	1,573	12,051	12,796	10.6	10.9
Black or African American	2,142 <sup>a</sup>	2,670	319	340	1,823 <sup>b</sup>	2,330	14.9	12.7
American Indian or Alaska Native	231	305	44	50	187	255	*	*
Native Hawaiian or Other Pacific Islander	99	68	*	*	89	43	*	*
Asian	383	391	16	5	367	386	*	*
Two or More Races	303	391	20	66	283	325	6.6	*
Hispanic or Latino	3,191	3,302	337	280	2,855	3,023	10.5	8.5
<b>EDUCATION</b>								
< High School	3,394	3,685	666	581	2,728	3,104	19.6	15.8
High School Graduate	5,819	6,466	645	865	5,174	5,602	11.1	13.4
Some College	6,077	6,320	619	676	5,457	5,644	10.2	10.7
College Graduate	4,544	5,026	249	218	4,295	4,809	5.5	4.3
<b>CURRENT EMPLOYMENT</b>								
Full-Time	10,061 <sup>a</sup>	11,059	710	897	9,351	10,162	7.1	8.1
Part-Time	3,272	3,447	252	335	3,019	3,112	7.7	9.7
Unemployed	2,192	2,362	413	357	1,779	2,005	18.8	15.1
Other <sup>f</sup>	4,310	4,630	803	750	3,506	3,880	18.6	16.2

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>f</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.52B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2011)</b>	<b>Needed Treatment (2012)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>
<b>TOTAL</b>	8.5 <sup>a</sup>	9.1	0.9	1.0	7.6 <sup>a</sup>	8.1	11.0	10.9
<b>GENDER</b>								
Male	11.4 <sup>a</sup>	12.6	1.2	1.3	10.2 <sup>a</sup>	11.2	10.8	10.7
Female	5.9	6.0	0.7	0.7	5.2	5.3	11.3	11.3
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	8.4 <sup>a</sup>	9.1	0.9	1.0	7.5 <sup>a</sup>	8.1	11.1	11.3
White	8.7	9.2	0.9	1.0	7.8	8.2	10.6	10.9
Black or African American	8.0 <sup>a</sup>	9.8	1.2	1.3	6.8 <sup>a</sup>	8.6	14.9	12.7
American Indian or Alaska Native	17.9	23.6	3.4	3.9	14.5	19.7	*	*
Native Hawaiian or Other Pacific Islander	11.5	6.9	*	*	10.3	4.4	*	*
Asian	3.4	3.4	0.1	0.0	3.3	3.3	*	*
Two or More Races	9.3	11.4	0.6	1.9	8.6	9.5	6.6	*
Hispanic or Latino	9.4	9.5	1.0	0.8	8.4	8.7	10.5	8.5
<b>EDUCATION</b>								
< High School	10.3	10.8	2.0	1.7	8.3	9.1	19.6	15.8
High School Graduate	8.3	9.3	0.9	1.2	7.4	8.0	11.1	13.4
Some College	9.9	10.1	1.0	1.1	8.8	9.0	10.2	10.7
College Graduate	6.7	7.3	0.4	0.3	6.3	7.0	5.5	4.3
<b>CURRENT EMPLOYMENT</b>								
Full-Time	8.7	9.4	0.6	0.8	8.1	8.6	7.1	8.1
Part-Time	10.1	10.5	0.8	1.0	9.3	9.5	7.7	9.7
Unemployed	16.1	17.4	3.0	2.6	13.1	14.8	18.8	15.1
Other <sup>f</sup>	6.1	6.5	1.1	1.1	4.9	5.5	18.6	16.2

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>f</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.53A Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Felt Need for Treatment <sup>1</sup> (2011)	Felt Need for Treatment <sup>1</sup> (2012)	Felt Need and Made Effort to Get Treatment <sup>1</sup> (2011)	Felt Need and Made Effort to Get Treatment <sup>1</sup> (2012)	Felt Need and Made No Effort to Get Treatment <sup>1</sup> (2011)	Felt Need and Made No Effort to Get Treatment <sup>1</sup> (2012)	Did Not Feel Need for Treatment <sup>1</sup> (2011)	Did Not Feel Need for Treatment <sup>1</sup> (2012)
<b>TOTAL</b>	19,254 <sup>a</sup>	20,565	912	1,106	281	347	631	760	18,342	19,459
<b>AGE</b>										
12-17	1,598 <sup>a</sup>	1,407	40	39	19	8	20	31	1,559 <sup>a</sup>	1,367
18-25	5,994	6,215	175 <sup>a</sup>	242	62	90	113	151	5,819	5,973
26 or Older	11,661 <sup>a</sup>	12,944	698	825	199	248	498	578	10,964 <sup>a</sup>	12,119
<b>GENDER</b>										
Male	12,188 <sup>a</sup>	13,432	654	750	193	256	460	494	11,534 <sup>a</sup>	12,682
Female	7,066	7,134	258	357	87	91	171	266	6,808	6,777

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.53B Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Percentages, 2011 and 2012**

Demographic Characteristic	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Felt Need for Treatment <sup>1</sup> (2011)	Felt Need for Treatment <sup>1</sup> (2012)	Felt Need and Made Effort to Get Treatment <sup>1</sup> (2011)	Felt Need and Made Effort to Get Treatment <sup>1</sup> (2012)	Felt Need and Made No Effort to Get Treatment <sup>1</sup> (2011)	Felt Need and Made No Effort to Get Treatment <sup>1</sup> (2012)	Did Not Feel Need for Treatment <sup>1</sup> (2011)	Did Not Feel Need for Treatment <sup>1</sup> (2012)
<b>TOTAL</b>	100.0	100.0	4.7	5.4	1.5	1.7	3.3	3.7	95.3	94.6
<b>AGE</b>										
12-17	100.0	100.0	2.5	2.8	1.2	0.6	1.3	2.2	97.5	97.2
18-25	100.0	100.0	2.9	3.9	1.0	1.5	1.9	2.4	97.1	96.1
26 or Older	100.0	100.0	6.0	6.4	1.7	1.9	4.3	4.5	94.0	93.6
<b>GENDER</b>										
Male	100.0	100.0	5.4	5.6	1.6	1.9	3.8	3.7	94.6	94.4
Female	100.0	100.0	3.7	5.0	1.2	1.3	2.4	3.7	96.3	95.0

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.