

Table 5.15C Received Substance Use Treatment in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012

| Age Category | Illicit Drugs ¹ (2011) | Illicit Drugs ¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol ¹ (2011) | Both Illicit Drugs and Alcohol ¹ (2012) | Illicit Drugs or Alcohol ^{1,2} (2011) | Illicit Drugs or Alcohol ^{1,2} (2012) |
|--------------|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 134 | 141 | 174 | 174 | 107 | 108 | 194 | 198 |
| 12 | 3 | 2 | 1 | 1 | 1 | * | 3 | 2 |
| 13 | 3 | 4 | 2 | 3 | 2 | 3 | 4 | 5 |
| 14 | 6 | 7 | 3 | 6 | 3 | 5 | 6 | 7 |
| 15 | 11 | 9 | 8 | 7 | 8 | 7 | 12 | 10 |
| 16 | 13 | 9 | 11 | 9 | 10 | 7 | 17 | 10 |
| 17 | 13 | 17 | 9 | 15 | 8 | 15 | 14 | 17 |
| 18 | 13 | 9 | 14 | 13 | 11 | 6 | 16 | 18 |
| 19 | 11 | 13 | 11 | 12 | 8 | 6 | 15 | 18 |
| 20 | 15 | 19 | 13 | 14 | 12 | 9 | 16 | 23 |
| 21 | 16 | 9 | 12 | 9 | 11 | 7 | 18 | 12 |
| 22 | 11 | 15 | 10 | 13 | 7 | 12 | 14 | 16 |
| 23 | 20 | 19 | 18 | 10 | 17 | 6 | 21 | 22 |
| 24 | 14 | 13 | 15 | 8 | 11 | 7 | 20 | 18 |
| 25 | 14 | 17 | 13 | 12 | 9 | 10 | 17 | 19 |
| 26-29 | 41 | 62 | 53 | 65 | 37 | 52 | 58 | 75 |
| 30-34 | 35 | 39 | 59 | 54 | 27 | 32 | 65 | 62 |
| 35-39 | 48 | 54 | 62 | 48 | 43 | 36 | 68 | 68 |
| 40-44 | 45 | 35 | 57 | 47 | 36 | 20 | 64 | 56 |
| 45-49 | 37 | 50 | 45 | 49 | 26 | 39 | 55 | 58 |
| 50-54 | 59 | 55 | 67 | 75 | 42 | 50 | 83 | 79 |
| 55-59 | 25 | 42 | 55 | 50 | 25 | 28 | 56 | 59 |
| 60-64 | 26 | 26 | 33 | 58 | 24 | 26 | 35 | 61 |
| 65 or Older | 18 | 2 | 48 | 44 | 18 | * | 49 | 51 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.15D Received Substance Use Treatment in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2011 and 2012

| Age Category | Illicit Drugs ¹ (2011) | Illicit Drugs ¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol ¹ (2011) | Both Illicit Drugs and Alcohol ¹ (2012) | Illicit Drugs or Alcohol ^{1,2} (2011) | Illicit Drugs or Alcohol ^{1,2} (2012) |
|--------------|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.05 | 0.05 | 0.07 | 0.07 | 0.04 | 0.04 | 0.08 | 0.08 |
| 12 | 0.08 | 0.04 | 0.03 | 0.02 | 0.03 | * | 0.08 | 0.05 |
| 13 | 0.08 | 0.10 | 0.05 | 0.09 | 0.05 | 0.08 | 0.10 | 0.14 |
| 14 | 0.14 | 0.15 | 0.07 | 0.14 | 0.07 | 0.13 | 0.14 | 0.18 |
| 15 | 0.25 | 0.22 | 0.19 | 0.16 | 0.18 | 0.16 | 0.28 | 0.24 |
| 16 | 0.30 | 0.21 | 0.25 | 0.21 | 0.24 | 0.16 | 0.39 | 0.24 |
| 17 | 0.30 | 0.38 | 0.21 | 0.35 | 0.18 | 0.34 | 0.32 | 0.39 |
| 18 | 0.28 | 0.20 | 0.28 | 0.28 | 0.23 | 0.12 | 0.33 | 0.38 |
| 19 | 0.25 | 0.30 | 0.26 | 0.28 | 0.18 | 0.15 | 0.35 | 0.40 |
| 20 | 0.33 | 0.45 | 0.29 | 0.32 | 0.27 | 0.21 | 0.36 | 0.52 |
| 21 | 0.36 | 0.21 | 0.28 | 0.21 | 0.25 | 0.15 | 0.40 | 0.27 |
| 22 | 0.26 | 0.32 | 0.23 | 0.29 | 0.17 | 0.26 | 0.32 | 0.35 |
| 23 | 0.48 | 0.44 | 0.45 | 0.22 | 0.43 | 0.15 | 0.51 | 0.48 |
| 24 | 0.33 | 0.32 | 0.36 | 0.21 | 0.25 | 0.16 | 0.48 | 0.42 |
| 25 | 0.35 | 0.43 | 0.34 | 0.30 | 0.22 | 0.24 | 0.43 | 0.48 |
| 26-29 | 0.24 | 0.35 | 0.30 | 0.37 | 0.22 | 0.30 | 0.33 | 0.43 |
| 30-34 | 0.18 | 0.20 | 0.30 | 0.27 | 0.14 | 0.16 | 0.33 | 0.31 |
| 35-39 | 0.24 | 0.27 | 0.31 | 0.24 | 0.22 | 0.18 | 0.34 | 0.35 |
| 40-44 | 0.22 | 0.18 | 0.28 | 0.23 | 0.18 | 0.10 | 0.31 | 0.27 |
| 45-49 | 0.17 | 0.23 | 0.21 | 0.23 | 0.12 | 0.18 | 0.25 | 0.27 |
| 50-54 | 0.26 | 0.23 | 0.29 | 0.32 | 0.18 | 0.21 | 0.36 | 0.33 |
| 55-59 | 0.13 | 0.21 | 0.29 | 0.24 | 0.13 | 0.14 | 0.29 | 0.29 |
| 60-64 | 0.14 | 0.16 | 0.18 | 0.34 | 0.13 | 0.16 | 0.19 | 0.36 |
| 65 or Older | 0.04 | 0.01 | 0.12 | 0.10 | 0.04 | * | 0.12 | 0.12 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.15P Received Substance Use Treatment in the Past Year, by Detailed Age Category: P Values from Tests of Differences of Percentages, 2012 Versus 2011

| Age Category | Illicit Drugs ¹ (2011) | Illicit Drugs ¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol ¹ (2011) | Both Illicit Drugs and Alcohol ¹ (2012) | Illicit Drugs or Alcohol ^{1,2} (2011) | Illicit Drugs or Alcohol ^{1,2} (2012) |
|--------------|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.3023 | | 0.8191 | | 0.9501 | | 0.4702 | |
| 12 | 0.5209 | | 0.7658 | | * | | 0.4533 | |
| 13 | 0.5809 | | 0.4033 | | 0.3589 | | 0.3737 | |
| 14 | 0.8765 | | 0.1240 | | 0.2117 | | 0.3997 | |
| 15 | 0.9666 | | 0.4559 | | 0.7281 | | 0.7228 | |
| 16 | 0.0618 | | 0.2778 | | 0.1768 | | 0.0299 | |
| 17 | 0.2188 | | 0.0626 | | 0.0398 | | 0.2878 | |
| 18 | 0.0779 | | 0.3404 | | 0.0696 | | 0.6604 | |
| 19 | 0.5229 | | 0.2604 | | 0.3034 | | 0.9967 | |
| 20 | 0.7531 | | 0.8961 | | 0.2233 | | 0.1961 | |
| 21 | 0.4171 | | 0.3581 | | 0.3928 | | 0.2055 | |
| 22 | 0.2655 | | 0.7575 | | 0.2108 | | 0.7761 | |
| 23 | 0.1804 | | 0.0342 | | 0.0083 | | 0.3526 | |
| 24 | 0.9214 | | 0.0184 | | 0.1551 | | 0.5770 | |
| 25 | 0.8265 | | 0.6052 | | 0.6707 | | 0.9573 | |
| 26-29 | 0.1188 | | 0.5743 | | 0.4451 | | 0.1645 | |
| 30-34 | 0.7990 | | 0.4945 | | 0.4734 | | 0.5426 | |
| 35-39 | 0.7259 | | 0.1370 | | 0.4266 | | 0.8561 | |
| 40-44 | 0.8512 | | 0.8709 | | 0.5693 | | 0.9366 | |
| 45-49 | 0.2418 | | 0.7147 | | 0.2571 | | 0.7976 | |
| 50-54 | 0.8313 | | 0.5516 | | 0.5652 | | 0.9297 | |
| 55-59 | 0.4250 | | 0.9253 | | 0.8282 | | 0.6136 | |
| 60-64 | 0.8196 | | 0.5339 | | 0.8439 | | 0.4478 | |
| 65 or Older | 0.3870 | | 0.5473 | | * | | 0.8810 | |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.16C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

| Demographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|--|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 134 | 141 | 174 | 174 | 107 | 108 | 194 | 198 |
| AGE | | | | | | | | |
| 12-17 | 23 | 22 | 18 | 20 | 16 | 19 | 26 | 24 |
| 18-25 | 43 | 45 | 41 | 32 | 34 | 23 | 50 | 52 |
| 26 or Older | 122 | 132 | 169 | 170 | 100 | 104 | 184 | 191 |
| GENDER | | | | | | | | |
| Male | 110 | 115 | 142 | 148 | 92 | 95 | 157 | 166 |
| Female | 73 | 75 | 94 | 90 | 56 | 49 | 109 | 112 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 123 | 132 | 155 | 162 | 99 | 101 | 171 | 184 |
| White | 102 | 116 | 141 | 144 | 81 | 87 | 157 | 162 |
| Black or African American | 59 | 53 | 57 | 63 | 46 | 49 | 75 | 72 |
| American Indian or Alaska Native | 25 | 17 | 25 | 17 | 25 | 5 | 25 | 23 |
| Native Hawaiian or Other Pacific Islander | * | * | * | 1 | * | 1 | 10 | * |
| Asian | 9 | 4 | 9 | 5 | 8 | 4 | 12 | 5 |
| Two or More Races | 13 | 26 | 10 | 23 | 10 | 22 | 15 | 28 |
| Hispanic or Latino | 53 | 45 | 74 | 69 | 42 | 37 | 85 | 78 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.16D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

| Demographic Characteristic | Illicit Drugs ¹ (2011) | Illicit Drugs ¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol ¹ (2011) | Both Illicit Drugs and Alcohol ¹ (2012) | Illicit Drugs or Alcohol ^{1,2} (2011) | Illicit Drugs or Alcohol ^{1,2} (2012) |
|--|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.05 | 0.05 | 0.07 | 0.07 | 0.04 | 0.04 | 0.08 | 0.08 |
| AGE | | | | | | | | |
| 12-17 | 0.09 | 0.09 | 0.07 | 0.08 | 0.07 | 0.07 | 0.11 | 0.10 |
| 18-25 | 0.12 | 0.13 | 0.12 | 0.09 | 0.10 | 0.07 | 0.15 | 0.15 |
| 26 or Older | 0.06 | 0.07 | 0.09 | 0.08 | 0.05 | 0.05 | 0.09 | 0.10 |
| GENDER | | | | | | | | |
| Male | 0.09 | 0.09 | 0.11 | 0.12 | 0.07 | 0.08 | 0.13 | 0.13 |
| Female | 0.06 | 0.06 | 0.07 | 0.07 | 0.04 | 0.04 | 0.08 | 0.08 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.06 | 0.06 | 0.07 | 0.07 | 0.05 | 0.05 | 0.08 | 0.08 |
| White | 0.06 | 0.07 | 0.08 | 0.09 | 0.05 | 0.05 | 0.09 | 0.10 |
| Black or African American | 0.20 | 0.17 | 0.19 | 0.21 | 0.15 | 0.16 | 0.25 | 0.23 |
| American Indian or Alaska Native | 1.70 | 1.13 | 1.70 | 1.16 | 1.69 | 0.36 | 1.71 | 1.55 |
| Native Hawaiian or Other Pacific Islander | * | * | * | 0.11 | * | 0.05 | 1.13 | * |
| Asian | 0.07 | 0.03 | 0.08 | 0.04 | 0.06 | 0.03 | 0.10 | 0.04 |
| Two or More Races | 0.32 | 0.62 | 0.25 | 0.55 | 0.24 | 0.52 | 0.39 | 0.67 |
| Hispanic or Latino | 0.13 | 0.11 | 0.19 | 0.17 | 0.11 | 0.09 | 0.21 | 0.19 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.16P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

| Demographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|--|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 0.3023 | | 0.8191 | | 0.9501 | | 0.4702 | |
| AGE | | | | | | | | |
| 12-17 | 0.8814 | | 0.4316 | | 0.3544 | | 0.6572 | |
| 18-25 | 0.5887 | | 0.0080 | | 0.0102 | | 0.5981 | |
| 26 or Older | 0.1924 | | 0.8133 | | 0.5988 | | 0.3478 | |
| GENDER | | | | | | | | |
| Male | 0.2663 | | 0.7850 | | 0.6771 | | 0.4146 | |
| Female | 0.7971 | | 0.3868 | | 0.3810 | | 0.9167 | |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.1247 | | 0.7948 | | 0.6724 | | 0.2110 | |
| White | 0.0904 | | 0.9908 | | 0.7405 | | 0.2356 | |
| Black or African American | 0.9434 | | 0.5680 | | 0.5645 | | 0.9404 | |
| American Indian or Alaska Native | 0.7301 | | 0.9011 | | 0.2580 | | 0.4838 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | | * | |
| Asian | 0.2654 | | 0.5356 | | 0.6778 | | 0.0935 | |
| Two or More Races | 0.3500 | | 0.2772 | | 0.3421 | | 0.2874 | |
| Hispanic or Latino | 0.3064 | | 0.2461 | | 0.2212 | | 0.3166 | |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.17C Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

| Demographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|--|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 23 | 22 | 18 | 20 | 16 | 19 | 26 | 24 |
| GENDER | | | | | | | | |
| Male | 16 | 18 | 12 | 16 | 10 | 15 | 18 | 20 |
| Female | 15 | 13 | 12 | 12 | 11 | 11 | 18 | 15 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 21 | 18 | 17 | 16 | 15 | 15 | 23 | 20 |
| White | 17 | 14 | 14 | 12 | 13 | 11 | 18 | 16 |
| Black or African American | 7 | 9 | 7 | 8 | 6 | 8 | 8 | 10 |
| American Indian or Alaska Native | 0 | 1 | 0 | 2 | 0 | 1 | 1 | 3 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * | * | * |
| Asian | * | 4 | 2 | 4 | * | 4 | 6 | 4 |
| Two or More Races | 10 | 7 | 6 | 5 | 6 | 5 | 10 | 7 |
| Hispanic or Latino | 9 | 12 | 6 | 12 | 6 | 11 | 12 | 13 |
| GENDER/RACE/HISPANIC ORIGIN | | | | | | | | |
| Male, White, Not Hispanic | 12 | 11 | 9 | 9 | 8 | 9 | 13 | 12 |
| Female, White, Not Hispanic | 11 | 9 | 9 | 8 | 8 | 7 | 12 | 9 |
| Male, Black, Not Hispanic | 7 | 5 | 6 | 5 | 6 | 5 | 7 | 7 |
| Female, Black, Not Hispanic | 2 | 7 | 3 | 7 | 2 | 7 | 4 | 8 |
| Male, Hispanic | 6 | 11 | 5 | 10 | 4 | 10 | 7 | 12 |
| Female, Hispanic | 6 | 5 | 4 | 7 | 4 | 4 | 10 | 7 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.17D Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

| Demographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|--|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 0.09 | 0.09 | 0.07 | 0.08 | 0.07 | 0.07 | 0.11 | 0.10 |
| GENDER | | | | | | | | |
| Male | 0.13 | 0.14 | 0.09 | 0.12 | 0.08 | 0.12 | 0.14 | 0.16 |
| Female | 0.12 | 0.10 | 0.10 | 0.10 | 0.09 | 0.09 | 0.14 | 0.12 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.11 | 0.09 | 0.08 | 0.08 | 0.08 | 0.08 | 0.12 | 0.10 |
| White | 0.12 | 0.10 | 0.10 | 0.09 | 0.09 | 0.08 | 0.13 | 0.11 |
| Black or African American | 0.20 | 0.25 | 0.19 | 0.24 | 0.17 | 0.22 | 0.23 | 0.29 |
| American Indian or Alaska Native | 0.37 | 0.63 | 0.35 | 1.44 | 0.35 | 0.63 | 0.61 | 1.71 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * | * | * |
| Asian | * | 0.30 | 0.17 | 0.30 | * | 0.30 | 0.48 | 0.30 |
| Two or More Races | 1.36 | 0.95 | 0.87 | 0.70 | 0.87 | 0.69 | 1.36 | 0.99 |
| Hispanic or Latino | 0.17 | 0.22 | 0.12 | 0.21 | 0.11 | 0.19 | 0.22 | 0.24 |
| GENDER/RACE/HISPANIC ORIGIN | | | | | | | | |
| Male, White, Not Hispanic | 0.16 | 0.16 | 0.12 | 0.13 | 0.11 | 0.12 | 0.18 | 0.17 |
| Female, White, Not Hispanic | 0.16 | 0.13 | 0.13 | 0.11 | 0.12 | 0.11 | 0.18 | 0.14 |
| Male, Black, Not Hispanic | 0.37 | 0.31 | 0.33 | 0.29 | 0.32 | 0.25 | 0.38 | 0.40 |
| Female, Black, Not Hispanic | 0.12 | 0.41 | 0.19 | 0.37 | 0.12 | 0.37 | 0.24 | 0.42 |
| Male, Hispanic | 0.24 | 0.40 | 0.17 | 0.34 | 0.15 | 0.34 | 0.25 | 0.41 |
| Female, Hispanic | 0.24 | 0.18 | 0.15 | 0.24 | 0.15 | 0.17 | 0.36 | 0.25 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.17P Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

| Demographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|--|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 0.8814 | | 0.4316 | | 0.3544 | | 0.6572 | |
| GENDER | | | | | | | | |
| Male | 0.6096 | | 0.3289 | | 0.2605 | | 0.6904 | |
| Female | 0.3848 | | 0.9199 | | 0.8857 | | 0.2540 | |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.8711 | | 0.6202 | | 0.4689 | | 0.7312 | |
| White | 0.8699 | | 0.9928 | | 0.7614 | | 0.7021 | |
| Black or African American | 0.6815 | | 0.8808 | | 0.8281 | | 0.7053 | |
| American Indian or Alaska Native | 0.5263 | | 0.1850 | | 0.4278 | | 0.1099 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | | * | |
| Asian | * | | 0.4310 | | * | | 0.7486 | |
| Two or More Races | 0.3706 | | 0.7079 | | 0.8319 | | 0.5417 | |
| Hispanic or Latino | 0.9831 | | 0.4723 | | 0.5470 | | 0.7509 | |
| GENDER/RACE/HISPANIC ORIGIN | | | | | | | | |
| Male, White, Not Hispanic | 0.5644 | | 0.6793 | | 0.4430 | | 0.6938 | |
| Female, White, Not Hispanic | 0.3652 | | 0.6776 | | 0.7738 | | 0.3039 | |
| Male, Black, Not Hispanic | 0.5037 | | 0.7291 | | 0.5100 | | 0.9442 | |
| Female, Black, Not Hispanic | 0.1762 | | 0.5620 | | 0.3141 | | 0.5231 | |
| Male, Hispanic | 0.8001 | | 0.7654 | | 0.6255 | | 0.9746 | |
| Female, Hispanic | 0.6548 | | 0.4250 | | 0.7210 | | 0.6067 | |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.18C Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

| Demographic Characteristic | Illicit Drugs ¹ (2011) | Illicit Drugs ¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol ¹ (2011) | Both Illicit Drugs and Alcohol ¹ (2012) | Illicit Drugs or Alcohol ^{1,2} (2011) | Illicit Drugs or Alcohol ^{1,2} (2012) |
|--|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 43 | 45 | 41 | 32 | 34 | 23 | 50 | 52 |
| GENDER | | | | | | | | |
| Male | 36 | 36 | 36 | 26 | 30 | 20 | 42 | 43 |
| Female | 23 | 22 | 20 | 19 | 17 | 12 | 26 | 27 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 37 | 42 | 35 | 28 | 29 | 22 | 43 | 47 |
| White | 32 | 39 | 30 | 28 | 24 | 21 | 37 | 44 |
| Black or African American | 16 | 9 | 14 | 8 | 13 | 6 | 18 | 12 |
| American Indian or Alaska Native | 3 | * | 3 | 3 | 2 | 3 | 3 | * |
| Native Hawaiian or Other Pacific Islander | * | * | * | 1 | * | 0 | * | 3 |
| Asian | 9 | 1 | 8 | 1 | 8 | 1 | 9 | 1 |
| Two or More Races | 2 | 3 | 2 | 3 | 1 | 2 | 3 | 8 |
| Hispanic or Latino | 21 | 14 | 21 | 16 | 18 | 6 | 25 | 22 |
| EDUCATION | | | | | | | | |
| < High School | 22 | 23 | 21 | 15 | 19 | 10 | 25 | 26 |
| High School Graduate | 26 | 22 | 22 | 20 | 17 | 15 | 31 | 28 |
| Some College | 22 | 25 | 22 | 19 | 19 | 12 | 25 | 31 |
| College Graduate | 7 | 9 | 9 | 9 | 6 | 8 | 10 | 10 |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 23 | 22 | 21 | 21 | 16 | 15 | 27 | 28 |
| Part-Time | 18 | 24 | 18 | 15 | 15 | 8 | 21 | 29 |
| Unemployed | 18 | 22 | 17 | 15 | 13 | 13 | 23 | 24 |
| Other ³ | 24 | 13 | 23 | 15 | 20 | 7 | 27 | 19 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.18D Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

| Demographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|--|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 0.12 | 0.13 | 0.12 | 0.09 | 0.10 | 0.07 | 0.15 | 0.15 |
| GENDER | | | | | | | | |
| Male | 0.21 | 0.21 | 0.21 | 0.15 | 0.17 | 0.11 | 0.24 | 0.25 |
| Female | 0.13 | 0.12 | 0.12 | 0.11 | 0.10 | 0.07 | 0.15 | 0.16 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.14 | 0.15 | 0.13 | 0.10 | 0.11 | 0.08 | 0.16 | 0.17 |
| White | 0.16 | 0.19 | 0.15 | 0.14 | 0.12 | 0.11 | 0.19 | 0.22 |
| Black or African American | 0.33 | 0.19 | 0.29 | 0.16 | 0.27 | 0.12 | 0.37 | 0.23 |
| American Indian or Alaska Native | 1.18 | * | 1.18 | 1.12 | 1.10 | 1.09 | 1.25 | * |
| Native Hawaiian or Other Pacific Islander | * | * | * | 0.55 | * | 0.15 | * | 1.46 |
| Asian | 0.47 | 0.05 | 0.40 | 0.05 | 0.40 | 0.04 | 0.48 | 0.06 |
| Two or More Races | 0.30 | 0.35 | 0.25 | 0.36 | 0.08 | 0.24 | 0.39 | 1.08 |
| Hispanic or Latino | 0.30 | 0.20 | 0.30 | 0.22 | 0.26 | 0.09 | 0.35 | 0.30 |
| EDUCATION | | | | | | | | |
| < High School | 0.38 | 0.42 | 0.36 | 0.27 | 0.32 | 0.19 | 0.43 | 0.48 |
| High School Graduate | 0.22 | 0.19 | 0.19 | 0.16 | 0.15 | 0.12 | 0.26 | 0.23 |
| Some College | 0.18 | 0.20 | 0.18 | 0.15 | 0.16 | 0.10 | 0.20 | 0.24 |
| College Graduate | 0.14 | 0.17 | 0.18 | 0.18 | 0.13 | 0.16 | 0.19 | 0.20 |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 0.18 | 0.16 | 0.17 | 0.15 | 0.13 | 0.11 | 0.22 | 0.21 |
| Part-Time | 0.19 | 0.25 | 0.19 | 0.16 | 0.16 | 0.08 | 0.22 | 0.31 |
| Unemployed | 0.41 | 0.54 | 0.38 | 0.35 | 0.29 | 0.32 | 0.50 | 0.58 |
| Other ³ | 0.30 | 0.18 | 0.28 | 0.18 | 0.26 | 0.10 | 0.33 | 0.23 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.18P Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

| Demographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|--|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 0.5887 | | 0.0080 | | 0.0102 | | 0.5981 | |
| GENDER | | | | | | | | |
| Male | 0.8212 | | 0.0081 | | 0.0285 | | 0.6736 | |
| Female | 0.4565 | | 0.4552 | | 0.1650 | | 0.7224 | |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.9265 | | 0.0068 | | 0.0499 | | 0.5629 | |
| White | 0.5275 | | 0.0831 | | 0.3077 | | 0.8170 | |
| Black or African American | 0.0616 | | 0.0082 | | 0.0209 | | 0.0110 | |
| American Indian or Alaska Native | * | | 0.6003 | | 0.8480 | | * | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | | * | |
| Asian | 0.0837 | | 0.2712 | | 0.2796 | | 0.0462 | |
| Two or More Races | 0.9733 | | 0.9561 | | 0.4121 | | 0.4719 | |
| Hispanic or Latino | 0.2748 | | 0.5446 | | 0.0727 | | 0.9698 | |
| EDUCATION | | | | | | | | |
| < High School | 0.6344 | | 0.2301 | | 0.1123 | | 0.7767 | |
| High School Graduate | 0.2309 | | 0.0655 | | 0.1332 | | 0.2786 | |
| Some College | 0.2450 | | 0.3755 | | 0.1944 | | 0.2014 | |
| College Graduate | 0.5240 | | 0.0874 | | 0.5139 | | 0.1285 | |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 0.6354 | | 0.7474 | | 0.9776 | | 0.7013 | |
| Part-Time | 0.4094 | | 0.0400 | | 0.0303 | | 0.3630 | |
| Unemployed | 0.9122 | | 0.2305 | | 0.6598 | | 0.6332 | |
| Other ³ | 0.0114 | | 0.0473 | | 0.0051 | | 0.0452 | |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.19C Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

| Demographic Characteristic | Illicit Drugs ¹ (2011) | Illicit Drugs ¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol ¹ (2011) | Both Illicit Drugs and Alcohol ¹ (2012) | Illicit Drugs or Alcohol ^{1,2} (2011) | Illicit Drugs or Alcohol ^{1,2} (2012) |
|--|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 122 | 132 | 169 | 170 | 100 | 104 | 184 | 191 |
| GENDER | | | | | | | | |
| Male | 101 | 110 | 137 | 145 | 86 | 92 | 149 | 161 |
| Female | 68 | 71 | 92 | 87 | 53 | 47 | 104 | 107 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 112 | 126 | 151 | 159 | 93 | 98 | 163 | 179 |
| White | 92 | 109 | 138 | 140 | 76 | 82 | 150 | 157 |
| Black or African American | 56 | 52 | 55 | 63 | 43 | 49 | 74 | 71 |
| American Indian or Alaska Native | * | 8 | * | 17 | * | 4 | * | 18 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * | * | * |
| Asian | * | * | 5 | 4 | * | * | 5 | 4 |
| Two or More Races | 8 | 25 | 8 | 22 | 7 | 21 | 11 | 25 |
| Hispanic or Latino | 48 | 41 | 71 | 66 | 37 | 35 | 81 | 73 |
| EDUCATION | | | | | | | | |
| < High School | 72 | 68 | 80 | 81 | 58 | 61 | 96 | 90 |
| High School Graduate | 59 | 77 | 74 | 93 | 51 | 57 | 83 | 113 |
| Some College | 64 | 69 | 88 | 84 | 55 | 53 | 98 | 99 |
| College Graduate | 41 | 37 | 91 | 69 | 28 | 18 | 97 | 77 |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 57 | 85 | 88 | 114 | 36 | 64 | 101 | 129 |
| Part-Time | 42 | 43 | 67 | 50 | 38 | 38 | 68 | 58 |
| Unemployed | 50 | 47 | 59 | 50 | 41 | 37 | 65 | 59 |
| Other ³ | 81 | 72 | 100 | 95 | 71 | 55 | 109 | 110 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.19D Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

| Demographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|--|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 0.06 | 0.07 | 0.09 | 0.08 | 0.05 | 0.05 | 0.09 | 0.10 |
| GENDER | | | | | | | | |
| Male | 0.11 | 0.11 | 0.14 | 0.15 | 0.09 | 0.10 | 0.16 | 0.17 |
| Female | 0.07 | 0.07 | 0.09 | 0.08 | 0.05 | 0.04 | 0.10 | 0.10 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.07 | 0.07 | 0.09 | 0.09 | 0.05 | 0.06 | 0.10 | 0.10 |
| White | 0.07 | 0.08 | 0.10 | 0.10 | 0.06 | 0.06 | 0.11 | 0.12 |
| Black or African American | 0.25 | 0.23 | 0.25 | 0.28 | 0.20 | 0.22 | 0.33 | 0.31 |
| American Indian or Alaska Native | * | 0.77 | * | 1.59 | * | 0.42 | * | 1.72 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * | * | * |
| Asian | * | * | 0.05 | 0.04 | * | * | 0.05 | 0.04 |
| Two or More Races | 0.29 | 0.92 | 0.30 | 0.83 | 0.29 | 0.79 | 0.44 | 0.95 |
| Hispanic or Latino | 0.18 | 0.15 | 0.26 | 0.24 | 0.14 | 0.13 | 0.30 | 0.27 |
| EDUCATION | | | | | | | | |
| < High School | 0.26 | 0.24 | 0.29 | 0.28 | 0.21 | 0.21 | 0.35 | 0.31 |
| High School Graduate | 0.10 | 0.13 | 0.13 | 0.16 | 0.09 | 0.10 | 0.14 | 0.19 |
| Some College | 0.13 | 0.14 | 0.18 | 0.17 | 0.11 | 0.11 | 0.20 | 0.20 |
| College Graduate | 0.06 | 0.06 | 0.14 | 0.11 | 0.04 | 0.03 | 0.15 | 0.12 |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 0.06 | 0.08 | 0.09 | 0.11 | 0.04 | 0.06 | 0.10 | 0.12 |
| Part-Time | 0.18 | 0.18 | 0.29 | 0.21 | 0.17 | 0.16 | 0.29 | 0.24 |
| Unemployed | 0.54 | 0.49 | 0.63 | 0.52 | 0.45 | 0.38 | 0.69 | 0.62 |
| Other ³ | 0.13 | 0.11 | 0.16 | 0.15 | 0.11 | 0.09 | 0.17 | 0.17 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.19P Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

| Demographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|--|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 0.1924 | | 0.8133 | | 0.5988 | | 0.3478 | |
| GENDER | | | | | | | | |
| Male | 0.2407 | | 0.4501 | | 0.3688 | | 0.3663 | |
| Female | 0.5017 | | 0.4554 | | 0.5963 | | 0.7087 | |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.0948 | | 0.4573 | | 0.3889 | | 0.1438 | |
| White | 0.1036 | | 0.7189 | | 0.5443 | | 0.2265 | |
| Black or African American | 0.7608 | | 0.2766 | | 0.2879 | | 0.5866 | |
| American Indian or Alaska Native | * | | * | | * | | * | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | | * | |
| Asian | * | | 0.8478 | | * | | 0.8478 | |
| Two or More Races | 0.1388 | | 0.2979 | | 0.3818 | | 0.2063 | |
| Hispanic or Latino | 0.5098 | | 0.2562 | | 0.4264 | | 0.3241 | |
| EDUCATION | | | | | | | | |
| < High School | 0.4076 | | 0.9359 | | 0.6964 | | 0.6263 | |
| High School Graduate | 0.0134 | | 0.0752 | | 0.1986 | | 0.0027 | |
| Some College | 0.4349 | | 0.5153 | | 0.6791 | | 0.7258 | |
| College Graduate | 0.9411 | | 0.4944 | | 0.3405 | | 0.5583 | |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 0.0190 | | 0.0347 | | 0.0096 | | 0.0496 | |
| Part-Time | 0.9882 | | 0.3587 | | 0.7822 | | 0.5410 | |
| Unemployed | 0.7140 | | 0.4085 | | 0.9197 | | 0.3804 | |
| Other ³ | 0.8433 | | 0.4314 | | 0.2989 | | 0.6992 | |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.20C Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

| Demographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|--|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 131 | 138 | 173 | 173 | 105 | 106 | 192 | 196 |
| GENDER | | | | | | | | |
| Male | 108 | 113 | 142 | 148 | 92 | 93 | 156 | 165 |
| Female | 71 | 74 | 93 | 90 | 54 | 48 | 107 | 111 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 121 | 131 | 154 | 161 | 97 | 100 | 170 | 183 |
| White | 100 | 116 | 142 | 144 | 80 | 86 | 158 | 162 |
| Black or African American | 59 | 53 | 58 | 63 | 46 | 49 | 76 | 72 |
| American Indian or Alaska Native | 25 | 17 | 25 | 17 | 25 | 5 | 25 | 23 |
| Native Hawaiian or Other Pacific Islander | * | * | * | 1 | * | 0 | 10 | * |
| Asian | 9 | 1 | 9 | 4 | 8 | 1 | 10 | 4 |
| Two or More Races | 8 | 25 | 8 | 22 | 7 | 21 | 12 | 27 |
| Hispanic or Latino | 52 | 44 | 74 | 68 | 41 | 36 | 83 | 76 |
| EDUCATION | | | | | | | | |
| < High School | 75 | 70 | 83 | 82 | 61 | 62 | 99 | 92 |
| High School Graduate | 65 | 80 | 78 | 94 | 55 | 59 | 89 | 115 |
| Some College | 68 | 73 | 91 | 87 | 58 | 55 | 102 | 104 |
| College Graduate | 41 | 38 | 91 | 70 | 28 | 20 | 97 | 78 |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 62 | 87 | 91 | 116 | 39 | 65 | 105 | 132 |
| Part-Time | 46 | 49 | 70 | 52 | 41 | 39 | 72 | 65 |
| Unemployed | 54 | 52 | 61 | 52 | 43 | 39 | 69 | 63 |
| Other ³ | 82 | 73 | 99 | 96 | 72 | 55 | 108 | 111 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.20D Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

| Demographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|--|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 0.06 | 0.06 | 0.07 | 0.07 | 0.05 | 0.04 | 0.08 | 0.08 |
| GENDER | | | | | | | | |
| Male | 0.10 | 0.10 | 0.13 | 0.13 | 0.08 | 0.08 | 0.14 | 0.15 |
| Female | 0.06 | 0.06 | 0.08 | 0.07 | 0.04 | 0.04 | 0.09 | 0.09 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.06 | 0.07 | 0.08 | 0.08 | 0.05 | 0.05 | 0.09 | 0.09 |
| White | 0.06 | 0.07 | 0.09 | 0.09 | 0.05 | 0.05 | 0.10 | 0.10 |
| Black or African American | 0.22 | 0.19 | 0.21 | 0.23 | 0.17 | 0.18 | 0.28 | 0.26 |
| American Indian or Alaska Native | 1.88 | 1.26 | 1.88 | 1.29 | 1.87 | 0.40 | 1.89 | 1.73 |
| Native Hawaiian or Other Pacific Islander | * | * | * | 0.11 | * | 0.03 | 1.21 | * |
| Asian | 0.08 | 0.01 | 0.08 | 0.03 | 0.07 | 0.01 | 0.09 | 0.03 |
| Two or More Races | 0.24 | 0.72 | 0.24 | 0.65 | 0.22 | 0.62 | 0.36 | 0.78 |
| Hispanic or Latino | 0.15 | 0.13 | 0.22 | 0.20 | 0.12 | 0.10 | 0.25 | 0.22 |
| EDUCATION | | | | | | | | |
| < High School | 0.22 | 0.20 | 0.25 | 0.24 | 0.18 | 0.18 | 0.29 | 0.27 |
| High School Graduate | 0.09 | 0.11 | 0.11 | 0.13 | 0.08 | 0.08 | 0.13 | 0.16 |
| Some College | 0.11 | 0.12 | 0.15 | 0.14 | 0.09 | 0.09 | 0.16 | 0.17 |
| College Graduate | 0.06 | 0.05 | 0.13 | 0.10 | 0.04 | 0.03 | 0.14 | 0.11 |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 0.05 | 0.07 | 0.08 | 0.10 | 0.03 | 0.06 | 0.09 | 0.11 |
| Part-Time | 0.14 | 0.15 | 0.22 | 0.16 | 0.13 | 0.12 | 0.22 | 0.20 |
| Unemployed | 0.39 | 0.38 | 0.44 | 0.38 | 0.31 | 0.28 | 0.49 | 0.46 |
| Other ³ | 0.12 | 0.10 | 0.14 | 0.13 | 0.10 | 0.08 | 0.15 | 0.16 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.20P Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

| Demographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|--|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 0.2841 | | 0.7528 | | 0.8332 | | 0.4359 | |
| GENDER | | | | | | | | |
| Male | 0.2974 | | 0.8593 | | 0.7909 | | 0.4440 | |
| Female | 0.6674 | | 0.3770 | | 0.3576 | | 0.7834 | |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.1149 | | 0.8340 | | 0.7475 | | 0.1958 | |
| White | 0.0835 | | 0.9934 | | 0.7674 | | 0.2205 | |
| Black or African American | 0.8952 | | 0.5808 | | 0.5833 | | 0.9798 | |
| American Indian or Alaska Native | 0.7183 | | 0.9718 | | 0.2447 | | 0.5613 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | | * | |
| Asian | 0.0842 | | 0.3296 | | 0.2790 | | 0.0800 | |
| Two or More Races | 0.1426 | | 0.3057 | | 0.3473 | | 0.1553 | |
| Hispanic or Latino | 0.2972 | | 0.2065 | | 0.1661 | | 0.3310 | |
| EDUCATION | | | | | | | | |
| < High School | 0.2931 | | 0.7153 | | 0.4310 | | 0.5311 | |
| High School Graduate | 0.0530 | | 0.1936 | | 0.4216 | | 0.0091 | |
| Some College | 0.2557 | | 0.4080 | | 0.9689 | | 1.0000 | |
| College Graduate | 0.8491 | | 0.3880 | | 0.2744 | | 0.4572 | |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 0.0132 | | 0.0415 | | 0.0102 | | 0.0392 | |
| Part-Time | 0.7349 | | 0.1583 | | 0.3603 | | 0.8108 | |
| Unemployed | 0.7437 | | 0.2658 | | 0.8123 | | 0.3078 | |
| Other ³ | 0.6731 | | 0.2455 | | 0.0947 | | 0.9876 | |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.21C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

| Geographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|----------------------------------|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 134 | 141 | 174 | 174 | 107 | 108 | 194 | 198 |
| GEOGRAPHIC DIVISION | | | | | | | | |
| Northeast | 62 | 62 | 86 | 78 | 48 | 47 | 95 | 90 |
| New England | 23 | 25 | 38 | 36 | 20 | 15 | 39 | 41 |
| Middle Atlantic | 58 | 57 | 77 | 69 | 43 | 45 | 87 | 80 |
| Midwest | 42 | 50 | 64 | 62 | 33 | 35 | 75 | 74 |
| East North Central | 38 | 39 | 52 | 52 | 32 | 31 | 61 | 61 |
| West North Central | 15 | 31 | 36 | 33 | 9 | 16 | 42 | 42 |
| South | 77 | 85 | 97 | 93 | 55 | 62 | 109 | 113 |
| South Atlantic | 60 | 73 | 75 | 72 | 47 | 52 | 81 | 90 |
| East South Central | 37 | 18 | 25 | 29 | 19 | 8 | 42 | 35 |
| West South Central | 30 | 37 | 51 | 49 | 23 | 32 | 55 | 56 |
| West | 74 | 84 | 92 | 109 | 66 | 70 | 101 | 123 |
| Mountain | 33 | 47 | 39 | 46 | 22 | 37 | 47 | 57 |
| Pacific | 66 | 70 | 78 | 98 | 63 | 60 | 85 | 108 |
| COUNTY TYPE | | | | | | | | |
| Large Metro | 106 | 107 | 139 | 132 | 89 | 73 | 155 | 157 |
| Small Metro | 72 | 93 | 88 | 101 | 58 | 77 | 101 | 121 |
| 250K – 1 Mil. Pop. | 65 | 68 | 70 | 80 | 52 | 58 | 81 | 93 |
| < 250K Pop. | 33 | 63 | 55 | 61 | 26 | 52 | 62 | 76 |
| Nonmetro | 32 | 35 | 51 | 53 | 22 | 28 | 60 | 59 |
| Urbanized | 23 | 29 | 44 | 37 | 17 | 24 | 50 | 41 |
| Less Urbanized | 19 | 19 | 27 | 26 | 12 | 11 | 34 | 31 |
| Completely Rural | 13 | 8 | 10 | 28 | 9 | 7 | 14 | 29 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.21D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

| Geographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|----------------------------------|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 0.05 | 0.05 | 0.07 | 0.07 | 0.04 | 0.04 | 0.08 | 0.08 |
| GEOGRAPHIC DIVISION | | | | | | | | |
| Northeast | 0.13 | 0.13 | 0.18 | 0.17 | 0.10 | 0.10 | 0.20 | 0.19 |
| New England | 0.19 | 0.20 | 0.31 | 0.29 | 0.16 | 0.12 | 0.32 | 0.33 |
| Middle Atlantic | 0.17 | 0.16 | 0.22 | 0.20 | 0.13 | 0.13 | 0.25 | 0.23 |
| Midwest | 0.08 | 0.09 | 0.11 | 0.11 | 0.06 | 0.06 | 0.14 | 0.13 |
| East North Central | 0.10 | 0.10 | 0.14 | 0.14 | 0.08 | 0.08 | 0.16 | 0.16 |
| West North Central | 0.09 | 0.18 | 0.21 | 0.19 | 0.05 | 0.10 | 0.24 | 0.25 |
| South | 0.08 | 0.09 | 0.10 | 0.10 | 0.06 | 0.06 | 0.11 | 0.12 |
| South Atlantic | 0.12 | 0.14 | 0.15 | 0.14 | 0.09 | 0.10 | 0.16 | 0.18 |
| East South Central | 0.24 | 0.12 | 0.16 | 0.19 | 0.12 | 0.05 | 0.27 | 0.23 |
| West South Central | 0.10 | 0.12 | 0.17 | 0.16 | 0.08 | 0.10 | 0.19 | 0.19 |
| West | 0.12 | 0.14 | 0.15 | 0.18 | 0.11 | 0.12 | 0.17 | 0.20 |
| Mountain | 0.18 | 0.26 | 0.21 | 0.25 | 0.12 | 0.20 | 0.26 | 0.31 |
| Pacific | 0.16 | 0.17 | 0.19 | 0.23 | 0.15 | 0.14 | 0.20 | 0.26 |
| COUNTY TYPE | | | | | | | | |
| Large Metro | 0.08 | 0.08 | 0.10 | 0.09 | 0.06 | 0.05 | 0.11 | 0.11 |
| Small Metro | 0.09 | 0.12 | 0.11 | 0.13 | 0.07 | 0.10 | 0.12 | 0.15 |
| 250K – 1 Mil. Pop. | 0.12 | 0.13 | 0.13 | 0.15 | 0.09 | 0.11 | 0.15 | 0.17 |
| < 250K Pop. | 0.13 | 0.24 | 0.20 | 0.23 | 0.10 | 0.20 | 0.22 | 0.28 |
| Nonmetro | 0.08 | 0.08 | 0.12 | 0.13 | 0.06 | 0.07 | 0.15 | 0.14 |
| Urbanized | 0.13 | 0.16 | 0.25 | 0.20 | 0.10 | 0.13 | 0.28 | 0.22 |
| Less Urbanized | 0.10 | 0.10 | 0.14 | 0.14 | 0.06 | 0.06 | 0.18 | 0.16 |
| Completely Rural | 0.31 | 0.15 | 0.22 | 0.56 | 0.20 | 0.15 | 0.32 | 0.60 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.21P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

| Geographic Characteristic | Illicit Drugs¹ (2011) | Illicit Drugs¹ (2012) | Alcohol (2011) | Alcohol (2012) | Both Illicit Drugs and Alcohol¹ (2011) | Both Illicit Drugs and Alcohol¹ (2012) | Illicit Drugs or Alcohol^{1,2} (2011) | Illicit Drugs or Alcohol^{1,2} (2012) |
|----------------------------------|---|---|---------------------------|---------------------------|--|--|--|--|
| TOTAL | 0.3023 | | 0.8191 | | 0.9501 | | 0.4702 | |
| GEOGRAPHIC DIVISION | | | | | | | | |
| Northeast | 0.5470 | | 0.6754 | | 0.9833 | | 0.8816 | |
| New England | 0.4837 | | 0.6291 | | 0.8152 | | 0.3235 | |
| Middle Atlantic | 0.7203 | | 0.4828 | | 0.9078 | | 0.7587 | |
| Midwest | 0.1618 | | 0.8607 | | 0.6624 | | 0.7249 | |
| East North Central | 0.5344 | | 0.5697 | | 0.8815 | | 0.9345 | |
| West North Central | 0.0812 | | 0.5740 | | 0.1485 | | 0.5973 | |
| South | 0.9055 | | 0.6238 | | 0.9077 | | 0.9968 | |
| South Atlantic | 0.4315 | | 0.7105 | | 0.8461 | | 0.8023 | |
| East South Central | 0.1697 | | 0.7461 | | 0.1395 | | 0.4086 | |
| West South Central | 0.9746 | | 0.8253 | | 0.8713 | | 0.8625 | |
| West | 0.6786 | | 0.6111 | | 0.8269 | | 0.3524 | |
| Mountain | 0.3221 | | 0.8459 | | 0.4338 | | 0.7660 | |
| Pacific | 0.9461 | | 0.6303 | | 0.5273 | | 0.3625 | |
| COUNTY TYPE | | | | | | | | |
| Large Metro | 0.9086 | | 0.3395 | | 0.2526 | | 0.9857 | |
| Small Metro | 0.1222 | | 0.4417 | | 0.2402 | | 0.1493 | |
| 250K – 1 Mil. Pop. | 0.5026 | | 0.2611 | | 0.5196 | | 0.1902 | |
| < 250K Pop. | 0.0851 | | 0.8299 | | 0.2719 | | 0.4931 | |
| Nonmetro | 0.9595 | | 0.6431 | | 0.7519 | | 0.8601 | |
| Urbanized | 0.3695 | | 0.9096 | | 0.5981 | | 0.6687 | |
| Less Urbanized | 0.7239 | | 0.9415 | | 0.6518 | | 0.6904 | |
| Completely Rural | 0.1250 | | 0.1637 | | 0.9205 | | 0.4291 | |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.