

**Table 5.43C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category:
Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2011 and 2012**

Age Category	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	223	264	109	117	191	243	1.31	1.34
12	9	7	1	*	9	7	*	*
13	12	10	2	2	12	9	*	*
14	16	15	4	4	15	14	*	3.20
15	24	20	9	9	22	18	3.36	3.71
16	25	26	8	6	23	26	2.31	2.15
17	28	27	10	10	26	25	2.49	2.71
18	35	43	10	7	33	42	2.29	1.41
19	31	38	9	11	30	37	2.23	2.53
20	35	39	12	12	33	36	2.80	2.64
21	35	33	14	8	32	32	3.41	2.25
22	30	34	10	10	29	32	2.99	2.60
23	33	32	17	19	28	26	4.53	*
24	27	28	11	11	24	25	3.61	3.52
25	29	27	13	15	26	23	4.75	*
26-29	70	95	27	55	65	78	3.76	5.18
30-34	81	101	33	37	72	94	4.50	3.82
35-39	71	83	39	50	57	65	*	*
40-44	58	86	26	27	53	81	*	*
45-49	54	82	31	44	41	70	*	*
50-54	90	75	55	46	71	56	*	*
55-59	44	91	18	31	40	86	*	*
60-64	30	48	25	15	16	45	*	*
65 or Older	32	25	*	2	32	25	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.43D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category:
Standard Errors of Percentages, 2011 and 2012**

Age Category	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	0.09	0.10	0.04	0.04	0.07	0.09	1.31	1.34
12	0.23	0.16	0.03	*	0.23	0.16	*	*
13	0.28	0.24	0.05	0.06	0.28	0.23	*	*
14	0.37	0.35	0.09	0.09	0.36	0.34	*	3.20
15	0.55	0.46	0.21	0.20	0.51	0.42	3.36	3.71
16	0.54	0.59	0.18	0.15	0.51	0.58	2.31	2.15
17	0.61	0.60	0.24	0.24	0.56	0.55	2.49	2.71
18	0.65	0.78	0.21	0.15	0.62	0.77	2.29	1.41
19	0.68	0.80	0.20	0.26	0.65	0.77	2.23	2.53
20	0.75	0.83	0.27	0.27	0.70	0.78	2.80	2.64
21	0.75	0.72	0.33	0.17	0.69	0.70	3.41	2.25
22	0.65	0.71	0.24	0.22	0.62	0.69	2.99	2.60
23	0.78	0.70	0.41	0.42	0.67	0.56	4.53	*
24	0.62	0.65	0.27	0.26	0.57	0.60	3.61	3.52
25	0.71	0.64	0.34	0.36	0.63	0.55	4.75	*
26-29	0.40	0.53	0.16	0.31	0.38	0.44	3.76	5.18
30-34	0.41	0.49	0.17	0.19	0.37	0.46	4.50	3.82
35-39	0.36	0.42	0.20	0.25	0.29	0.34	*	*
40-44	0.28	0.42	0.13	0.13	0.26	0.40	*	*
45-49	0.25	0.38	0.14	0.20	0.19	0.32	*	*
50-54	0.39	0.32	0.24	0.19	0.31	0.24	*	*
55-59	0.23	0.44	0.10	0.15	0.21	0.41	*	*
60-64	0.17	0.28	0.14	0.09	0.09	0.27	*	*
65 or Older	0.08	0.06	*	0.01	0.08	0.06	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.43P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

Age Category	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	0.0248		0.3047		0.0442		0.9065	
12	0.3692		*		0.4241		*	
13	0.2855		0.7910		0.2514		*	
14	0.5907		0.5973		0.4889		*	
15	0.2410		0.9339		0.1803		0.5695	
16	0.6024		0.4995		0.7411		0.5984	
17	0.2522		0.9429		0.1934		0.6121	
18	0.0802		0.1589		0.0317		0.0547	
19	0.3630		0.5332		0.4569		0.7196	
20	0.4574		0.9848		0.4343		0.7862	
21	0.2419		0.3293		0.3749		0.5209	
22	0.6291		0.7876		0.6855		0.9360	
23	0.3486		0.5444		0.4581		*	
24	0.8695		0.9738		0.8702		0.9685	
25	0.5595		0.7502		0.6291		*	
26-29	0.1073		0.0813		0.4172		0.1955	
30-34	0.0753		0.7251		0.0720		0.5264	
35-39	0.5407		0.6522		0.6567		*	
40-44	0.2743		0.8835		0.2682		*	
45-49	0.0339		0.3383		0.0541		*	
50-54	0.4890		0.9598		0.3907		*	
55-59	0.2131		0.3378		0.3410		*	
60-64	0.1964		0.3257		0.0395		*	
65 or Older	0.3908		*		0.3597		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.44C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	223	264	109	117	191	243	1.31	1.34
AGE								
12-17	48	45	17	14	44	43	1.32	1.34
18-25	86	95	36	34	79	90	1.19	1.14
26 or Older	197	242	100	113	163	221	2.57	2.51
GENDER								
Male	184	218	88	95	158	201	1.64	1.69
Female	121	136	63	67	102	117	2.15	2.04
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	206	237	98	108	177	216	1.43	1.44
White	173	197	76	93	155	174	1.55	1.63
Black or African American	87	114	54	47	69	117	4.11	3.40
American Indian or Alaska Native	33	29	*	16	22	23	*	*
Native Hawaiian or Other Pacific Islander	10	25	1	*	10	10	*	*
Asian	32	22	8	3	31	21	*	*
Two or More Races	25	35	9	25	24	24	*	*
Hispanic or Latino	90	105	48	42	74	98	3.23	3.26

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.44D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	0.09	0.10	0.04	0.04	0.07	0.09	1.31	1.34
AGE								
12-17	0.19	0.18	0.07	0.06	0.18	0.17	1.32	1.34
18-25	0.25	0.28	0.10	0.10	0.23	0.26	1.19	1.14
26 or Older	0.10	0.12	0.05	0.06	0.08	0.11	2.57	2.51
GENDER								
Male	0.15	0.17	0.07	0.08	0.13	0.16	1.64	1.69
Female	0.09	0.10	0.05	0.05	0.08	0.09	2.15	2.04
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.09	0.11	0.04	0.05	0.08	0.10	1.43	1.44
White	0.10	0.12	0.04	0.05	0.09	0.10	1.55	1.63
Black or African American	0.29	0.37	0.18	0.15	0.23	0.38	4.11	3.40
American Indian or Alaska Native	2.15	1.88	*	1.09	1.43	1.59	*	*
Native Hawaiian or Other Pacific Islander	1.11	2.34	0.09	*	1.03	0.95	*	*
Asian	0.26	0.17	0.06	0.03	0.25	0.17	*	*
Two or More Races	0.64	0.85	0.22	0.59	0.60	0.61	*	*
Hispanic or Latino	0.23	0.26	0.12	0.10	0.19	0.24	3.23	3.26

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.44P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	0.0248		0.3047		0.0442		0.9065	
AGE								
12-17	0.0348		0.8876		0.0281		0.5429	
18-25	0.6280		0.4216		0.4017		0.2899	
26 or Older	0.0050		0.1798		0.0130		0.9218	
GENDER								
Male	0.1014		0.5067		0.1373		0.9734	
Female	0.0838		0.3942		0.1251		0.8889	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0052		0.1459		0.0173		0.7495	
White	0.0284		0.1119		0.1015		0.4555	
Black or African American	0.0559		0.8319		0.0290		0.2985	
American Indian or Alaska Native	0.8352		*		0.4977		*	
Native Hawaiian or Other Pacific Islander	0.3654		*		0.8636		*	
Asian	0.0866		0.4735		0.1094		*	
Two or More Races	0.3176		0.2231		0.6687		*	
Hispanic or Latino	0.5136		0.4781		0.7152		0.5881	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.45C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	216	259	107	117	184	238	1.53	1.53
GENDER								
Male	177	214	87	95	152	198	1.88	1.89
Female	117	131	62	66	97	112	2.66	2.39
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	199	234	96	108	171	213	1.65	1.62
White	170	199	75	93	153	174	1.77	1.84
Black or African American	89	118	54	47	70	119	4.74	3.69
American Indian or Alaska Native	31	28	*	16	19	23	*	*
Native Hawaiian or Other Pacific Islander	10	*	1	*	9	9	*	*
Asian	31	20	8	1	30	20	*	*
Two or More Races	23	33	8	24	22	23	*	*
Hispanic or Latino	85	101	47	42	68	93	4.04	4.06
EDUCATION								
< High School	116	114	68	53	94	100	3.38	3.11
High School Graduate	120	176	50	72	107	166	2.27	2.62
Some College	117	119	52	65	105	99	2.56	2.86
College Graduate	65	99	32	29	57	95	*	2.93
CURRENT EMPLOYMENT								
Full-Time	131	165	50	63	120	158	2.05	2.14
Part-Time	85	102	31	45	79	91	2.41	3.06
Unemployed	72	86	41	44	58	75	3.61	3.44
Other ¹	122	141	74	69	98	126	3.68	3.63

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.45D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	0.09	0.11	0.05	0.05	0.08	0.10	1.53	1.53
GENDER								
Male	0.16	0.19	0.08	0.08	0.14	0.17	1.88	1.89
Female	0.10	0.11	0.05	0.05	0.08	0.09	2.66	2.39
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.10	0.12	0.05	0.05	0.09	0.11	1.65	1.62
White	0.11	0.12	0.05	0.06	0.10	0.11	1.77	1.84
Black or African American	0.32	0.42	0.20	0.17	0.25	0.42	4.74	3.69
American Indian or Alaska Native	2.31	2.08	*	1.22	1.45	1.76	*	*
Native Hawaiian or Other Pacific Islander	1.13	*	0.10	*	1.04	0.97	*	*
Asian	0.27	0.17	0.07	0.01	0.27	0.17	*	*
Two or More Races	0.71	0.99	0.24	0.71	0.67	0.68	*	*
Hispanic or Latino	0.25	0.29	0.14	0.12	0.20	0.27	4.04	4.06
EDUCATION								
< High School	0.34	0.33	0.20	0.15	0.28	0.29	3.38	3.11
High School Graduate	0.17	0.25	0.07	0.10	0.15	0.23	2.27	2.62
Some College	0.19	0.19	0.09	0.10	0.17	0.16	2.56	2.86
College Graduate	0.10	0.15	0.05	0.04	0.08	0.14	*	2.93
CURRENT EMPLOYMENT								
Full-Time	0.11	0.14	0.04	0.05	0.10	0.13	2.05	2.14
Part-Time	0.26	0.30	0.10	0.14	0.24	0.27	2.41	3.06
Unemployed	0.51	0.62	0.30	0.33	0.42	0.54	3.61	3.44
Other ¹	0.17	0.20	0.10	0.10	0.14	0.18	3.68	3.63

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.45P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	0.0058		0.2917		0.0102		0.8814	
GENDER								
Male	0.0442		0.5199		0.0573		0.8662	
Female	0.0324		0.3545		0.0474		0.9456	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0014		0.1563		0.0046		0.9748	
White	0.0216		0.1367		0.0703		0.5909	
Black or African American	0.0193		0.9047		0.0094		0.2369	
American Indian or Alaska Native	0.6954		*		0.3215		*	
Native Hawaiian or Other Pacific Islander	*		*		0.9698		*	
Asian	0.1260		0.2294		0.1905		*	
Two or More Races	0.2315		0.1579		0.6015		*	
Hispanic or Latino	0.7645		0.5787		0.9706		0.6133	
EDUCATION								
< High School	0.2155		0.0623		0.7602		0.1303	
High School Graduate	0.0013		0.0147		0.0196		0.3090	
Some College	0.6781		0.2137		0.8158		0.2036	
College Graduate	0.0023		0.9259		0.0012		*	
CURRENT EMPLOYMENT								
Full-Time	0.0083		0.1016		0.0339		0.5222	
Part-Time	0.4355		0.4234		0.6308		0.5831	
Unemployed	0.0819		0.8763		0.0532		0.4971	
Other ¹	0.5984		0.9032		0.4808		0.6319	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.46C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2011 and 2012

Geographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	223	264	109	117	191	243	1.31	1.34
GEOGRAPHIC DIVISION								
Northeast	104	97	58	52	83	82	3.44	3.13
New England	46	35	21	25	41	34	*	*
Middle Atlantic	93	91	54	46	73	75	4.19	3.60
Midwest	87	90	31	43	79	81	1.96	2.48
East North Central	73	75	28	34	65	67	2.40	2.62
West North Central	46	51	14	26	43	44	3.40	*
South	133	177	60	67	120	169	2.15	2.21
South Atlantic	91	152	43	55	85	148	3.20	3.10
East South Central	55	54	35	17	39	49	*	3.80
West South Central	81	75	21	32	77	67	2.49	3.92
West	123	133	59	74	108	113	2.75	3.01
Mountain	58	59	26	37	52	43	3.74	*
Pacific	108	118	53	64	94	104	3.69	3.61
COUNTY TYPE								
Large Metro	175	203	86	83	151	185	1.91	1.73
Small Metro	131	144	61	85	112	123	2.23	2.88
250K – 1 Mil. Pop.	115	106	57	61	95	98	2.88	3.34
< 250K Pop.	63	95	21	59	58	70	2.96	5.20
Nonmetro	80	117	28	27	73	113	2.70	2.74
Urbanized	61	81	19	21	59	77	3.78	4.32
Less Urbanized	45	80	17	15	38	80	3.66	3.79
Completely Rural	22	25	13	7	17	23	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.46D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	0.09	0.10	0.04	0.04	0.07	0.09	1.31	1.34
GEOGRAPHIC DIVISION								
Northeast	0.22	0.21	0.12	0.11	0.18	0.17	3.44	3.13
New England	0.38	0.28	0.17	0.20	0.33	0.27	*	*
Middle Atlantic	0.27	0.26	0.16	0.13	0.21	0.22	4.19	3.60
Midwest	0.16	0.16	0.05	0.08	0.14	0.15	1.96	2.48
East North Central	0.19	0.19	0.07	0.09	0.17	0.17	2.40	2.62
West North Central	0.27	0.30	0.08	0.15	0.25	0.26	3.40	*
South	0.14	0.18	0.06	0.07	0.13	0.17	2.15	2.21
South Atlantic	0.18	0.30	0.09	0.11	0.17	0.29	3.20	3.10
East South Central	0.36	0.35	0.23	0.11	0.25	0.32	*	3.80
West South Central	0.27	0.25	0.07	0.11	0.26	0.22	2.49	3.92
West	0.20	0.22	0.10	0.12	0.18	0.19	2.75	3.01
Mountain	0.32	0.32	0.15	0.20	0.29	0.23	3.74	*
Pacific	0.26	0.28	0.13	0.15	0.23	0.25	3.69	3.61
COUNTY TYPE								
Large Metro	0.13	0.14	0.06	0.06	0.11	0.13	1.91	1.73
Small Metro	0.16	0.17	0.07	0.11	0.13	0.15	2.23	2.88
250K – 1 Mil. Pop.	0.21	0.19	0.10	0.12	0.17	0.18	2.88	3.34
< 250K Pop.	0.23	0.33	0.08	0.23	0.21	0.24	2.96	5.20
Nonmetro	0.19	0.26	0.07	0.06	0.17	0.26	2.70	2.74
Urbanized	0.35	0.42	0.11	0.11	0.34	0.40	3.78	4.32
Less Urbanized	0.23	0.40	0.09	0.08	0.19	0.40	3.66	3.79
Completely Rural	0.51	0.49	0.30	0.15	0.40	0.47	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.46P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	0.0248		0.3047		0.0442		0.9065	
GEOGRAPHIC DIVISION								
Northeast	0.7779		0.8908		0.8006		0.9840	
New England	0.8990		0.2599		0.5602		*	
Middle Atlantic	0.8012		0.7180		0.5698		0.5631	
Midwest	0.2749		0.0662		0.6972		0.1449	
East North Central	0.1920		0.1907		0.3992		0.4331	
West North Central	0.9814		0.1893		0.5493		*	
South	0.0908		0.8303		0.0854		0.5778	
South Atlantic	0.0059		0.7650		0.0068		0.3260	
East South Central	0.6541		0.1818		0.7660		*	
West South Central	0.5336		0.1819		0.2452		0.0857	
West	0.2154		0.6458		0.2429		0.9616	
Mountain	0.3652		0.6719		0.1505		*	
Pacific	0.0600		0.7713		0.0464		0.7225	
COUNTY TYPE								
Large Metro	0.1047		0.8798		0.0780		0.5681	
Small Metro	0.1201		0.1145		0.4182		0.2408	
250K – 1 Mil. Pop.	0.6437		0.6408		0.8095		0.7388	
< 250K Pop.	0.0325		0.0368		0.2356		0.0788	
Nonmetro	0.6436		0.6655		0.5454		0.4905	
Urbanized	0.8238		0.5998		0.6982		0.5212	
Less Urbanized	0.2498		0.5390		0.1994		0.2218	
Completely Rural	0.6047		0.2004		0.9086		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.47C Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Felt Need for Treatment¹ (2011)	Felt Need for Treatment¹ (2012)	Felt Need and Made Effort to Get Treatment¹ (2011)	Felt Need and Made Effort to Get Treatment¹ (2012)	Felt Need and Made No Effort to Get Treatment¹ (2011)	Felt Need and Made No Effort to Get Treatment¹ (2012)	Did Not Feel Need for Treatment¹ (2011)	Did Not Feel Need for Treatment¹ (2012)
TOTAL	193	250	64	78	34	45	55	64	179	226
AGE										
12-17	47	45	6	8	5	2	4	8	46	44
18-25	86	103	16	20	10	13	13	15	83	97
26 or Older	164	224	62	75	31	43	54	62	150	201
GENDER										
Male	161	206	60	71	27	43	54	56	147	188
Female	102	119	24	33	20	12	13	31	98	115

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.47D Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Felt Need for Treatment¹ (2011)	Felt Need for Treatment¹ (2012)	Felt Need and Made Effort to Get Treatment¹ (2011)	Felt Need and Made Effort to Get Treatment¹ (2012)	Felt Need and Made No Effort to Get Treatment¹ (2011)	Felt Need and Made No Effort to Get Treatment¹ (2012)	Did Not Feel Need for Treatment¹ (2011)	Did Not Feel Need for Treatment¹ (2012)
TOTAL	0.00	0.00	1.03	1.09	0.57	0.67	0.91	0.92	1.03	1.09
AGE										
12-17	0.00	0.00	0.57	0.88	0.44	0.23	0.36	0.85	0.57	0.88
18-25	0.00	0.00	0.66	0.75	0.43	0.50	0.52	0.58	0.66	0.75
26 or Older	0.00	0.00	2.36	2.16	1.27	1.36	2.09	1.82	2.36	2.16
GENDER										
Male	0.00	0.00	1.43	1.52	0.69	0.98	1.32	1.24	1.43	1.52
Female	0.00	0.00	1.16	1.45	0.99	0.53	0.64	1.35	1.16	1.45

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.47P Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Felt Need for Treatment ¹ (2011)	Felt Need for Treatment ¹ (2012)	Felt Need and Made Effort to Get Treatment ¹ (2011)	Felt Need and Made Effort to Get Treatment ¹ (2012)	Felt Need and Made No Effort to Get Treatment ¹ (2011)	Felt Need and Made No Effort to Get Treatment ¹ (2012)	Did Not Feel Need for Treatment ¹ (2011)	Did Not Feel Need for Treatment ¹ (2012)
TOTAL	N/A		0.6452		0.9329		0.5602		0.6452	
AGE										
12-17	N/A		0.5431		0.0557		0.0870		0.5431	
18-25	N/A		0.7351		0.9411		0.6226		0.7351	
26 or Older	N/A		0.9000		0.9009		0.9525		0.9000	
GENDER										
Male	N/A		0.9964		0.5889		0.7160		0.9964	
Female	N/A		0.2683		0.1807		0.0203		0.2683	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.