

Table 5.48C Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	390	424	124	127	372	406	0.68	0.67
AGE								
12-17	46	40	11	12	44	39	1.06	1.26
18-25	118	115	32	19	115	114	0.62	0.37
26 or Older	369	392	120	127	349	372	1.00	0.97
GENDER								
Male	314	354	101	111	296	342	0.87	0.89
Female	225	224	72	68	215	212	1.07	1.04
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	353	377	110	120	339	360	0.73	0.75
White	319	344	96	105	312	328	0.79	0.82
Black or African American	115	129	47	51	109	120	2.63	2.41
American Indian or Alaska Native	47	53	3	15	47	50	1.72	*
Native Hawaiian or Other Pacific Islander	30	9	*	1	29	9	*	*
Asian	45	63	9	5	44	63	*	1.37
Two or More Races	38	53	8	8	37	52	2.68	2.84
Hispanic or Latino	164	174	50	51	153	166	1.61	1.62

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.48D Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	0.15	0.16	0.05	0.05	0.14	0.16	0.68	0.67
AGE								
12-17	0.18	0.16	0.04	0.05	0.18	0.15	1.06	1.26
18-25	0.34	0.33	0.09	0.05	0.34	0.33	0.62	0.37
26 or Older	0.19	0.20	0.06	0.06	0.18	0.19	1.00	0.97
GENDER								
Male	0.25	0.28	0.08	0.09	0.24	0.27	0.87	0.89
Female	0.17	0.17	0.05	0.05	0.16	0.16	1.07	1.04
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.16	0.17	0.05	0.05	0.16	0.16	0.73	0.75
White	0.19	0.20	0.06	0.06	0.18	0.19	0.79	0.82
Black or African American	0.38	0.42	0.16	0.17	0.36	0.39	2.63	2.41
American Indian or Alaska Native	2.73	3.21	0.20	1.01	2.75	3.07	1.72	*
Native Hawaiian or Other Pacific Islander	3.08	0.97	*	0.09	2.92	0.96	*	*
Asian	0.34	0.49	0.07	0.04	0.34	0.49	*	1.37
Two or More Races	0.96	1.26	0.19	0.20	0.93	1.25	2.68	2.84
Hispanic or Latino	0.42	0.43	0.13	0.13	0.39	0.41	1.61	1.62

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.48P Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	0.2023		0.9721		0.1845		0.7460	
AGE								
12-17	0.1616		0.4150		0.0950		0.2019	
18-25	0.6699		0.0002		0.6439		0.0002	
26 or Older	0.1024		0.4618		0.1405		0.7973	
GENDER								
Male	0.0524		0.5795		0.0644		0.9851	
Female	0.5469		0.4319		0.7035		0.5001	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.1833		0.5946		0.2223		0.8505	
White	0.4233		0.8026		0.4535		0.9691	
Black or African American	0.1136		0.5608		0.1529		0.9058	
American Indian or Alaska Native	0.3452		0.1395		0.5444		*	
Native Hawaiian or Other Pacific Islander	0.0400		*		0.0639		*	
Asian	0.5332		0.6432		0.4884		*	
Two or More Races	0.8438		0.6879		0.8976		0.7421	
Hispanic or Latino	0.8603		0.2613		0.5835		0.2198	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.49C Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	387	418	124	127	369	401	0.72	0.70
GENDER								
Male	312	351	101	111	295	339	0.91	0.92
Female	224	222	72	68	214	211	1.17	1.11
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	351	373	110	120	338	356	0.77	0.78
White	340	368	96	105	331	352	0.83	0.85
Black or African American	120	135	47	51	113	125	2.78	2.47
American Indian or Alaska Native	47	52	3	14	47	50	1.77	*
Native Hawaiian or Other Pacific Islander	30	7	*	1	28	7	*	*
Asian	45	63	9	4	44	62	*	*
Two or More Races	37	53	8	8	36	52	*	3.06
Hispanic or Latino	163	171	50	51	152	164	1.74	1.75
EDUCATION								
< High School	155	178	59	62	144	167	2.19	2.01
High School Graduate	211	208	66	81	199	193	1.35	1.56
Some College	225	227	64	63	217	216	1.21	1.15
College Graduate	219	242	51	42	211	234	1.19	0.91
CURRENT EMPLOYMENT								
Full-Time	301	310	69	77	293	302	0.78	0.81
Part-Time	138	157	29	47	135	147	1.10	1.62
Unemployed	112	130	42	44	102	123	2.32	2.40
Other ¹	209	214	82	76	191	201	2.18	1.99

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.49D Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	0.17	0.18	0.05	0.05	0.16	0.17	0.72	0.70
GENDER								
Male	0.28	0.31	0.09	0.10	0.26	0.30	0.91	0.92
Female	0.19	0.18	0.06	0.06	0.18	0.17	1.17	1.11
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.18	0.19	0.06	0.06	0.17	0.18	0.77	0.78
White	0.20	0.22	0.06	0.07	0.20	0.21	0.83	0.85
Black or African American	0.43	0.48	0.18	0.19	0.40	0.44	2.78	2.47
American Indian or Alaska Native	3.02	3.56	0.21	1.12	3.03	3.42	1.77	*
Native Hawaiian or Other Pacific Islander	3.33	0.85	*	0.10	3.14	0.83	*	*
Asian	0.38	0.54	0.08	0.03	0.37	0.54	*	*
Two or More Races	1.14	1.53	0.23	0.24	1.12	1.51	*	3.06
Hispanic or Latino	0.48	0.49	0.15	0.15	0.45	0.47	1.74	1.75
EDUCATION								
< High School	0.45	0.51	0.18	0.18	0.42	0.48	2.19	2.01
High School Graduate	0.29	0.29	0.09	0.12	0.27	0.27	1.35	1.56
Some College	0.34	0.35	0.10	0.10	0.33	0.33	1.21	1.15
College Graduate	0.31	0.33	0.07	0.06	0.30	0.31	1.19	0.91
CURRENT EMPLOYMENT								
Full-Time	0.25	0.25	0.06	0.07	0.24	0.25	0.78	0.81
Part-Time	0.41	0.46	0.09	0.14	0.40	0.43	1.10	1.62
Unemployed	0.78	0.91	0.30	0.32	0.72	0.87	2.32	2.40
Other ¹	0.29	0.29	0.12	0.11	0.26	0.28	2.18	1.99

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.49P Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Needed Treatment (2011)	Needed Treatment (2012)	Needed and Received Treatment (2011)	Needed and Received Treatment (2012)	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)
TOTAL	0.1545		0.9664		0.1317		0.6563	
GENDER								
Male	0.0514		0.6539		0.0584		0.9267	
Female	0.7167		0.4461		0.8953		0.4779	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.1355		0.6751		0.1540		0.9780	
White	0.3811		0.8906		0.3885		0.9224	
Black or African American	0.0719		0.5315		0.0984		0.9224	
American Indian or Alaska Native	0.3335		0.1561		0.5242		*	
Native Hawaiian or Other Pacific Islander	0.0329		*		0.0525		*	
Asian	0.5045		0.4160		0.4358		*	
Two or More Races	0.7678		0.7815		0.8012		*	
Hispanic or Latino	0.8636		0.2867		0.6006		0.2437	
EDUCATION								
< High School	0.2335		0.6765		0.1528		0.3484	
High School Graduate	0.4134		0.3241		0.6306		0.4093	
Some College	0.9806		0.4569		0.7905		0.4297	
College Graduate	0.3570		0.8369		0.3279		0.7012	
CURRENT EMPLOYMENT								
Full-Time	0.1928		0.3063		0.2924		0.4652	
Part-Time	0.7690		0.5489		0.8911		0.5754	
Unemployed	0.5690		0.7423		0.4645		0.5826	
Other ¹	0.6780		0.2731		0.3742		0.1831	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.50C Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Felt Need for Treatment¹ (2011)	Felt Need for Treatment¹ (2012)	Felt Need and Made Effort to Get Treatment¹ (2011)	Felt Need and Made Effort to Get Treatment¹ (2012)	Felt Need and Made No Effort to Get Treatment¹ (2011)	Felt Need and Made No Effort to Get Treatment¹ (2012)	Did Not Feel Need for Treatment¹ (2011)	Did Not Feel Need for Treatment¹ (2012)
TOTAL	397	433	64	93	33	42	59	81	391	416
AGE										
12-17	46	40	3	3	1	1	2	3	46	39
18-25	148	148	11	17	4	10	10	15	147	146
26 or Older	364	390	64	90	33	41	58	80	358	375
GENDER										
Male	312	361	55	85	29	39	47	75	306	346
Female	222	215	34	35	15	16	35	31	220	215

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.50D Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Felt Need for Treatment¹ (2011)	Felt Need for Treatment¹ (2012)	Felt Need and Made Effort to Get Treatment¹ (2011)	Felt Need and Made Effort to Get Treatment¹ (2012)	Felt Need and Made No Effort to Get Treatment¹ (2011)	Felt Need and Made No Effort to Get Treatment¹ (2012)	Did Not Feel Need for Treatment¹ (2011)	Did Not Feel Need for Treatment¹ (2012)
TOTAL	0.00	0.00	0.40	0.53	0.21	0.25	0.36	0.47	0.40	0.53
AGE										
12-17	0.00	0.00	0.28	0.39	0.11	0.08	0.26	0.39	0.28	0.39
18-25	0.00	0.00	0.23	0.35	0.08	0.20	0.21	0.30	0.23	0.35
26 or Older	0.00	0.00	0.61	0.78	0.32	0.36	0.55	0.70	0.61	0.78
GENDER										
Male	0.00	0.00	0.54	0.75	0.29	0.35	0.46	0.67	0.54	0.75
Female	0.00	0.00	0.58	0.60	0.25	0.28	0.58	0.54	0.58	0.60

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 5.50P Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Needed but Did Not Receive Treatment (2011)	Needed but Did Not Receive Treatment (2012)	Felt Need for Treatment¹ (2011)	Felt Need for Treatment¹ (2012)	Felt Need and Made Effort to Get Treatment¹ (2011)	Felt Need and Made Effort to Get Treatment¹ (2012)	Felt Need and Made No Effort to Get Treatment¹ (2011)	Felt Need and Made No Effort to Get Treatment¹ (2012)	Did Not Feel Need for Treatment¹ (2011)	Did Not Feel Need for Treatment¹ (2012)
TOTAL	N/A		0.2462		0.5858		0.3148		0.2462	
AGE										
12-17	N/A		0.8748		0.5768		1.0000		0.8748	
18-25	N/A		0.0135		0.0137		0.1548		0.0135	
26 or Older	N/A		0.5110		0.9676		0.4807		0.5110	
GENDER										
Male	N/A		0.3130		0.6141		0.3858		0.3130	
Female	N/A		0.5863		0.8594		0.6240		0.5863	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.