

**Table 5.51C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2011)</b>	<b>Needed Treatment (2012)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>
<b>TOTAL</b>	423	477	150	155	397	453	0.65	0.64
<b>AGE</b>								
12-17	58	55	18	16	55	53	0.94	1.01
18-25	130	134	40	37	127	131	0.60	0.54
26 or Older	397	434	141	153	370	409	0.99	0.97
<b>GENDER</b>								
Male	337	394	121	129	316	380	0.83	0.83
Female	241	249	87	89	225	234	1.03	1.05
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	387	419	132	147	365	395	0.70	0.71
White	348	375	112	126	333	352	0.74	0.78
Black or African American	132	159	61	59	123	158	2.39	2.08
American Indian or Alaska Native	53	58	25	22	47	53	*	*
Native Hawaiian or Other Pacific Islander	32	27	*	*	30	13	*	*
Asian	54	64	9	5	53	64	*	1.26
Two or More Races	43	62	9	26	42	57	2.44	*
Hispanic or Latino	177	192	60	57	163	183	1.54	1.47

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.51D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2011)</b>	<b>Needed Treatment (2012)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>
<b>TOTAL</b>	0.16	0.18	0.06	0.06	0.15	0.17	0.65	0.64
<b>AGE</b>								
12-17	0.23	0.22	0.07	0.07	0.22	0.21	0.94	1.01
18-25	0.38	0.39	0.12	0.11	0.37	0.38	0.60	0.54
26 or Older	0.20	0.22	0.07	0.08	0.19	0.20	0.99	0.97
<b>GENDER</b>								
Male	0.27	0.31	0.10	0.10	0.25	0.30	0.83	0.83
Female	0.18	0.19	0.07	0.07	0.17	0.17	1.03	1.05
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.18	0.19	0.06	0.07	0.17	0.18	0.70	0.71
White	0.21	0.22	0.07	0.07	0.20	0.21	0.74	0.78
Black or African American	0.43	0.52	0.20	0.19	0.40	0.51	2.39	2.08
American Indian or Alaska Native	2.94	3.40	1.70	1.46	2.67	3.22	*	*
Native Hawaiian or Other Pacific Islander	3.21	2.54	*	*	3.03	1.39	*	*
Asian	0.42	0.50	0.07	0.04	0.41	0.50	*	1.26
Two or More Races	1.08	1.48	0.23	0.61	1.05	1.37	2.44	*
Hispanic or Latino	0.45	0.48	0.15	0.14	0.41	0.45	1.54	1.47

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.51P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2011)</b>	<b>Needed Treatment (2012)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>
<b>TOTAL</b>	0.0464		0.4947		0.0597		0.9579	
<b>AGE</b>								
12-17	0.0268		0.6442		0.0135		0.2279	
18-25	0.7185		0.0537		0.3329		0.0358	
26 or Older	0.0193		0.2547		0.0361		0.7247	
<b>GENDER</b>								
Male	0.0163		0.4149		0.0249		0.9589	
Female	0.9805		0.9739		0.9893		0.9783	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.0284		0.2550		0.0563		0.6449	
White	0.1395		0.3489		0.2172		0.6354	
Black or African American	0.0388		0.8621		0.0386		0.6111	
American Indian or Alaska Native	0.3161		0.8461		0.3322		*	
Native Hawaiian or Other Pacific Islander	0.3076		*		0.1113		*	
Asian	0.8217		0.4955		0.8879		*	
Two or More Races	0.3652		0.1160		0.7015		*	
Hispanic or Latino	0.9299		0.3690		0.6874		0.3268	

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.52C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2011)</b>	<b>Needed Treatment (2012)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>
<b>TOTAL</b>	417	470	149	155	392	448	0.71	0.69
<b>GENDER</b>								
Male	334	389	120	129	314	375	0.88	0.88
Female	238	246	87	89	223	231	1.15	1.15
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	383	416	132	146	362	392	0.75	0.76
White	372	406	112	126	355	382	0.79	0.83
Black or African American	140	169	61	60	129	165	2.63	2.18
American Indian or Alaska Native	51	57	25	22	45	53	*	*
Native Hawaiian or Other Pacific Islander	31	26	*	*	29	12	*	*
Asian	53	63	9	4	52	63	*	*
Two or More Races	42	61	8	25	42	56	2.59	*
Hispanic or Latino	173	188	59	57	159	179	1.70	1.65
<b>EDUCATION</b>								
< High School	179	196	78	74	162	178	2.10	1.83
High School Graduate	241	263	77	95	224	249	1.22	1.40
Some College	241	248	74	84	230	230	1.16	1.23
College Graduate	227	258	60	49	218	249	1.26	0.94
<b>CURRENT EMPLOYMENT</b>								
Full-Time	317	339	81	96	306	330	0.78	0.84
Part-Time	150	177	36	56	146	164	1.08	1.51
Unemployed	128	146	58	56	110	137	2.28	2.24
Other <sup>1</sup>	227	238	95	92	207	222	2.01	1.84

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.52D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2011)</b>	<b>Needed Treatment (2012)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>
<b>TOTAL</b>	0.18	0.20	0.06	0.07	0.17	0.19	0.71	0.69
<b>GENDER</b>								
Male	0.30	0.34	0.11	0.11	0.28	0.33	0.88	0.88
Female	0.20	0.20	0.07	0.07	0.18	0.19	1.15	1.15
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.19	0.21	0.07	0.07	0.18	0.20	0.75	0.76
White	0.22	0.24	0.07	0.08	0.21	0.22	0.79	0.83
Black or African American	0.49	0.58	0.23	0.22	0.45	0.58	2.63	2.18
American Indian or Alaska Native	3.19	3.77	1.88	1.63	2.88	3.59	*	*
Native Hawaiian or Other Pacific Islander	3.45	2.71	*	*	3.25	1.35	*	*
Asian	0.45	0.54	0.08	0.03	0.45	0.54	*	*
Two or More Races	1.30	1.78	0.24	0.74	1.28	1.63	2.59	*
Hispanic or Latino	0.51	0.54	0.17	0.16	0.47	0.52	1.70	1.65
<b>EDUCATION</b>								
< High School	0.51	0.56	0.23	0.22	0.47	0.51	2.10	1.83
High School Graduate	0.33	0.36	0.11	0.13	0.31	0.35	1.22	1.40
Some College	0.36	0.38	0.12	0.13	0.35	0.35	1.16	1.23
College Graduate	0.32	0.35	0.09	0.07	0.31	0.34	1.26	0.94
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.26	0.27	0.07	0.08	0.25	0.27	0.78	0.84
Part-Time	0.45	0.50	0.11	0.17	0.43	0.47	1.08	1.51
Unemployed	0.86	1.01	0.41	0.41	0.76	0.95	2.28	2.24
Other <sup>1</sup>	0.31	0.33	0.13	0.13	0.29	0.31	2.01	1.84

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.52P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2011)</b>	<b>Needed Treatment (2012)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>
<b>TOTAL</b>	0.0218		0.5277		0.0264		0.9136	
<b>GENDER</b>								
Male	0.0102		0.4773		0.0142		0.9106	
Female	0.7528		0.9288		0.7623		0.9942	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.0123		0.3041		0.0227		0.8143	
White	0.1023		0.4218		0.1482		0.7798	
Black or African American	0.0158		0.8531		0.0156		0.5366	
American Indian or Alaska Native	0.2535		0.8502		0.2638		*	
Native Hawaiian or Other Pacific Islander	0.2949		*		0.0965		*	
Asian	0.9599		0.2927		0.9378		*	
Two or More Races	0.3366		0.0893		0.6883		*	
Hispanic or Latino	0.8968		0.4324		0.6826		0.3816	
<b>EDUCATION</b>								
< High School	0.5316		0.3093		0.2529		0.1587	
High School Graduate	0.0516		0.0677		0.1733		0.2125	
Some College	0.6226		0.6717		0.7104		0.7624	
College Graduate	0.1656		0.6753		0.1303		0.4750	
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.0582		0.1586		0.1285		0.3568	
Part-Time	0.5251		0.2326		0.7709		0.2862	
Unemployed	0.3391		0.4855		0.1687		0.2416	
Other <sup>1</sup>	0.3537		0.6787		0.2369		0.3887	

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.53C Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Felt Need for Treatment<sup>1</sup> (2011)</b>	<b>Felt Need for Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2011)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2011)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2011)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2012)</b>
<b>TOTAL</b>	426	486	87	115	44	59	78	94	418	464
<b>AGE</b>										
12-17	58	56	8	9	5	3	5	9	58	55
18-25	170	177	19	26	11	16	16	21	168	170
26 or Older	386	430	85	110	42	57	77	91	378	413
<b>GENDER</b>										
Male	336	405	78	103	38	56	68	83	327	388
Female	235	237	40	48	21	20	37	43	233	234

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.53D Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Felt Need for Treatment<sup>1</sup> (2011)</b>	<b>Felt Need for Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2011)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2011)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2011)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2012)</b>
<b>TOTAL</b>	0.00	0.00	0.44	0.53	0.23	0.28	0.40	0.44	0.44	0.53
<b>AGE</b>										
12-17	0.00	0.00	0.47	0.63	0.33	0.21	0.33	0.60	0.47	0.63
18-25	0.00	0.00	0.31	0.40	0.18	0.25	0.26	0.32	0.31	0.40
26 or Older	0.00	0.00	0.72	0.82	0.36	0.44	0.65	0.69	0.72	0.82
<b>GENDER</b>										
Male	0.00	0.00	0.62	0.74	0.31	0.41	0.55	0.60	0.62	0.74
Female	0.00	0.00	0.56	0.67	0.30	0.28	0.52	0.61	0.56	0.67

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 5.53P Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

<b>Demographic Characteristic</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Felt Need for Treatment<sup>1</sup> (2011)</b>	<b>Felt Need for Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2011)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2011)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2011)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2012)</b>
<b>TOTAL</b>	N/A		0.3619		0.5322		0.4934		0.3619	
<b>AGE</b>										
12-17	N/A		0.6987		0.1166		0.1814		0.6987	
18-25	N/A		0.0591		0.1791		0.1893		0.0591	
26 or Older	N/A		0.7191		0.7173		0.8410		0.7191	
<b>GENDER</b>										
Male	N/A		0.8256		0.5373		0.9015		0.8256	
Female	N/A		0.1303		0.9306		0.1076		0.1303	

\*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.