

Table 6.19A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2011 and 2012

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2011	2012	2011	2012	2011	2012	2011	2012
ILLICIT DRUGS¹	10,165	10,725	2,388	2,511	7,104	7,862	2,798	2,764
Marijuana and Hashish	8,847	9,226	1,803	1,920	5,710	6,158	1,711	1,551
Cocaine	986	1,196	111	139	263	242	9 ^a	73
Crack	199	296	25	90	*	32	*	25
Heroin	158	183	100	89	11	7	12	56
Hallucinogens	647	786	67	68	197	213	61	66
LSD	99	140	19	8	27	28	6	9
PCP	24	13	*	2	*	16	*	*
Ecstasy	393	450	26	23	107	134	19	21
Inhalants	236	166	26	22	159	188	203 ^a	117
Nonmedical Use of Psychotherapeutics ^{2,3}	2,654	2,798	816	700	1,601 ^a	2,132	1,048	1,201
Pain Relievers	1,885	2,073	633	507	1,138	1,355	815	927
OxyContin [®]	256	225	51	73	80	32	47	28
Tranquilizers	910	1,007	216	208	513	633	201	291
Stimulants ³	579	574	108	135	163 ^b	406	121	56
Methamphetamine ³	253	254	63	89	33	82	89	15
Sedatives	90	50	43	22	40 ^b	157	58	40
ILLICIT DRUGS OTHER THAN MARIJUANA¹	3,697	4,017	950	859	2,082 ^a	2,633	1,292	1,374

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.19B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette and Alcohol Use: Percentages, 2011 and 2012

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2011	2012	2011	2012	2011	2012	2011	2012
ILLICIT DRUGS¹	26.9	28.5	12.5	12.6	7.4	8.0	2.7	2.6
Marijuana and Hashish	23.4	24.5	9.5	9.7	6.0	6.3	1.6	1.5
Cocaine	2.6	3.2	0.6	0.7	0.3	0.2	0.0 ^a	0.1
Crack	0.5	0.8	0.1	0.5	*	0.0	*	0.0
Heroin	0.4	0.5	0.5	0.4	0.0	0.0	0.0	0.1
Hallucinogens	1.7	2.1	0.4	0.3	0.2	0.2	0.1	0.1
LSD	0.3	0.4	0.1	0.0	0.0	0.0	0.0	0.0
PCP	0.1	0.0	*	0.0	*	0.0	*	*
Ecstasy	1.0	1.2	0.1	0.1	0.1	0.1	0.0	0.0
Inhalants	0.6	0.4	0.1	0.1	0.2	0.2	0.2 ^a	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	7.0	7.4	4.3	3.5	1.7 ^a	2.2	1.0	1.1
Pain Relievers	5.0	5.5	3.3	2.5	1.2	1.4	0.8	0.9
OxyContin [®]	0.7	0.6	0.3	0.4	0.1	0.0	0.0	0.0
Tranquilizers	2.4	2.7	1.1	1.0	0.5	0.6	0.2	0.3
Stimulants ³	1.5	1.5	0.6	0.7	0.2 ^b	0.4	0.1	0.1
Methamphetamine ³	0.7	0.7	0.3	0.4	0.0	0.1	0.1	0.0
Sedatives	0.2	0.1	0.2	0.1	0.0 ^a	0.2	0.1	0.0
ILLICIT DRUGS OTHER THAN MARIJUANA¹	9.8	10.7	5.0	4.3	2.2 ^a	2.7	1.2	1.3

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.20A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2011 and 2012

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2011	2012	2011	2012	2011	2012	2011	2012
ILLICIT DRUGS¹	804 ^b	613	312	279	561	635	845	849
Marijuana and Hashish	745 ^b	561	276	242	492	538	455	459
Cocaine	47 ^a	22	9	5	10	1	1	2
Crack	3	1	*	*	*	0	*	*
Heroin	13	*	1	*	0	*	*	*
Hallucinogens	117	96	15	24	40 ^a	14	43	26
LSD	24	19	1	4	5	1	4	2
PCP	3	3	*	2	1	0	*	*
Ecstasy	61	49	4	11	30 ^a	8	13	5
Inhalants	51	51	14	11	25	36	133 ^a	90
Nonmedical Use of Psychotherapeutics ^{2,3}	255 ^b	182	65	49	95	127	272	335
Pain Relievers	197 ^b	133	51	36	73	106	241	283
OxyContin [®]	35	27	6	2	7	13	3	7
Tranquilizers	111 ^b	61	12	18	16	19	23	42
Stimulants ³	60	58	8	12	13	19	17	29
Methamphetamine ³	26	15	6	3	3	6	1	6
Sedatives	7	10	3	2	8	1	7	14
ILLICIT DRUGS OTHER THAN MARIJUANA¹	355 ^b	254	88	75	149	163	435	426

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.20B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette and Alcohol Use: Percentages, 2011 and 2012

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2011	2012	2011	2012	2011	2012	2011	2012
ILLICIT DRUGS¹	68.7 ^b	61.1	40.7	44.2	26.0	28.7	4.0	4.0
Marijuana and Hashish	63.6 ^b	56.0	35.9	38.3	22.8	24.3	2.2	2.2
Cocaine	4.0	2.2	1.2	0.7	0.5	0.1	0.0	0.0
Crack	0.3	0.1	*	*	*	0.0	*	*
Heroin	1.1	*	0.1	*	0.0	*	*	*
Hallucinogens	10.0	9.6	2.0	3.8	1.9 ^a	0.6	0.2	0.1
LSD	2.1	1.9	0.1	0.7	0.2	0.1	0.0	0.0
PCP	0.2	0.3	*	0.3	0.0	0.0	*	*
Ecstasy	5.2	4.9	0.5	1.7	1.4 ^a	0.3	0.1	0.0
Inhalants	4.3	5.1	1.8	1.7	1.1	1.6	0.6 ^a	0.4
Nonmedical Use of Psychotherapeutics ^{2,3}								
Pain Relievers	21.8	18.2	8.5	7.7	4.4	5.7	1.3	1.6
OxyContin [®]	16.8	13.3	6.7	5.7	3.4	4.8	1.2	1.3
Tranquilizers	3.0	2.7	0.8	0.3	0.3	0.6	0.0	0.0
Stimulants ³	9.5 ^a	6.1	1.5	2.8	0.7	0.9	0.1	0.2
Methamphetamine ³	5.1	5.8	1.1	1.9	0.6	0.9	0.1	0.1
Sedatives	2.2	1.5	0.8	0.5	0.1	0.3	0.0	0.0
Sedatives	0.6	1.0	0.3	0.3	0.4	0.1	0.0	0.1
ILLICIT DRUGS OTHER THAN MARIJUANA¹	30.3	25.3	11.4	11.9	6.9	7.3	2.1	2.0

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.21A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2011 and 2012

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2011	2012	2011	2012	2011	2012	2011	2012
ILLICIT DRUGS¹	4,055	3,838	530 ^b	702	2,259	2,273	508	568
Marijuana and Hashish	3,697	3,489	438 ^a	571	1,998	2,016	393	409
Cocaine	391	309	17	27	53	58	3	4
Crack	18	20	1	8	2	8	*	3
Heroin	81	66	16 ^a	47	4	7	6	18
Hallucinogens	379	389	36	25	126	158	16	27
LSD	71	82	3	3	17	26	*	7
PCP	12	6	0	0	*	5	*	*
Ecstasy	225	246	22	7	63	98	5	10
Inhalants	119	82	8	6	14	15	3	19
Nonmedical Use of Psychotherapeutics ^{2,3}	1,040	1,051	160	208	392	430	119	144
Pain Relievers	756	749	102 ^a	175	275	266	87	120
OxyContin [®]	118	98	11	34	21	13	8	*
Tranquilizers	350	364	59	65	112	92	26	17
Stimulants ³	251	266	31	24	52 ^a	97	10	14
Methamphetamine ³	48	80	21	11	8	4	2	2
Sedatives	25	16	6	1	10	29	2	5
ILLICIT DRUGS OTHER THAN MARIJUANA¹	1,519	1,417	199	238	523	590	143	190

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.21B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette and Alcohol Use: Percentages, 2011 and 2012

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2011	2012	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS¹	45.7	45.6	20.3 ^b	27.1	18.9	18.3	4.7	5.1
Marijuana and Hashish	41.6	41.5	16.8 ^b	22.0	16.7	16.2	3.6	3.7
Cocaine	4.4	3.7	0.7	1.0	0.4	0.5	0.0	0.0
Crack	0.2	0.2	0.0	0.3	0.0	0.1	*	0.0
Heroin	0.9	0.8	0.6 ^a	1.8	0.0	0.1	0.1	0.2
Hallucinogens	4.3	4.6	1.4	1.0	1.1	1.3	0.1	0.2
LSD	0.8	1.0	0.1	0.1	0.1	0.2	*	0.1
PCP	0.1	0.1	0.0	0.0	*	0.0	*	*
Ecstasy	2.5	2.9	0.8	0.3	0.5	0.8	0.0	0.1
Inhalants	1.3	1.0	0.3	0.2	0.1	0.1	0.0	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	11.7	12.5	6.2	8.0	3.3	3.5	1.1	1.3
Pain Relievers	8.5	8.9	3.9 ^a	6.8	2.3	2.1	0.8	1.1
OxyContin [®]	1.3	1.2	0.4	1.3	0.2	0.1	0.1	*
Tranquilizers	3.9	4.3	2.3	2.5	0.9	0.7	0.2	0.1
Stimulants ³	2.8	3.2	1.2	0.9	0.4 ^a	0.8	0.1	0.1
Methamphetamine ³	0.5 ^a	0.9	0.8	0.4	0.1	0.0	0.0	0.0
Sedatives	0.3	0.2	0.2	0.1	0.1	0.2	0.0	0.0
ILLCIT DRUGS OTHER THAN MARIJUANA¹	17.1	16.8	7.6	9.2	4.4	4.8	1.3	1.7

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.22A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2011 and 2012

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2011	2012	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS¹	5,306 ^a	6,275	1,545	1,530	4,285	4,954	1,445	1,347
Marijuana and Hashish	4,406 ^a	5,176	1,089	1,108	3,220	3,604	863	683
Cocaine	549 ^a	866	84	107	200	183	4 ^a	66
Crack	178	276	24	82	*	25	*	22
Heroin	64	117	83	42	7	*	5	38
Hallucinogens	151	301	16	19	31	41	*	13
LSD	4	39	15	*	5	*	*	*
PCP	10	4	*	*	*	11	*	*
Ecstasy	106	155	*	5	14	28	*	6
Inhalants	66	33	5	5	120	136	66	8
Nonmedical Use of Psychotherapeutics ^{2,3}	1,359	1,565	590	444	1,114 ^a	1,576	657	722
Pain Relievers	933	1,190	480 ^a	295	789	983	486	524
OxyContin [®]	103	100	35	37	52	6	36	22
Tranquilizers	449	582	146	126	385	521	152	232
Stimulants ³	268	250	68	100	98 ^b	290	94	14
Methamphetamine ³	179	159	36	74	22	72	85	7
Sedatives	58	25	35	19	22 ^a	127	49	22
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,823 ^a	2,347	662	546	1,410 ^a	1,880	714	758

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.22B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette and Alcohol Use: Percentages, 2011 and 2012

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2011	2012	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS¹	19.1 ^b	22.2	9.9	9.2	5.3	6.0	2.0	1.9
Marijuana and Hashish	15.9 ^a	18.3	6.9	6.6	3.9	4.3	1.2	0.9
Cocaine	2.0 ^a	3.1	0.5	0.6	0.2	0.2	0.0 ^a	0.1
Crack	0.6	1.0	0.2	0.5	*	0.0	*	0.0
Heroin	0.2	0.4	0.5	0.3	0.0	*	0.0	0.1
Hallucinogens	0.5	1.1	0.1	0.1	0.0	0.0	*	0.0
LSD	0.0	0.1	0.1	*	0.0	*	*	*
PCP	0.0	0.0	*	*	*	0.0	*	*
Ecstasy	0.4	0.5	*	0.0	0.0	0.0	*	0.0
Inhalants	0.2	0.1	0.0	0.0	0.1	0.2	0.1	0.0
Nonmedical Use of Psychotherapeutics ^{2,3}								
Pain Relievers	4.9	5.5	3.8	2.7	1.4 ^a	1.9	0.9	1.0
OxyContin [®]	3.4	4.2	3.1 ^a	1.8	1.0	1.2	0.7	0.7
Tranquilizers	0.4	0.4	0.2	0.2	0.1	0.0	0.0	0.0
Stimulants ³	1.6	2.1	0.9	0.8	0.5	0.6	0.2	0.3
Methamphetamine ³	1.0	0.9	0.4	0.6	0.1 ^b	0.3	0.1	0.0
Sedatives	0.6	0.6	0.2	0.4	0.0	0.1	0.1	0.0
Sedatives	0.2	0.1	0.2	0.1	0.0 ^a	0.2	0.1	0.0
ILLCIT DRUGS OTHER THAN MARIJUANA¹	6.6 ^a	8.3	4.2	3.3	1.7 ^a	2.3	1.0	1.0

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.23A Illicit Drug Use in the Past Month, by Past Month Cigarette Use, Levels of Past Month Alcohol Use, and Age Group: Numbers in Thousands, 2011 and 2012

Cigarette Use/Level of Alcohol Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL	22,454 ^a	23,863	2,522	2,377	7,352	7,381	12,580 ^a	14,105
Heavy Alcohol Use ¹	4,962	5,281	267	221	2,019	2,061	2,676	2,999
Binge Alcohol Use But Not Heavy Use ¹	7,285	7,900	658	621	2,903	2,744	3,724 ^a	4,534
Alcohol Use But Not Binge Use ¹	5,022	5,407	441	406	1,391	1,306	3,190	3,695
No Alcohol Use	5,185	5,275	1,157	1,128	1,038 ^b	1,270	2,990	2,877
PAST MONTH CIGARETTE USE	12,553	13,236	1,117 ^b	892	4,586	4,540	6,851 ^a	7,804
Heavy Alcohol Use ¹	3,497	3,671	206 ^a	151	1,517	1,464	1,774	2,057
Binge Alcohol Use But Not Heavy Use ¹	4,328	4,742	414 ^a	330	1,824	1,704	2,091 ^b	2,708
Alcohol Use But Not Binge Use ¹	2,340	2,312	185 ^a	132	714	670	1,441	1,510
No Alcohol Use	2,388	2,511	312	279	530 ^b	702	1,545	1,530
NO PAST MONTH CIGARETTE USE	9,901	10,627	1,406	1,485	2,766	2,842	5,729	6,301
Heavy Alcohol Use ¹	1,466	1,610	61	71	502	597	903	942
Binge Alcohol Use But Not Heavy Use ¹	2,957	3,158	244	291	1,079	1,041	1,634	1,826
Alcohol Use But Not Binge Use ¹	2,681	3,095	256	274	677	636	1,748	2,186
No Alcohol Use	2,798	2,764	845	849	508	568	1,445	1,347

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.23B Illicit Drug Use in the Past Month, by Past Month Cigarette Use, Levels of Past Month Alcohol Use, and Age Group: Percentages, 2011 and 2012

Cigarette Use/Level of Alcohol Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL	8.7	9.2	10.1	9.5	21.4	21.3	6.3 ^a	7.0
Heavy Alcohol Use ¹	31.3	31.0	70.4	67.9	48.5	47.0	23.6	24.4
Binge Alcohol Use But Not Heavy Use ¹	17.2	18.5	44.7	42.1	30.6	29.6	11.8 ^a	14.2
Alcohol Use But Not Binge Use ¹	6.7	7.1	29.8	28.6	19.4	18.2	4.8	5.5
No Alcohol Use	4.2	4.2	5.3	5.2	7.7 ^b	9.2	3.4	3.2
PAST MONTH CIGARETTE USE	22.1	23.0	57.6	54.6	39.9	41.2	15.8	17.4
Heavy Alcohol Use ¹	40.1	40.4	82.5	75.7	57.3	55.4	30.5	32.9
Binge Alcohol Use But Not Heavy Use ¹	28.0	29.6	67.3	60.8	42.4	42.4	19.9 ^a	23.7
Alcohol Use But Not Binge Use ¹	17.2	18.4	60.2	50.7	36.9	38.1	12.7	14.3
No Alcohol Use	12.5	12.6	40.7	44.2	20.3 ^b	27.1	9.9	9.2
NO PAST MONTH CIGARETTE USE	4.9	5.2	6.1	6.4	12.1	12.0	3.7	4.0
Heavy Alcohol Use ¹	20.5	20.3	47.1	55.7	33.1	34.2	16.4	15.5
Binge Alcohol Use But Not Heavy Use ¹	10.9	11.8	28.5	31.3	20.8	19.8	7.8	8.9
Alcohol Use But Not Binge Use ¹	4.4	4.9	21.9	23.7	13.0	11.8	3.2	3.9
No Alcohol Use	2.7	2.6	4.0	4.0	4.7	5.1	2.0	1.9

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.