

**Table 6.1A Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2011 and 2012**

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
<b>TOTAL PAST YEAR USERS</b>	29,739 <sup>a</sup>	31,513	3,553	3,363	10,554	10,887	15,632 <sup>a</sup>	17,263
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	9,373	9,661	1,278	1,237	3,111	3,135	4,984	5,288
12-49	5,358	5,509	764	735	1,921	1,825	2,673	2,949
50-99	3,184	3,042	403	368	1,105	1,064	1,676	1,610
100-299	6,846 <sup>b</sup>	7,948	808	746	2,593	2,706	3,446 <sup>b</sup>	4,497
300 or More	4,979	5,354	301	277	1,825 <sup>b</sup>	2,157	2,853	2,920
<b>TOTAL PAST MONTH USERS</b>	18,071	18,855	1,967 <sup>a</sup>	1,800	6,526	6,485	9,578	10,571
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	4,359	4,262	575	549	1,441 <sup>a</sup>	1,243	2,343	2,470
3-5	2,949	2,945	397	395	1,091	930	1,462	1,620
6-19	3,689	4,047	530 <sup>a</sup>	431	1,318	1,430	1,842	2,187
20 or More	7,074	7,601	466	425	2,676	2,882	3,931	4,293

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.1B** Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Percentages, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
<b>TOTAL PAST YEAR USERS</b>	11.5 <sup>a</sup>	12.1	14.2	13.5	30.8	31.5	7.9 <sup>a</sup>	8.6
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	31.5	30.7	36.0	36.8	29.5	28.8	31.9	30.6
12-49	18.0	17.5	21.5	21.9	18.2	16.8	17.1	17.1
50-99	10.7	9.7	11.3	10.9	10.5	9.8	10.7	9.3
100-299	23.0 <sup>a</sup>	25.2	22.7	22.2	24.6	24.9	22.0 <sup>a</sup>	26.0
300 or More	16.7	17.0	8.5	8.2	17.3 <sup>a</sup>	19.8	18.3	16.9
<b>TOTAL PAST MONTH USERS</b>	7.0	7.3	7.9 <sup>a</sup>	7.2	19.0	18.7	4.8	5.3
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	24.1	22.6	29.2	30.5	22.1 <sup>a</sup>	19.2	24.5	23.4
3-5	16.3	15.6	20.2	21.9	16.7 <sup>a</sup>	14.3	15.3	15.3
6-19	20.4	21.5	26.9	23.9	20.2	22.0	19.2	20.7
20 or More	39.1	40.3	23.7	23.6	41.0 <sup>a</sup>	44.4	41.0	40.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.2A Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2011 and 2012**

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
<b>TOTAL PAST YEAR USERS</b>	3,857 <sup>b</sup>	4,671	229	180	1,563	1,600	2,065 <sup>b</sup>	2,890
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	2,240	2,303	148	110	1,064	1,013	1,028	1,180
12-49	866 <sup>a</sup>	1,163	50	31	318	360	498 <sup>a</sup>	772
50-99	325 <sup>a</sup>	538	17	15	107	110	200 <sup>a</sup>	412
100-299	382	555	12	24	65	97	306	434
300 or More	44	113	*	0	9	20	33	92
<b>TOTAL PAST MONTH USERS</b>	1,369	1,650	67 <sup>b</sup>	30	464	398	838 <sup>a</sup>	1,222
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	806	685	*	*	312	248	451	426
3-5	329	423	*	*	108	81	*	326
6-19	165 <sup>a</sup>	413	*	*	35	49	119	*
20 or More	69	129	*	*	10	20	59	107

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.2B** Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Percentages, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
<b>TOTAL PAST YEAR USERS</b>	1.5 <sup>b</sup>	1.8	0.9	0.7	4.6	4.6	1.0 <sup>b</sup>	1.4
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	58.1 <sup>b</sup>	49.3	64.5	60.9	68.1	63.3	49.8	40.8
12-49	22.5	24.9	21.8	17.4	20.3	22.5	24.1	26.7
50-99	8.4	11.5	7.6	8.5	6.9	6.9	9.7	14.3
100-299	9.9	11.9	5.3	13.1	4.1	6.0	14.8	15.0
300 or More	1.1	2.4	*	0.1	0.6	1.3	1.6	3.2
<b>TOTAL PAST MONTH USERS</b>	0.5	0.6	0.3 <sup>b</sup>	0.1	1.4	1.1	0.4 <sup>a</sup>	0.6
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	58.9 <sup>b</sup>	41.5	*	*	67.1	62.3	53.8 <sup>a</sup>	34.8
3-5	24.0	25.6	*	*	23.3	20.4	*	26.7
6-19	12.1 <sup>a</sup>	25.0	*	*	7.5	12.3	14.2	*
20 or More	5.1	7.8	*	*	2.0	5.0	7.1	8.8

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.3A Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2011 and 2012**

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
<b>TOTAL PAST YEAR USERS</b>	4,069	4,306	648 <sup>a</sup>	553	2,323	2,236	1,098 <sup>a</sup>	1,516
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	3,051	3,249	438	379	1,755	1,743	858	1,126
12-49	615	645	135	107	362	330	118	208
50-99	250	242	34	28	120	111	95	103
100-299	140	154	38	30	79	45	24	79
300 or More	13	16	3	9	7	8	3	*
<b>TOTAL PAST MONTH USERS</b>	972	1,134	215	160	557	600	200 <sup>a</sup>	374
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	741	816	150 <sup>a</sup>	90	437	448	*	*
3-5	146 <sup>a</sup>	238	39	42	88	116	*	*
6-19	74	59	24	25	29	21	*	*
20 or More	10	21	3	3	3	14	*	*

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.3B** Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Percentages, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
<b>TOTAL PAST YEAR USERS</b>	1.6	1.7	2.6	2.2	6.8	6.5	0.6 <sup>a</sup>	0.8
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	75.0	75.4	67.6	68.5	75.5	78.0	78.2	74.3
12-49	15.1	15.0	20.8	19.3	15.6	14.7	10.8	13.7
50-99	6.1	5.6	5.3	5.1	5.2	4.9	8.6	6.8
100-299	3.5	3.6	5.8	5.5	3.4	2.0	2.2	5.2
300 or More	0.3	0.4	0.5	1.6	0.3	0.3	0.3	*
<b>TOTAL PAST MONTH USERS</b>	0.4	0.4	0.9	0.6	1.6	1.7	0.1 <sup>a</sup>	0.2
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	76.3	72.0	69.4	56.2	78.4	74.7	*	*
3-5	15.0	21.0	18.1	26.0	15.8	19.4	*	*
6-19	7.7	5.2	11.3	15.8	5.3	3.6	*	*
20 or More	1.1	1.8	1.3	2.0	0.5	2.3	*	*

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.4A Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2011 and 2012**

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
<b>TOTAL PAST YEAR USERS</b>	1,861	1,693	820 <sup>b</sup>	647	500	473	541	573
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	1,148	1,011	512 <sup>b</sup>	379	381	324	*	*
12-49	369	453	153	151	72	95	*	*
50-99	176	109	87	54	28	21	*	*
100-299	153	104	58	57	19	23	*	*
300 or More	15	16	9	6	*	*	*	*
<b>TOTAL PAST MONTH USERS</b>	624	493	223	188	144	123	257	182
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	357	*	127	123	*	*	*	*
3-5	105	*	35	35	*	*	*	*
6-19	115 <sup>a</sup>	43	43	25	*	*	*	*
20 or More	*	*	18	5	*	*	*	*

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.4B Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Percentages, 2011 and 2012**

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
<b>TOTAL PAST YEAR USERS</b>	0.7	0.7	3.3 <sup>b</sup>	2.6	1.5	1.4	0.3	0.3
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	61.7	59.7	62.5	58.6	76.3	68.6	*	*
12-49	19.8	26.8	18.7	23.3	14.4	20.1	*	*
50-99	9.5	6.4	10.6	8.4	5.6	4.4	*	*
100-299	8.2	6.2	7.1	8.8	3.8	4.8	*	*
300 or More	0.8	1.0	1.1	0.9	*	*	*	*
<b>TOTAL PAST MONTH USERS</b>	0.2	0.2	0.9	0.8	0.4	0.4	0.1	0.1
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	57.1	*	57.0	65.6	*	*	*	*
3-5	16.9	*	15.8	18.4	*	*	*	*
6-19	18.4 <sup>a</sup>	8.8	19.2	13.5	*	*	*	*
20 or More	*	*	8.0	2.5	*	*	*	*

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.5A Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Numbers in Thousands, 2011 and 2012**

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
<b>TOTAL PAST MONTH USERS</b>	56,819	57,525	1,939 <sup>b</sup>	1,634	11,488 <sup>a</sup>	11,008	43,392	44,882
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	5,685	5,583	546 <sup>a</sup>	443	1,713	1,595	3,427	3,546
3-5	4,017	4,137	328	268	1,273	1,179	2,416	2,690
6-19	6,210	6,559	384	339	1,709	1,745	4,117	4,475
20-29	6,419	6,309	241	225	1,586	1,523	4,591	4,561
30	34,488	34,936	440 <sup>a</sup>	360	5,207	4,967	28,841	29,610
<b>TOTAL DAILY SMOKERS<sup>1</sup></b>	34,488	34,936	440 <sup>a</sup>	360	5,207	4,967	28,841	29,610
<b>NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS<sup>1</sup></b>								
Fewer Than 6	6,364	6,902	210	186	1,604	1,539	4,549	5,176
6-15 (1/2 Pack)	13,023	13,338	163	129	2,241	2,175	10,619	11,035
16-25 (1 Pack)	11,072	11,011	57 <sup>a</sup>	34	1,137	1,047	9,878	9,929
26 or More (More Than 1 Pack)	4,021	3,639	7	4	224	200	3,789	3,435
Not Reported	8 <sup>a</sup>	47	1	6	1	6	5	34

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.5B Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Percentages, 2011 and 2012**

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
<b>TOTAL PAST MONTH USERS</b>	22.1	22.1	7.8 <sup>b</sup>	6.6	33.5 <sup>a</sup>	31.8	21.9	22.4
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	10.0	9.7	28.2	27.1	14.9	14.5	7.9	7.9
3-5	7.1	7.2	16.9	16.4	11.1	10.7	5.6	6.0
6-19	10.9	11.4	19.8	20.7	14.9	15.9	9.5	10.0
20-29	11.3	11.0	12.4	13.8	13.8	13.8	10.6	10.2
30	60.7	60.7	22.7	22.0	45.3	45.1	66.5	66.0
<b>TOTAL DAILY SMOKERS<sup>1</sup></b>	13.4	13.4	1.8 <sup>a</sup>	1.4	15.2	14.4	14.5	14.8
<b>NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS<sup>1</sup></b>								
Fewer Than 6	18.5	19.8	47.8	51.8	30.8	31.0	15.8	17.5
6-15 (1/2 Pack)	37.8	38.2	37.1	35.8	43.0	43.8	36.8	37.3
16-25 (1 Pack)	32.1	31.5	13.0	9.6	21.8	21.1	34.3	33.5
26 or More (More Than 1 Pack)	11.7	10.4	1.7	1.1	4.3	4.0	13.1	11.6
Not Reported	0.0 <sup>a</sup>	0.1	0.3	1.7	0.0	0.1	0.0	0.1

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.6A Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2011 and 2012**

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
<b>TOTAL PAST YEAR USERS</b>	170,422 <sup>a</sup>	173,573	6,940 <sup>a</sup>	6,555	26,429	26,778	137,053 <sup>a</sup>	140,240
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	37,899	38,875	3,636	3,451	5,456	5,562	28,807	29,862
12-49	45,049	45,480	1,779	1,786	7,495	7,613	35,776	36,081
50-99	26,942	26,941	837	735	4,885	4,801	21,220	21,404
100-299	49,740	51,447	629 <sup>a</sup>	538	7,990	8,166	41,121	42,742
300 or More	10,793	10,831	60	44	604	636	10,129	10,150
<b>TOTAL PAST MONTH USERS</b>	133,385	135,502	3,326	3,217	20,814	20,828	109,245	111,457
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	37,856	39,156	1,737	1,717	5,941	5,995	30,177	31,444
3-5	35,828	35,487	895	894	6,126	6,189	28,807	28,405
6-19	39,069	39,315	617	537	7,102	6,927	31,350	31,851
20 or More	20,632	21,544	77	69	1,645	1,717	18,911	19,757

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.6B Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Percentages, 2011 and 2012**

<b>Frequency of Use</b>	<b>Total (2011)</b>	<b>Total (2012)</b>	<b>Aged 12-17 (2011)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 18-25 (2011)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 26+ (2011)</b>	<b>Aged 26+ (2012)</b>
<b>TOTAL PAST YEAR USERS</b>	66.2	66.7	27.8 <sup>a</sup>	26.3	77.0	77.4	69.1	69.9
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	22.2	22.4	52.4	52.7	20.6	20.8	21.0	21.3
12-49	26.4	26.2	25.6	27.3	28.4	28.4	26.1	25.7
50-99	15.8	15.5	12.1	11.2	18.5	17.9	15.5	15.3
100-299	29.2	29.6	9.1	8.2	30.2	30.5	30.0	30.5
300 or More	6.3	6.2	0.9	0.7	2.3	2.4	7.4	7.2
<b>TOTAL PAST MONTH USERS</b>	51.8	52.1	13.3	12.9	60.7	60.2	55.1	55.6
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	28.4	28.9	52.2	53.4	28.5	28.8	27.6	28.2
3-5	26.9	26.2	26.9	27.8	29.4	29.7	26.4	25.5
6-19	29.3	29.0	18.5	16.7	34.1	33.3	28.7	28.6
20 or More	15.5	15.9	2.3	2.2	7.9	8.2	17.3	17.7

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.