

Table 6.79A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2011 and 2012

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	5,064	5,123	2,056	2,009	3,008	3,114
Marijuana and Hashish	4,585	4,534	1,896	1,790	2,689	2,745
Cocaine	325	265	148 ^a	86	177	179
Crack	16	24	2	*	14	24
Heroin	68	90	15	10	53	80
Hallucinogens	415	466	173	197	242	269
LSD	74	97	30	29	45	68
PCP	5	12	*	2	5	10
Ecstasy	241	288	101	126	140	162
Inhalants	120	107	53	43	67	63
Nonmedical Use of Psychotherapeutics ^{4,5}	1,117	1,195	386	428	731	767
Pain Relievers	811	854	230	262	581	592
OxyContin [®]	97	71	34 ^a	7	62	64
Tranquilizers	342	301	126	79	216	222
Stimulants ⁵	236	267	115	138	121	129
Methamphetamine ⁵	49	51	7	10	42	41
Sedatives	20	29	8	14	12	15
ILLCIT DRUGS OTHER THAN MARIJUANA³	1,594	1,649	600	622	994	1,027

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.79B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Percentages, 2011 and 2012

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	22.8	23.1	22.0	22.0	23.4	24.0
Marijuana and Hashish	20.7	20.5	20.3	19.6	20.9	21.1
Cocaine	1.5	1.2	1.6 ^a	0.9	1.4	1.4
Crack	0.1	0.1	0.0	*	0.1	0.2
Heroin	0.3	0.4	0.2	0.1	0.4	0.6
Hallucinogens	1.9	2.1	1.9	2.2	1.9	2.1
LSD	0.3	0.4	0.3	0.3	0.3	0.5
PCP	0.0	0.1	*	0.0	0.0	0.1
Ecstasy	1.1	1.3	1.1	1.4	1.1	1.2
Inhalants	0.5	0.5	0.6	0.5	0.5	0.5
Nonmedical Use of Psychotherapeutics ^{4,5}	5.0	5.4	4.1	4.7	5.7	5.9
Pain Relievers	3.7	3.9	2.5	2.9	4.5	4.6
OxyContin [®]	0.4	0.3	0.4 ^a	0.1	0.5	0.5
Tranquilizers	1.5	1.4	1.4	0.9	1.7	1.7
Stimulants ⁵	1.1	1.2	1.2	1.5	0.9	1.0
Methamphetamine ⁵	0.2	0.2	0.1	0.1	0.3	0.3
Sedatives	0.1	0.1	0.1	0.1	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA³	7.2	7.4	6.4	6.8	7.7	7.9

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.80A Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2011 and 2012

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	3,024	3,008	1,088	1,070	1,936	1,938
Marijuana and Hashish	2,789	2,780	1,000	1,011	1,788	1,769
Cocaine	219	166	98 ^a	48	122	118
Crack	9	16	2	*	7	16
Heroin	45	66	8	7	38	59
Hallucinogens	257	255	101	97	156	159
LSD	56	71	20	23	35	48
PCP	3	10	*	*	3	10
Ecstasy	136	141	61	50	74	91
Inhalants	75	64	33	19	41	45
Nonmedical Use of Psychotherapeutics ^{4,5}	627	569	213	186	414	383
Pain Relievers	465	430	124	128	341	302
OxyContin [®]	70	55	32 ^a	5	38	50
Tranquilizers	168	136	57	35	111	101
Stimulants ⁵	148	119	80	53	67	65
Methamphetamine ⁵	29	25	2	2	27	23
Sedatives	12	8	6	3	6	4
ILLCIT DRUGS OTHER THAN MARIJUANA³	926	847	327	285	598	562

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.80B Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Percentages, 2011 and 2012

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	27.0	26.9	25.8	24.9	27.7	28.1
Marijuana and Hashish	24.9	24.8	23.7	23.5	25.6	25.6
Cocaine	2.0	1.5	2.3 ^a	1.1	1.7	1.7
Crack	0.1	0.1	0.0	*	0.1	0.2
Heroin	0.4	0.6	0.2	0.2	0.5	0.9
Hallucinogens	2.3	2.3	2.4	2.2	2.2	2.3
LSD	0.5	0.6	0.5	0.5	0.5	0.7
PCP	0.0	0.1	*	*	0.0	0.1
Ecstasy	1.2	1.3	1.5	1.2	1.1	1.3
Inhalants	0.7	0.6	0.8	0.4	0.6	0.6
Nonmedical Use of Psychotherapeutics ^{4,5}	5.6	5.1	5.1	4.3	5.9	5.6
Pain Relievers	4.1	3.8	2.9	3.0	4.9	4.4
OxyContin [®]	0.6	0.5	0.8 ^a	0.1	0.5	0.7
Tranquilizers	1.5	1.2	1.4	0.8	1.6	1.5
Stimulants ⁵	1.3	1.1	1.9	1.2	1.0	0.9
Methamphetamine ⁵	0.3	0.2	0.1	0.0	0.4	0.3
Sedatives	0.1	0.1	0.1	0.1	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA³	8.3	7.6	7.8	6.6	8.6	8.1

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.81A Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2011 and 2012

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	2,040	2,116	968	939	1,072	1,176
Marijuana and Hashish	1,797	1,755	896	779	901	976
Cocaine	105	99	50	38	55	62
Crack	7	8	*	*	7	8
Heroin	23	25	8	3	15	21
Hallucinogens	158	210	71	100	86	110
LSD	19	27	9	7	10	20
PCP	2	2	*	2	2	*
Ecstasy	106	146	40	76	66	71
Inhalants	45	43	20	24	26	19
Nonmedical Use of Psychotherapeutics ^{4,5}	490 ^a	626	173 ^a	243	317	383
Pain Relievers	346	425	106	134	241	291
OxyContin [®]	27	16	3	1	24	15
Tranquilizers	174	165	69	44	105	121
Stimulants ⁵	88 ^a	149	35 ^b	85	54	64
Methamphetamine ⁵	20	26	5	8	15	18
Sedatives	8	21	3	10	6	11
ILLCIT DRUGS OTHER THAN MARIJUANA³	669	802	273	337	396	465

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.81B Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Percentages, 2011 and 2012

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	18.6	19.3	18.9	19.4	18.3	19.3
Marijuana and Hashish	16.4	16.0	17.5	16.1	15.3	16.0
Cocaine	1.0	0.9	1.0	0.8	0.9	1.0
Crack	0.1	0.1	*	*	0.1	0.1
Heroin	0.2	0.2	0.2	0.1	0.3	0.3
Hallucinogens	1.4	1.9	1.4	2.1	1.5	1.8
LSD	0.2	0.2	0.2	0.1	0.2	0.3
PCP	0.0	0.0	*	0.0	0.0	*
Ecstasy	1.0	1.3	0.8	1.6	1.1	1.2
Inhalants	0.4	0.4	0.4	0.5	0.4	0.3
Nonmedical Use of Psychotherapeutics ^{4,5}	4.5 ^a	5.7	3.4 ^a	5.0	5.4	6.3
Pain Relievers	3.2	3.9	2.1	2.8	4.1	4.8
OxyContin [®]	0.2	0.1	0.1	0.0	0.4	0.2
Tranquilizers	1.6	1.5	1.3	0.9	1.8	2.0
Stimulants ⁵	0.8 ^b	1.4	0.7 ^b	1.8	0.9	1.0
Methamphetamine ⁵	0.2	0.2	0.1	0.2	0.3	0.3
Sedatives	0.1	0.2	0.0	0.2	0.1	0.2
ILLCIT DRUGS OTHER THAN MARIJUANA³	6.1 ^a	7.3	5.3	7.0	6.7	7.6

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.82A Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	5,064	5,123	2,056	2,009	3,008	3,114
AGE						
18	1,063	1,061	404	375	659	686
19	1,021	1,034	487	474	534	560
20	1,129	1,079	516	514	613	565
21	939	946	372	359	567	586
22	912	1,004	278	287	634	716
GENDER						
Male	3,024	3,008	1,088	1,070	1,936	1,938
Female	2,040	2,116	968	939	1,072	1,176
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	4,132	4,205	1,716	1,669	2,417	2,535
White	3,099	2,940	1,342	1,224	1,757	1,716
Black or African American	720 ^a	870	242	271	478 ^a	599
American Indian or Alaska Native	28	33	*	*	23	29
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	133	158	69	105	64	53
Two or More Races	129	172	*	*	90	112
Hispanic or Latino	932	919	341	340	591	579

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.82B Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	22.8	23.1	22.0	22.0	23.4	24.0
AGE						
18	22.4	22.5	23.3	22.3	21.9	22.7
19	23.7	24.3	21.9	21.9	25.8	26.7
20	25.2	25.0	23.8	25.0	26.5	25.1
21	21.5	21.4	20.0	19.3	22.6	23.0
22	21.2	22.6	20.5	21.0	21.5	23.3
GENDER						
Male	27.0	26.9	25.8	24.9	27.7	28.1
Female	18.6	19.3	18.9	19.4	18.3	19.3
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	23.7	24.1	21.9	22.3	25.1	25.5
White	24.9	23.9	23.6	22.7	25.9	24.9
Black or African American	22.4 ^b	27.2	20.1	25.6	23.7	28.0
American Indian or Alaska Native	22.4	19.2	*	*	25.8	20.0
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	12.2	14.0	10.0	13.2	16.0	16.2
Two or More Races	26.6	32.3	*	*	31.8	32.4
Hispanic or Latino	19.7	19.6	22.7	20.6	18.4	19.0

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.83A Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	4,585	4,534	1,896	1,790	2,689	2,745
AGE						
18	965	940	366	335	599	604
19	937	939	458	437	479	502
20	1,028	968	479	460	548	508
21	861	831	349	312	512	520
22	795	856	244	245	551	611
GENDER						
Male	2,789	2,780	1,000	1,011	1,788	1,769
Female	1,797	1,755	896	779	901	976
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	3,740	3,713	1,578	1,486	2,162	2,227
White	2,791	2,585	1,229	1,096	1,562	1,489
Black or African American	667	774	225	235	442	539
American Indian or Alaska Native	27	28	*	*	21	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	124	138	63	91	61	48
Two or More Races	108	159	*	*	71	101
Hispanic or Latino	846	822	319	304	527	517

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.83B Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	20.7	20.5	20.3	19.6	20.9	21.1
AGE						
18	20.4	20.0	21.1	19.9	19.9	20.0
19	21.8	22.1	20.6	20.2	23.1	23.9
20	22.9	22.5	22.1	22.4	23.7	22.5
21	19.7	18.8	18.8	16.7	20.4	20.3
22	18.5	19.3	18.0	17.9	18.7	19.9
GENDER						
Male	24.9	24.8	23.7	23.5	25.6	25.6
Female	16.4	16.0	17.5	16.1	15.3	16.0
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	21.4	21.3	20.1	19.9	22.4	22.4
White	22.4	21.0	21.6	20.3	23.0	21.6
Black or African American	20.7 ^a	24.2	18.8	22.1	21.9	25.2
American Indian or Alaska Native	21.4	16.4	*	*	24.4	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	11.3	12.3	9.1	11.4	15.1	14.5
Two or More Races	22.3	29.8	*	*	25.3	29.0
Hispanic or Latino	17.9	17.5	21.2	18.4	16.4	17.0

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.84A Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2011 and 2012

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	8,600	8,259	2,857	2,622	5,738	5,636
Cigarettes	7,265 ^a	6,782	2,223	1,946	5,037	4,836
Smokeless Tobacco	1,281	1,241	444	447	837	794
Cigars	2,613	2,573	916	955	1,697	1,618
Pipe Tobacco	446	478	217	176	229	302
ALCOHOL	12,372	12,251	5,679	5,503	6,682	6,748
Binge Alcohol Use ⁴	8,197	8,207	3,645	3,661	4,550	4,545
Heavy Alcohol Use ⁴	2,623	2,701	1,269	1,311	1,355	1,390

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.84B Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Percentages, 2011 and 2012

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	38.7	37.3	30.6	28.7	44.7	43.4
Cigarettes	32.7 ^a	30.6	23.8 ^a	21.3	39.2	37.2
Smokeless Tobacco	5.8	5.6	4.8	4.9	6.5	6.1
Cigars	11.8	11.6	9.8	10.5	13.2	12.4
Pipe Tobacco	2.0	2.2	2.3	1.9	1.8	2.3
ALCOHOL	55.7	55.3	60.8	60.3	52.0	51.9
Binge Alcohol Use ⁴	36.9	37.1	39.1	40.1	35.4	35.0
Heavy Alcohol Use ⁴	11.8	12.2	13.6	14.4	10.5	10.7

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.85A Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2011 and 2012

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	5,160	5,119	1,580	1,576	3,578	3,543
Cigarettes	4,159	3,935	1,120	1,055	3,037	2,880
Smokeless Tobacco	1,209	1,184	416	433	793	752
Cigars	1,879	1,955	627	705	1,251	1,250
Pipe Tobacco	305	354	132	119	173	235
ALCOHOL	6,486	6,427	2,646	2,684	3,829	3,742
Binge Alcohol Use ⁴	4,754	4,668	1,901	1,955	2,851	2,712
Heavy Alcohol Use ⁴	1,765	1,795	784	812	981	982

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.85B Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Percentages, 2011 and 2012

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	46.1	45.7	37.5	36.7	51.3	51.4
Cigarettes	37.1	35.1	26.6	24.5	43.5	41.8
Smokeless Tobacco	10.8	10.6	9.9	10.1	11.4	10.9
Cigars	16.8	17.5	14.9	16.4	17.9	18.1
Pipe Tobacco	2.7	3.2	3.1	2.8	2.5 ^a	3.4
ALCOHOL	57.9	57.4	62.8	62.5	54.9	54.3
Binge Alcohol Use ⁴	42.4	41.7	45.1	45.5	40.9	39.3
Heavy Alcohol Use ⁴	15.7	16.0	18.6	18.9	14.1	14.2

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.86A Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2011 and 2012

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	3,440 ^a	3,140	1,277 ^a	1,046	2,160	2,093
Cigarettes	3,106	2,847	1,104 ^a	891	2,000	1,956
Smokeless Tobacco	72	57	27	15	45	42
Cigars	735	618	289	250	446	368
Pipe Tobacco	140	124	85	57	56	68
ALCOHOL	5,887	5,824	3,033	2,819	2,853	3,006
Binge Alcohol Use ⁴	3,443	3,539	1,744	1,706	1,699	1,833
Heavy Alcohol Use ⁴	858	906	484	498	374	408

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.86B Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Percentages, 2011 and 2012

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	31.3 ^a	28.7	25.0 ^a	21.7	36.8	34.3
Cigarettes	28.3 ^a	26.0	21.6 ^a	18.4	34.1	32.0
Smokeless Tobacco	0.7	0.5	0.5	0.3	0.8	0.7
Cigars	6.7	5.7	5.6	5.2	7.6 ^a	6.0
Pipe Tobacco	1.3	1.1	1.7	1.2	0.9	1.1
ALCOHOL	53.6	53.2	59.3	58.3	48.6	49.2
Binge Alcohol Use ⁴	31.3	32.4	34.1	35.3	28.9	30.0
Heavy Alcohol Use ⁴	7.8	8.3	9.5	10.3	6.4	6.7

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.87A Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	7,265 ^a	6,782	2,223	1,946	5,037	4,836
AGE						
18	1,370 ^a	1,181	410	333	960	848
19	1,353	1,181	499	412	853	769
20	1,549	1,383	528	444	1,020	938
21	1,497	1,478	450	424	1,045	1,054
22	1,496	1,559	336	332	1,159	1,227
GENDER						
Male	4,159	3,935	1,120	1,055	3,037	2,880
Female	3,106	2,847	1,104 ^a	891	2,000	1,956
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	5,962	5,627	1,877 ^a	1,579	4,081	4,048
White	4,687 ^a	4,344	1,508 ^a	1,277	3,176	3,067
Black or African American	742	764	170	148	571	616
American Indian or Alaska Native	58	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	241	187	134	101	107	86
Two or More Races	200	198	47	*	153	155
Hispanic or Latino	1,303	1,155	347	367	956 ^a	788

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.87B Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	32.7 ^a	30.6	23.8 ^a	21.3	39.2	37.2
AGE						
18	28.9 ^a	25.1	23.7	19.8	31.9	28.1
19	31.5 ^a	27.7	22.5	19.1	41.2	36.7
20	34.5	32.1	24.3	21.7	44.1	41.6
21	34.3	33.4	24.3	22.7	41.7	41.3
22	34.8	35.1	24.8	24.2	39.3	39.9
GENDER						
Male	37.1	35.1	26.6	24.5	43.5	41.8
Female	28.3 ^a	26.0	21.6 ^a	18.4	34.1	32.0
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	34.1 ^a	32.3	24.0 ^a	21.1	42.4	40.6
White	37.6 ^a	35.3	26.6	23.7	46.9	44.5
Black or African American	23.1	23.9	14.2	14.0	28.3	28.8
American Indian or Alaska Native	46.9	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	22.0	16.6	19.3	12.7	26.7	26.3
Two or More Races	41.2	37.1	23.3	*	54.0	44.5
Hispanic or Latino	27.6	24.6	23.1	22.2	29.7	25.9

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.88A Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	12,372	12,251	5,679	5,503	6,682	6,748
AGE						
18	1,858	1,879	796	798	1,062	1,081
19	1,988	1,902	1,121	1,075	858	828
20	2,482	2,296	1,331	1,212	1,151	1,085
21	3,045	3,079	1,418	1,446	1,626	1,633
22	3,000	3,095	1,013	972	1,986	2,122
GENDER						
Male	6,486	6,427	2,646	2,684	3,829	3,742
Female	5,887	5,824	3,033	2,819	2,853	3,006
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	10,119	9,959	4,920	4,600	5,196	5,359
White	7,847	7,641	3,893	3,645	3,950	3,995
Black or African American	1,352	1,409	532	471	820	938
American Indian or Alaska Native	57	*	*	*	44	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	516	472	337	333	179	139
Two or More Races	291	299	*	*	166	170
Hispanic or Latino	2,253	2,292	759	903	1,486	1,389

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.88B Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	55.7	55.3	60.8	60.3	52.0	51.9
AGE						
18	39.2	39.9	46.0	47.5	35.3	35.8
19	46.2	44.7	50.5	49.7	41.4	39.5
20	55.3	53.3	61.3	59.1	49.7	48.1
21	69.7	69.7	76.4	77.5	64.8	64.0
22	69.7	69.6	74.7	70.9	67.4	69.0
GENDER						
Male	57.9	57.4	62.8	62.5	54.9	54.3
Female	53.6	53.2	59.3	58.3	48.6	49.2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	57.9	57.1	62.8	61.5	53.9	53.8
White	63.0	62.2	68.6	67.7	58.3	57.9
Black or African American	42.1	44.0	44.4	44.4	40.7	43.8
American Indian or Alaska Native	45.8	*	*	*	50.2	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	47.2	41.9	48.7	41.7	44.5	42.4
Two or More Races	59.8	56.0	*	*	58.8	49.0
Hispanic or Latino	47.7	48.8	50.6	54.7	46.2	45.7

*Low precision; no estimate reported.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.89A Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	8,197	8,207	3,645	3,661	4,550	4,545
AGE						
18	1,294	1,225	535	517	760	708
19	1,290	1,306	688	723	602	583
20	1,642	1,521	885	799	757	722
21	1,989	2,093	929	960	1,059	1,133
22	1,981	2,061	608	662	1,373	1,398
GENDER						
Male	4,754	4,668	1,901	1,955	2,851	2,712
Female	3,443	3,539	1,744	1,706	1,699	1,833
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	6,680	6,732	3,159	3,083	3,519	3,649
White	5,437	5,418	2,704	2,558	2,732	2,860
Black or African American	725	750	232	241	493	509
American Indian or Alaska Native	40	*	*	*	33	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	254	263	148	188	107	76
Two or More Races	185	194	*	*	119	116
Hispanic or Latino	1,517	1,475	486	579	1,031	896

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.89B Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	36.9	37.1	39.1	40.1	35.4	35.0
AGE						
18	27.3	26.0	30.9	30.8	25.2	23.4
19	30.0	30.7	31.0	33.5	29.1	27.8
20	36.6	35.3	40.8	39.0	32.7	32.0
21	45.6	47.4	50.1	51.5	42.2	44.4
22	46.0	46.3	44.9	48.2	46.6	45.5
GENDER						
Male	42.4	41.7	45.1	45.5	40.9	39.3
Female	31.3	32.4	34.1	35.3	28.9	30.0
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	38.2	38.6	40.3	41.2	36.5	36.6
White	43.6	44.1	47.6	47.5	40.3	41.5
Black or African American	22.5	23.4	19.3	22.8	24.5	23.8
American Indian or Alaska Native	32.1	*	*	*	37.7	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	23.3	23.4	21.3	23.5	26.6	23.1
Two or More Races	38.0	36.3	*	*	41.9	33.4
Hispanic or Latino	32.1	31.4	32.4	35.0	32.0	29.5

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.90A Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	2,623	2,701	1,269	1,311	1,355	1,390
AGE						
18	366	310	189	155	177	155
19	426	472	237	279	189	193
20	527	543	294	307	233	236
21	675	716	333	343	342	373
22	629	659	216	226	413	433
GENDER						
Male	1,765	1,795	784	812	981	982
Female	858	906	484	498	374	408
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	2,194	2,297	1,116	1,144	1,079	1,154
White	1,947	1,971	1,023	1,016	924	956
Black or African American	118	163	37	61	81	102
American Indian or Alaska Native	16	17	*	*	*	15
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	48	69	24	37	24	32
Two or More Races	60	63	*	24	32	39
Hispanic or Latino	429	403	153	167	276	236

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.90B Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	11.8	12.2	13.6	14.4	10.5	10.7
AGE						
18	7.7	6.6	10.9	9.2	5.9	5.1
19	9.9	11.1	10.7	12.9	9.1	9.2
20	11.8	12.6	13.6	15.0	10.1	10.5
21	15.5	16.2	17.9	18.4	13.6	14.6
22	14.6	14.8	15.9	16.5	14.0	14.1
GENDER						
Male	15.7	16.0	18.6	18.9	14.1	14.2
Female	7.8	8.3	9.5	10.3	6.4	6.7
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	12.6	13.2	14.2	15.3	11.2	11.6
White	15.6	16.0	18.0	18.9	13.6	13.9
Black or African American	3.7	5.1	3.1	5.8	4.0	4.8
American Indian or Alaska Native	12.5	10.3	*	*	*	10.5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	4.4	6.1	3.4	4.7	6.0	9.7
Two or More Races	12.4	11.8	*	12.7	11.4	11.3
Hispanic or Latino	9.1	8.6	10.2	10.1	8.6	7.8

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.91A Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	1,823	1,948	604	666	1,219	1,282
AGE						
18	395	486	137	164	258	321
19	364	396	131	164	232	232
20	385	405	139	150	246	254
21	361	323	137	104	225	218
22	318	340	59	83	259	256
GENDER						
Male	1,212	1,214	362	401	849	813
Female	612	735	241	265	370 ^a	469
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	1,469	1,585	508	545	960	1,039
White	1,115	1,158	386	425	730	733
Black or African American	239	292	72	74	167	218
American Indian or Alaska Native	14	16	*	*	9	15
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	47	34	29	15	18	18
Two or More Races	41	69	8	*	33	40
Hispanic or Latino	355	364	96	121	259	243

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.91B Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	8.2	8.8	6.5	7.3	9.5	9.9
AGE						
18	8.3 ^a	10.3	7.9	9.8	8.6	10.6
19	8.5	9.3	5.9	7.6	11.2	11.1
20	8.6	9.4	6.4	7.3	10.6	11.3
21	8.3	7.3	7.4	5.6	9.0	8.5
22	7.4	7.6	4.4	6.1	8.8	8.3
GENDER						
Male	10.8	10.8	8.6	9.3	12.2	11.8
Female	5.6 ^a	6.7	4.7	5.5	6.3	7.7
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	8.4	9.1	6.5	7.3	10.0	10.4
White	9.0	9.4	6.8	7.9	10.8	10.6
Black or African American	7.4	9.1	6.0	6.9	8.3	10.2
American Indian or Alaska Native	10.9	9.5	*	*	10.7	10.3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	4.3	3.0	4.1	1.9	4.5	5.6
Two or More Races	8.4	12.9	3.9	*	11.7	11.5
Hispanic or Latino	7.5	7.7	6.4	7.3	8.0	8.0

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.92A Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	3,192	3,166	1,457	1,410	1,733	1,757
AGE						
18	575	513	230	223	346	290
19	572	529	328	291	243	238
20	622	611	323	331	300	281
21	702	760	359	352	343	408
22	719	753	218	213	501	541
GENDER						
Male	1,866	1,774	720	713	1,145	1,060
Female	1,325	1,393	737	696	588	696
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	2,593	2,513	1,255	1,151	1,337	1,361
White	2,107	2,008	1,054	958	1,051	1,051
Black or African American	239	301	82	103	157	199
American Indian or Alaska Native	21	30	*	*	18	26
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	123	83	73	60	50	23
Two or More Races	81	71	*	23	41	47
Hispanic or Latino	598	654	202	259	396	395

*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.92B Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	14.4	14.3	15.6	15.4	13.5	13.5
AGE						
18	12.1	10.9	13.3	13.3	11.5	9.6
19	13.3	12.4	14.8	13.5	11.7	11.3
20	13.9	14.2	14.9	16.1	13.0	12.4
21	16.1	17.2	19.4	18.9	13.7	16.0
22	16.7	16.9	16.1	15.5	17.0	17.6
GENDER						
Male	16.7	15.8	17.1	16.6	16.4	15.4
Female	12.1	12.7	14.4	14.4	10.0	11.4
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	14.8	14.4	16.0	15.4	13.9	13.7
White	16.9	16.3	18.6	17.8	15.5	15.2
Black or African American	7.4	9.4	6.9	9.7	7.8	9.3
American Indian or Alaska Native	17.1	17.4	*	*	20.1	17.9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	11.2	7.4	10.5	7.6	12.5	7.1
Two or More Races	16.6	13.2	*	12.4	14.4	13.7
Hispanic or Latino	12.7	13.9	13.5	15.6	12.3	13.0

*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.93A Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	4,222	4,293	1,792	1,747	2,429	2,546
AGE						
18	795	809	306	316	489	493
19	768	774	398	384	368	390
20	853	833	406	391	447	441
21	901	934	437	390	464	544
22	905	944	244	266	661	677
GENDER						
Male	2,530	2,504	919	937	1,610	1,566
Female	1,692	1,789	873	810	819 ^a	980
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	3,422	3,449	1,526	1,431	1,894	2,018
White	2,715	2,682	1,246	1,172	1,468	1,510
Black or African American	398	481	127	140	271	341
American Indian or Alaska Native	27	36	*	*	20	32
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	148	102	91	66	57	36
Two or More Races	101	117	*	*	56	72
Hispanic or Latino	800	844	266	316	535	528

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.93B Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	19.0	19.4	19.2	19.1	18.9	19.6
AGE						
18	16.8	17.2	17.7	18.8	16.2	16.3
19	17.9	18.2	17.9	17.8	17.8	18.6
20	19.0	19.3	18.7	19.1	19.3	19.6
21	20.6	21.1	23.5	20.9	18.5	21.3
22	21.0	21.2	18.0	19.4	22.4	22.0
GENDER						
Male	22.6	22.4	21.8	21.8	23.1	22.7
Female	15.4	16.4	17.1	16.8	14.0 ^a	16.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	19.6	19.8	19.5	19.1	19.7	20.3
White	21.8	21.8	22.0	21.8	21.7	21.9
Black or African American	12.4	15.0	10.6	13.2	13.5	15.9
American Indian or Alaska Native	21.5	21.0	*	*	22.3	22.0
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	13.6	9.0	13.1	8.3	14.3	10.9
Two or More Races	20.7	21.9	*	*	19.9	20.9
Hispanic or Latino	16.9	18.0	17.7	19.1	16.6	17.4

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.