

**Table 6.7A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2011 and 2012**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
<b>ILLCIT DRUGS<sup>1</sup></b>	12,553	13,236	9,901	10,627
Marijuana and Hashish	10,650	11,146	7,420	7,709
Cocaine	1,097	1,335	272	315
Crack	224	386	*	57
Heroin	258	272	23	63
Hallucinogens	714	854	258	279
LSD	118	148	34	36
PCP	25	15	*	17
Ecstasy	418	473	126	155
Inhalants	263	188	361	305
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	3,470	3,498	2,649 <sup>b</sup>	3,333
Pain Relievers	2,518	2,580	1,952	2,283
OxyContin <sup>®</sup>	307	298	127	60
Tranquilizers	1,126	1,215	714	923
Stimulants <sup>3</sup>	686	709	284 <sup>a</sup>	462
Methamphetamine <sup>3</sup>	317	343	122	97
Sedatives	133	72	98	198
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	4,647	4,877	3,373 <sup>a</sup>	4,007

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.7B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Percentages, 2011 and 2012**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
<b>ILLCIT DRUGS<sup>1</sup></b>	22.1	23.0	4.9	5.2
Marijuana and Hashish	18.7	19.4	3.7	3.8
Cocaine	1.9	2.3	0.1	0.2
Crack	0.4	0.7	*	0.0
Heroin	0.5	0.5	0.0	0.0
Hallucinogens	1.3	1.5	0.1	0.1
LSD	0.2	0.3	0.0	0.0
PCP	0.0	0.0	*	0.0
Ecstasy	0.7	0.8	0.1	0.1
Inhalants	0.5	0.3	0.2	0.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	6.1	6.1	1.3 <sup>b</sup>	1.6
Pain Relievers	4.4	4.5	1.0	1.1
OxyContin <sup>®</sup>	0.5	0.5	0.1	0.0
Tranquilizers	2.0	2.1	0.4	0.5
Stimulants <sup>3</sup>	1.2	1.2	0.1 <sup>a</sup>	0.2
Methamphetamine <sup>3</sup>	0.6	0.6	0.1	0.0
Sedatives	0.2	0.1	0.0	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	8.2	8.5	1.7 <sup>a</sup>	2.0

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.8A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Numbers in Thousands, 2011 and 2012**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
<b>ILLCIT DRUGS<sup>1</sup></b>	1,117 <sup>b</sup>	892	1,406	1,485
Marijuana and Hashish	1,020 <sup>b</sup>	803	947	997
Cocaine	56 <sup>a</sup>	27	11	3
Crack	3	1	*	*
Heroin	14	*	*	*
Hallucinogens	132	120	83 <sup>b</sup>	40
LSD	25	23	9	3
PCP	3	4	2	*
Ecstasy	65	60	43 <sup>a</sup>	13
Inhalants	64	61	158	126
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	321 <sup>b</sup>	231	368 <sup>a</sup>	462
Pain Relievers	248 <sup>b</sup>	170	315 <sup>a</sup>	389
OxyContin <sup>®</sup>	41	29	10	20
Tranquilizers	123 <sup>a</sup>	79	39	61
Stimulants <sup>3</sup>	68	70	30	48
Methamphetamine <sup>3</sup>	32	19	4	12
Sedatives	9	11	15	15
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	443 <sup>b</sup>	329	583	589

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.8B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Percentages, 2011 and 2012**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
<b>ILLCIT DRUGS<sup>1</sup></b>	57.6	54.6	6.1	6.4
Marijuana and Hashish	52.6	49.1	4.1	4.3
Cocaine	2.9 <sup>a</sup>	1.6	0.0	0.0
Crack	0.2	0.0	*	*
Heroin	0.7	*	*	*
Hallucinogens	6.8	7.3	0.4 <sup>b</sup>	0.2
LSD	1.3	1.4	0.0	0.0
PCP	0.1	0.3	0.0	*
Ecstasy	3.4	3.7	0.2 <sup>a</sup>	0.1
Inhalants	3.3	3.8	0.7	0.5
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	16.5	14.1	1.6 <sup>a</sup>	2.0
Pain Relievers	12.8	10.4	1.4 <sup>a</sup>	1.7
OxyContin <sup>®</sup>	2.1	1.8	0.0	0.1
Tranquilizers	6.3	4.8	0.2	0.3
Stimulants <sup>3</sup>	3.5	4.3	0.1	0.2
Methamphetamine <sup>3</sup>	1.7	1.1	0.0	0.0
Sedatives	0.5	0.7	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	22.8	20.1	2.5	2.5

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.9A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Numbers in Thousands, 2011 and 2012**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
<b>ILLCIT DRUGS<sup>1</sup></b>	4,586	4,540	2,766	2,842
Marijuana and Hashish	4,135	4,060	2,391	2,425
Cocaine	408	336	56	62
Crack	19	27	2	10
Heroin	98	113	10	25
Hallucinogens	415	414	142	186
LSD	75	85	17	33
PCP	12	7	*	5
Ecstasy	247	253	69	108
Inhalants	127	89	17	34
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,200	1,259	511	574
Pain Relievers	858	925	362	386
OxyContin <sup>®</sup>	129	132	29	13
Tranquilizers	409	429	137	109
Stimulants <sup>3</sup>	282	289	62 <sup>a</sup>	110
Methamphetamine <sup>3</sup>	69	91	10	6
Sedatives	31	17	12	34
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	1,719	1,654	666	780

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.9B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Percentages, 2011 and 2012**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
<b>ILLCIT DRUGS<sup>1</sup></b>	39.9	41.2	12.1	12.0
Marijuana and Hashish	36.0	36.9	10.5	10.3
Cocaine	3.6	3.0	0.2	0.3
Crack	0.2	0.2	0.0	0.0
Heroin	0.8	1.0	0.0	0.1
Hallucinogens	3.6	3.8	0.6	0.8
LSD	0.6	0.8	0.1	0.1
PCP	0.1	0.1	*	0.0
Ecstasy	2.1	2.3	0.3	0.5
Inhalants	1.1	0.8	0.1	0.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	10.4	11.4	2.2	2.4
Pain Relievers	7.5	8.4	1.6	1.6
OxyContin <sup>®</sup>	1.1	1.2	0.1	0.1
Tranquilizers	3.6	3.9	0.6	0.5
Stimulants <sup>3</sup>	2.5	2.6	0.3 <sup>a</sup>	0.5
Methamphetamine <sup>3</sup>	0.6	0.8	0.0	0.0
Sedatives	0.3	0.2	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	15.0	15.0	2.9	3.3

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.10A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2011 and 2012**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
<b>ILLICIT DRUGS<sup>1</sup></b>	6,851 <sup>a</sup>	7,804	5,729	6,301
Marijuana and Hashish	5,495 <sup>a</sup>	6,283	4,083	4,287
Cocaine	633 <sup>a</sup>	973	205	250
Crack	202	358	*	47
Heroin	147	159	12	38
Hallucinogens	167	320	33	53
LSD	19	39	*	*
PCP	10	4	*	12
Ecstasy	106	160	14	34
Inhalants	71	38	186	144
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,949	2,008	1,771 <sup>a</sup>	2,297
Pain Relievers	1,412	1,485	1,276	1,508
OxyContin <sup>®</sup>	138	137	88	28
Tranquilizers	594	708	538	753
Stimulants <sup>3</sup>	336	350	192	304
Methamphetamine <sup>3</sup>	215	233	108	80
Sedatives	93	44	71	148
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	2,486	2,893	2,124 <sup>a</sup>	2,637

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.10B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Percentages, 2011 and 2012**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
<b>ILLCIT DRUGS<sup>1</sup></b>	15.8	17.4	3.7	4.0
Marijuana and Hashish	12.7	14.0	2.6	2.8
Cocaine	1.5 <sup>a</sup>	2.2	0.1	0.2
Crack	0.5	0.8	*	0.0
Heroin	0.3	0.4	0.0	0.0
Hallucinogens	0.4	0.7	0.0	0.0
LSD	0.0	0.1	*	*
PCP	0.0	0.0	*	0.0
Ecstasy	0.2	0.4	0.0	0.0
Inhalants	0.2	0.1	0.1	0.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	4.5	4.5	1.1 <sup>a</sup>	1.5
Pain Relievers	3.3	3.3	0.8	1.0
OxyContin <sup>®</sup>	0.3	0.3	0.1	0.0
Tranquilizers	1.4	1.6	0.3	0.5
Stimulants <sup>3</sup>	0.8	0.8	0.1	0.2
Methamphetamine <sup>3</sup>	0.5	0.5	0.1	0.1
Sedatives	0.2	0.1	0.0	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	5.7	6.4	1.4 <sup>a</sup>	1.7

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.