

**Table 6.94A Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Numbers in Thousands, 2011 and 2012**

Age Category	Illicit Drugs (2011)	Illicit Drugs (2012)	Alcohol (2011)	Alcohol (2012)	Illicit Drugs or Alcohol (2011)	Illicit Drugs or Alcohol (2012)
<b>TOTAL</b>	9,411 <sup>a</sup>	10,269	28,595	29,103	31,221	31,981
12	6	*	7	*	7	*
13	11	12	9	10	13	12
14	18	25	15	21	24	30
15	61	43	44	45	77	58
16	190	160	159	133	233	207
17	357	342	285	267	429	448
18	503	517	472	477	656	653
19	555	548	610	550	778	743
20	616	628	738	671	961	882
21	560	546	889	905	1,028	1,036
22	560	577	958	1,003	1,094	1,131
23	399	475	962	996	1,036	1,115
24	393	449	915	928	984	1,037
25	400	386	824	838	919	913
26-29	1,178	1,319	3,336	3,365	3,680	3,687
30-34	1,048	1,147	3,344	3,221	3,595	3,514
35-39	698	852	2,556	2,491	2,697	2,686
40-44	491	616	2,875	2,759	2,960	2,908
45-49	370	507	2,658	2,732	2,788	2,877
50-54	517	521	2,647	2,820	2,838	2,953
55-59	273	314	1,591	1,924	1,682	2,047
60-64	145	246	1,403	1,333	1,426	1,432
65 or Older	63	39	1,298	1,613	1,317	1,613

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.94B Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Percentages, 2011 and 2012**

Age Category	Illicit Drugs (2011)	Illicit Drugs (2012)	Alcohol (2011)	Alcohol (2012)	Illicit Drugs or Alcohol (2011)	Illicit Drugs or Alcohol (2012)
<b>TOTAL</b>	3.7 <sup>a</sup>	3.9	11.1	11.2	12.1	12.3
12	0.2	*	0.2	*	0.2	*
13	0.3	0.3	0.2	0.2	0.3	0.3
14	0.4	0.6	0.4	0.5	0.6	0.7
15	1.4	1.0	1.0	1.1	1.8	1.4
16	4.3	3.8	3.6	3.2	5.3	4.9
17	8.5	8.0	6.7	6.2	10.2	10.5
18	10.6	11.0	10.0	10.1	13.8	13.9
19	12.9	12.9	14.2	12.9	18.1	17.4
20	13.7	14.6	16.5	15.6	21.4	20.5
21	12.8	12.4	20.4	20.5	23.5	23.4
22	13.0	13.0	22.3	22.5	25.4	25.4
23	10.0	10.9	24.1	22.8	26.0	25.5
24	9.4	11.0	21.9	22.7	23.6	25.4
25	10.1	9.7	20.9	21.0	23.3	22.9
26-29	6.9	7.7	19.6	19.6	21.6	21.5
30-34	5.4	5.8	17.2	16.3	18.5	17.8
35-39	3.5	4.4	13.0	12.8	13.7	13.8
40-44	2.4	3.1	14.1	13.7	14.5	14.4
45-49	1.7	2.4	12.3	12.8	12.9	13.4
50-54	2.2	2.2	11.5	12.1	12.3	12.6
55-59	1.4	1.5	8.4	9.3	8.9	9.9
60-64	0.8	1.5	7.8	8.0	7.9	8.6
65 or Older	0.2	0.1	3.2	3.9	3.3	3.9

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.95A Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2011)</b>	<b>Illicit Drugs (2012)</b>	<b>Alcohol (2011)</b>	<b>Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2011)</b>	<b>Illicit Drugs or Alcohol (2012)</b>
<b>TOTAL</b>	9,411 <sup>a</sup>	10,269	28,595	29,103	31,221	31,981
<b>AGE</b>						
12-17	642	582	518	477	783	755
18-25	3,986	4,126	6,368	6,369	7,455	7,509
26 or Older	4,783 <sup>a</sup>	5,561	21,709	22,257	22,983	23,717
<b>GENDER</b>						
Male	6,408	6,836	18,227	18,440	19,983	20,311
Female	3,004 <sup>a</sup>	3,433	10,368	10,662	11,238	11,670
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	8,168 <sup>a</sup>	8,956	25,300	25,746	27,692	28,332
White	6,687	7,272	21,747	22,125	23,741	24,227
Black or African American	1,027	1,157	2,265	2,319	2,569	2,651
American Indian or Alaska Native	70	107	158	219	171	253
Native Hawaiian or Other Pacific Islander	*	63	111	93	126	105
Asian	124	152	651	575	656	603
Two or More Races	200	205	368	414	429	493
Hispanic or Latino	1,243	1,313	3,295	3,357	3,529	3,649

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.95B Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2011)</b>	<b>Illicit Drugs (2012)</b>	<b>Alcohol (2011)</b>	<b>Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2011)</b>	<b>Illicit Drugs or Alcohol (2012)</b>
<b>TOTAL</b>	3.7 <sup>a</sup>	3.9	11.1	11.2	12.1	12.3
<b>AGE</b>						
12-17	2.6	2.3	2.1	1.9	3.1	3.0
18-25	11.6	11.9	18.6	18.4	21.7	21.7
26 or Older	2.4 <sup>a</sup>	2.8	10.9	11.1	11.6	11.8
<b>GENDER</b>						
Male	5.1	5.4	14.6	14.6	16.0	16.1
Female	2.3 <sup>a</sup>	2.6	7.8	7.9	8.5	8.7
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	3.7 <sup>a</sup>	4.1	11.6	11.7	12.7	12.9
White	4.0	4.3	12.9	13.0	14.0	14.3
Black or African American	3.4	3.8	7.5	7.6	8.5	8.6
American Indian or Alaska Native	4.9	7.4	11.0	15.1	12.0	17.5
Native Hawaiian or Other Pacific Islander	*	5.9	11.8	8.7	13.5	9.7
Asian	1.0	1.2	5.2	4.5	5.3	4.7
Two or More Races	5.0	4.9	9.2	10.0	10.7	11.9
Hispanic or Latino	3.2	3.3	8.4	8.3	9.0	9.1

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.96A Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2011)</b>	<b>Illicit Drugs (2012)</b>	<b>Alcohol (2011)</b>	<b>Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2011)</b>	<b>Illicit Drugs or Alcohol (2012)</b>
<b>TOTAL</b>	8,769 <sup>a</sup>	9,687	28,077	28,626	30,438	31,226
<b>GENDER</b>						
Male	6,041	6,508	17,951	18,191	19,543	19,893
Female	2,728 <sup>a</sup>	3,179	10,126	10,435	10,895	11,332
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	7,653 <sup>a</sup>	8,454	24,887	25,353	27,064	27,698
White	6,259	6,876	21,402	21,792	23,213	23,718
Black or African American	976	1,098	2,233	2,297	2,515	2,587
American Indian or Alaska Native	63	101	150	216	162	247
Native Hawaiian or Other Pacific Islander	*	57	*	93	124	98
Asian	121	146	648	569	653	592
Two or More Races	174	176	347	387	397	456
Hispanic or Latino	1,117	1,233	3,190	3,273	3,374	3,527
<b>EDUCATION</b>						
< High School	1,358	1,208	2,061	2,119	2,499	2,501
High School Graduate	2,615 <sup>a</sup>	3,044	6,560	7,090	7,374	7,990
Some College	3,177	3,306	8,498	8,646	9,333	9,514
College Graduate	1,618 <sup>b</sup>	2,128	10,959	10,770	11,232	11,220
<b>CURRENT EMPLOYMENT</b>						
Full-Time	4,491 <sup>b</sup>	5,244	18,516	18,933	19,606	20,135
Part-Time	1,777	2,018	4,106	4,049	4,593	4,710
Unemployed	1,076	1,035	1,601	1,630	1,949	1,919
Other <sup>1</sup>	1,425	1,390	3,854	4,013	4,291	4,461

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.96B Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2011 and 2012**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2011)</b>	<b>Illicit Drugs (2012)</b>	<b>Alcohol (2011)</b>	<b>Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2011)</b>	<b>Illicit Drugs or Alcohol (2012)</b>
<b>TOTAL</b>	3.8 <sup>a</sup>	4.1	12.1	12.2	13.1	13.3
<b>GENDER</b>						
Male	5.4	5.8	16.0	16.1	17.5	17.6
Female	2.3 <sup>a</sup>	2.6	8.4	8.6	9.0	9.3
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	3.9 <sup>a</sup>	4.2	12.5	12.7	13.6	13.8
White	4.0	4.4	13.8	14.0	15.0	15.2
Black or African American	3.6	4.0	8.3	8.5	9.4	9.5
American Indian or Alaska Native	4.9	7.8	11.6	16.6	12.5	19.1
Native Hawaiian or Other Pacific Islander	*	5.7	*	9.5	14.4	10.0
Asian	1.1	1.3	5.8	4.9	5.8	5.1
Two or More Races	5.3	5.1	10.6	11.3	12.1	13.3
Hispanic or Latino	3.3	3.5	9.4	9.4	9.9	10.1
<b>EDUCATION</b>						
< High School	4.1	3.5	6.2	6.2	7.6	7.3
High School Graduate	3.8 <sup>a</sup>	4.4	9.4	10.2	10.6	11.5
Some College	5.1	5.3	13.8	13.8	15.1	15.2
College Graduate	2.4 <sup>b</sup>	3.1	16.1	15.7	16.5	16.4
<b>CURRENT EMPLOYMENT</b>						
Full-Time	3.9 <sup>a</sup>	4.5	16.0	16.1	16.9	17.1
Part-Time	5.5	6.2	12.7	12.4	14.2	14.4
Unemployed	7.9	7.6	11.8	12.0	14.3	14.1
Other <sup>1</sup>	2.0	2.0	5.4	5.6	6.1	6.3

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.97A Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Illicit Drugs (2011)</b>	<b>Illicit Drugs (2012)</b>	<b>Alcohol (2011)</b>	<b>Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2011)</b>	<b>Illicit Drugs or Alcohol (2012)</b>
<b>TOTAL</b>	8,769 <sup>a</sup>	9,687	28,077	28,626	30,438	31,226
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1,581	1,652	5,280	5,049	5,736	5,526
New England	495	566	1,717	1,573	1,839	1,712
Middle Atlantic	1,086	1,086	3,563	3,476	3,897	3,814
Midwest	1,985	2,123	7,064	7,305	7,645	7,934
East North Central	1,447	1,540	4,822	4,973	5,256	5,396
West North Central	538	583	2,242	2,331	2,390	2,538
South	3,173	3,288	9,766	9,724	10,629	10,574
South Atlantic	1,659	1,880	4,953	4,994	5,438	5,509
East South Central	545	409	1,436	1,378	1,643	1,471
West South Central	968	999	3,378	3,352	3,547	3,594
West	2,030 <sup>b</sup>	2,624	5,968	6,548	6,428	7,192
Mountain	579	701	1,833	2,014	1,984	2,206
Pacific	1,451 <sup>a</sup>	1,923	4,134	4,534	4,443	4,986
<b>COUNTY TYPE</b>						
Large Metro	4,703 <sup>a</sup>	5,302	15,355	15,781	16,570	17,180
Small Metro	2,872	3,129	9,145	9,095	9,883	9,975
250K – 1 Mil. Pop.	1,878	2,051	6,021	6,162	6,513	6,738
< 250K Pop.	994	1,078	3,124	2,933	3,370	3,237
Nonmetro	1,194	1,256	3,577	3,750	3,985	4,070
Urbanized	587	671	1,401 <sup>b</sup>	1,829	1,631 <sup>a</sup>	1,976
Less Urbanized	509	492	1,802	1,564	1,955	1,721
Completely Rural	98	93	374	357	398	374

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.97B Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2011 and 2012**

<b>Geographic Characteristic</b>	<b>Illicit Drugs (2011)</b>	<b>Illicit Drugs (2012)</b>	<b>Alcohol (2011)</b>	<b>Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2011)</b>	<b>Illicit Drugs or Alcohol (2012)</b>
<b>TOTAL</b>	3.8 <sup>a</sup>	4.1	12.1	12.2	13.1	13.3
<b>GEOGRAPHIC DIVISION</b>						
Northeast	3.7	3.8	12.4	11.8	13.5	12.9
New England	4.4	5.0	15.3	13.9	16.4	15.1
Middle Atlantic	3.5	3.4	11.3	11.0	12.4	12.1
Midwest	4.0	4.2	14.1	14.5	15.2	15.7
East North Central	4.1	4.4	13.8	14.2	15.1	15.4
West North Central	3.5	3.8	14.6	15.1	15.6	16.4
South	3.7	3.8	11.4	11.2	12.4	12.1
South Atlantic	3.6	4.1	10.9	10.8	11.9	11.9
East South Central	3.9	2.9	10.4	9.9	11.9	10.6
West South Central	3.6	3.7	12.7	12.4	13.4	13.3
West	3.8 <sup>b</sup>	4.8	11.1	12.0	11.9	13.2
Mountain	3.5	4.2	11.2	12.2	12.2	13.3
Pacific	3.9 <sup>a</sup>	5.1	11.0	11.9	11.8	13.1
<b>COUNTY TYPE</b>						
Large Metro	3.8	4.2	12.4	12.6	13.4	13.7
Small Metro	3.9	4.4	12.6	12.8	13.6	14.0
250K – 1 Mil. Pop.	3.8	4.3	12.3	12.9	13.3	14.1
< 250K Pop.	4.2	4.6	13.2	12.6	14.3	13.9
Nonmetro	3.3	3.3	9.8	9.8	11.0	10.6
Urbanized	3.9	4.0	9.3	11.0	10.8	11.9
Less Urbanized	2.9	2.8	10.4	9.0	11.2	9.9
Completely Rural	2.6	2.1	9.7	8.2	10.4	8.6

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.