

Table 6.1C Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	514	556	83	75	167	171	462	488
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	295	298	52	49	112	119	262	271
12-49	207	212	38	39	82	81	181	198
50-99	171	149	30	28	57	59	155	132
100-299	235	270	41	40	98	91	211	249
300 or More	219	227	22	22	77	96	202	199
TOTAL PAST MONTH USERS	409	431	61	55	135	133	374	392
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	186	211	36	33	73	64	170	202
3-5	160	164	28	29	62	55	143	154
6-19	178	178	35	29	65	69	157	163
20 or More	267	278	29	29	95	104	247	246

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.1D Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	0.20	0.21	0.33	0.30	0.49	0.49	0.23	0.24
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.80	0.73	1.15	1.15	0.77	0.78	1.38	1.26
12-49	0.60	0.61	0.92	0.98	0.61	0.60	1.04	1.05
50-99	0.53	0.44	0.78	0.79	0.49	0.49	0.93	0.73
100-299	0.66	0.71	0.98	1.02	0.75	0.75	1.16	1.19
300 or More	0.65	0.62	0.59	0.63	0.66	0.72	1.13	1.02
TOTAL PAST MONTH USERS	0.16	0.17	0.24	0.22	0.39	0.39	0.19	0.20
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.90	0.96	1.56	1.51	0.91	0.82	1.56	1.64
3-5	0.81	0.80	1.27	1.43	0.79	0.74	1.39	1.33
6-19	0.85	0.85	1.46	1.44	0.87	0.94	1.41	1.38
20 or More	1.08	1.04	1.27	1.38	1.05	1.06	1.86	1.72

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.1P Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	0.0450		0.1093		0.2881		0.0265	
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.4203		0.6093		0.5368		0.4913	
12-49	0.5441		0.7931		0.0883		0.9899	
50-99	0.1395		0.7216		0.3261		0.2416	
100-299	0.0234		0.7032		0.7822		0.0169	
300 or More	0.7810		0.7929		0.0101		0.3667	
TOTAL PAST MONTH USERS	0.2989		0.0458		0.6027		0.0961	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.2604		0.5531		0.0197		0.6350	
3-5	0.5365		0.3657		0.0385		0.9735	
6-19	0.3745		0.1398		0.1533		0.4552	
20 or More	0.4268		0.9593		0.0224		0.8612	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.2C Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	168	217	20	19	72	74	154	200
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	124	133	16	15	62	61	107	115
12-49	87	117	9	7	33	35	79	113
50-99	48	87	6	6	18	15	44	85
100-299	54	89	5	7	13	18	53	86
300 or More	18	33	*	0	5	8	17	32
TOTAL PAST MONTH USERS	106	142	12	7	41	33	96	138
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	78	76	*	*	31	26	69	72
3-5	58	64	*	*	22	16	*	62
6-19	33	93	*	*	10	11	32	*
20 or More	25	36	*	*	5	9	25	35

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.2D Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	0.07	0.08	0.08	0.08	0.21	0.21	0.08	0.10
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2.19	2.40	4.27	5.31	2.04	2.23	3.64	3.45
12-49	1.92	2.10	3.60	3.83	1.82	1.87	3.24	3.24
50-99	1.20	1.72	2.44	3.24	1.10	0.92	2.04	2.69
100-299	1.35	1.74	1.96	3.72	0.80	1.12	2.41	2.66
300 or More	0.47	0.71	*	0.10	0.35	0.49	0.82	1.12
TOTAL PAST MONTH USERS	0.04	0.05	0.05	0.03	0.12	0.09	0.05	0.07
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	3.78	4.10	*	*	3.88	4.27	5.76	5.13
3-5	3.58	3.56	*	*	3.67	3.63	*	4.65
6-19	2.35	4.48	*	*	2.17	2.53	3.58	*
20 or More	1.80	2.07	*	*	1.00	2.18	2.88	2.71

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.2P Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	0.0049		0.0658		0.8186		0.0015	
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.0068		0.5961		0.1269		0.0690	
12-49	0.3826		0.3968		0.4227		0.5675	
50-99	0.1415		0.7805		0.9842		0.1747	
100-299	0.3837		0.0639		0.1643		0.9502	
300 or More	0.1307		*		0.2416		0.2491	
TOTAL PAST MONTH USERS	0.1269		0.0037		0.1569		0.0238	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.0019		*		0.4110		0.0145	
3-5	0.7520		*		0.5803		*	
6-19	0.0102		*		0.1500		*	
20 or More	0.3061		*		0.2228		0.6694	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.3C Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	143	175	35	32	81	89	106	138
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	131	151	30	27	79	85	98	125
12-49	50	67	16	14	33	34	37	56
50-99	34	36	8	6	17	16	28	32
100-299	22	36	8	8	16	10	12	34
300 or More	5	6	2	5	4	3	3	*
TOTAL PAST MONTH USERS	60	90	22	17	40	46	38	77
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	55	79	19	12	38	37	*	*
3-5	19	41	9	10	14	20	*	*
6-19	15	12	7	8	8	7	*	*
20 or More	5	8	1	2	2	7	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.3D Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	0.06	0.07	0.14	0.13	0.23	0.26	0.05	0.07
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	1.46	1.71	2.49	2.76	1.58	1.53	3.99	4.34
12-49	1.16	1.44	2.18	2.33	1.29	1.36	3.15	3.57
50-99	0.82	0.80	1.15	1.15	0.73	0.70	2.50	2.05
100-299	0.53	0.82	1.21	1.32	0.68	0.45	1.09	2.15
300 or More	0.13	0.13	0.29	0.85	0.16	0.15	0.26	*
TOTAL PAST MONTH USERS	0.02	0.03	0.09	0.07	0.12	0.13	0.02	0.04
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	2.40	3.33	4.50	5.66	2.74	2.90	*	*
3-5	1.93	3.18	3.73	5.31	2.35	2.81	*	*
6-19	1.51	1.12	3.02	4.36	1.42	1.11	*	*
20 or More	0.56	0.69	0.58	1.02	0.34	1.10	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.3P Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	0.3911		0.0511		0.3469		0.0245	
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.8405		0.8027		0.2655		0.5078	
12-49	0.9363		0.6376		0.6521		0.5336	
50-99	0.6556		0.9154		0.8144		0.5655	
100-299	0.8886		0.8534		0.0898		0.2081	
300 or More	0.7221		0.2441		0.7845		*	
TOTAL PAST MONTH USERS	0.1576		0.0562		0.5339		0.0441	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.2896		0.0731		0.3499		*	
3-5	0.1028		0.2250		0.3252		*	
6-19	0.1856		0.3922		0.3395		*	
20 or More	0.3858		0.5449		0.1109		*	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.4C Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	107	120	40	34	47	38	87	107
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	78	81	33	27	40	32	*	*
12-49	48	81	17	17	15	18	*	*
50-99	33	26	13	11	9	7	*	*
100-299	35	19	9	9	8	10	*	*
300 or More	7	10	5	3	*	*	*	*
TOTAL PAST MONTH USERS	68	65	20	19	36	22	54	56
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	49	*	15	16	*	*	*	*
3-5	26	*	7	8	*	*	*	*
6-19	26	12	10	7	*	*	*	*
20 or More	*	*	7	2	*	*	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.4D Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	0.04	0.05	0.16	0.14	0.14	0.11	0.04	0.05
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2.64	3.63	2.23	2.69	3.11	4.19	*	*
12-49	2.24	3.80	1.82	2.34	2.50	3.48	*	*
50-99	1.72	1.50	1.54	1.54	1.84	1.39	*	*
100-299	1.81	1.14	1.08	1.37	1.55	2.11	*	*
300 or More	0.39	0.62	0.59	0.39	*	*	*	*
TOTAL PAST MONTH USERS	0.03	0.02	0.08	0.08	0.10	0.06	0.03	0.03
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	5.01	*	4.68	4.60	*	*	*	*
3-5	3.72	*	3.15	3.73	*	*	*	*
6-19	3.95	2.45	3.89	3.28	*	*	*	*
20 or More	*	*	2.95	1.10	*	*	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.4P Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	0.2371		0.0011		0.6028		0.8477	
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.6703		0.2865		0.1409		*	
12-49	0.1221		0.1261		0.1879		*	
50-99	0.1824		0.3043		0.6048		*	
100-299	0.3430		0.3338		0.7037		*	
300 or More	0.8560		0.8140		*		*	
TOTAL PAST MONTH USERS	0.1275		0.2050		0.5709		0.2994	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	*		0.1724		*		*	
3-5	*		0.5895		*		*	
6-19	0.0412		0.2346		*		*	
20 or More	*		0.0782		*		*	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.5C Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST MONTH USERS	816	839	60	55	162	161	771	796
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	249	227	33	29	87	83	235	211
3-5	206	199	26	22	63	61	197	187
6-19	247	292	26	26	73	78	233	279
20-29	271	273	21	17	68	71	260	261
30	709	740	28	25	134	129	681	709
TOTAL DAILY SMOKERS¹	675	691	28	25	125	124	650	662
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	275	303	19	19	68	68	265	298
6-15 (1/2 Pack)	390	425	17	14	81	80	375	410
16-25 (1 Pack)	364	371	9	7	56	48	357	365
26 or More (More Than 1 Pack)	224	237	4	2	26	23	223	235
Not Reported	3	17	1	3	1	3	3	16

*Low precision; no estimate reported.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.5D Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Percentages, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST MONTH USERS	0.32	0.32	0.24	0.22	0.47	0.47	0.39	0.40
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.41	0.38	1.42	1.41	0.63	0.67	0.51	0.46
3-5	0.35	0.33	1.23	1.26	0.51	0.51	0.44	0.40
6-19	0.41	0.48	1.19	1.38	0.57	0.61	0.51	0.59
20-29	0.45	0.44	1.01	0.99	0.53	0.57	0.57	0.54
30	0.71	0.71	1.28	1.33	0.86	0.88	0.88	0.85
TOTAL DAILY SMOKERS¹	0.26	0.27	0.11	0.10	0.36	0.36	0.33	0.33
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	0.69	0.76	3.02	3.46	1.07	1.12	0.80	0.89
6-15 (1/2 Pack)	0.86	0.92	3.05	3.22	1.08	1.08	1.01	1.08
16-25 (1 Pack)	0.82	0.83	1.88	1.79	0.90	0.84	0.97	0.98
26 or More (More Than 1 Pack)	0.60	0.63	0.80	0.49	0.48	0.45	0.71	0.74
Not Reported	0.01	0.05	0.23	0.87	0.02	0.06	0.01	0.05

*Low precision; no estimate reported.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.5P Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST MONTH USERS	0.8854		0.0002		0.0110		0.3516	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.5965		0.5925		0.6303		0.9968	
3-5	0.8039		0.7667		0.6062		0.4792	
6-19	0.4328		0.6002		0.2493		0.5154	
20-29	0.5995		0.3613		0.9746		0.5899	
30	0.9720		0.7182		0.8632		0.6860	
TOTAL DAILY SMOKERS¹	0.8966		0.0384		0.0964		0.6147	
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	0.1896		0.3797		0.9053		0.1405	
6-15 (1/2 Pack)	0.7368		0.7582		0.6174		0.7574	
16-25 (1 Pack)	0.6081		0.1739		0.5294		0.5960	
26 or More (More Than 1 Pack)	0.1618		0.5147		0.6891		0.1391	
Not Reported	0.0234		0.1131		0.1241		0.0771	

*Low precision; no estimate reported.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.6C Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	984	955	107	105	157	147	954	925
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	768	800	93	88	147	141	731	765
12-49	860	833	60	63	170	186	827	808
50-99	607	626	45	42	152	134	575	601
100-299	899	974	32	32	211	215	860	947
300 or More	457	436	10	8	42	43	456	433
TOTAL PAST MONTH USERS	1,006	1,016	77	78	184	170	978	972
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	760	783	63	63	147	150	721	759
3-5	732	730	39	43	158	163	708	706
6-19	770	808	35	34	223	196	726	767
20 or More	623	654	11	12	74	73	615	648

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.6D Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2011 and 2012

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	0.38	0.37	0.43	0.42	0.46	0.42	0.48	0.46
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.37	0.38	0.82	0.87	0.44	0.45	0.45	0.46
12-49	0.41	0.39	0.71	0.78	0.46	0.49	0.50	0.47
50-99	0.32	0.31	0.58	0.59	0.42	0.39	0.38	0.38
100-299	0.39	0.44	0.44	0.45	0.51	0.57	0.48	0.53
300 or More	0.25	0.24	0.15	0.13	0.15	0.16	0.31	0.29
TOTAL PAST MONTH USERS	0.39	0.39	0.31	0.31	0.54	0.49	0.49	0.48
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.45	0.45	1.18	1.28	0.55	0.55	0.53	0.54
3-5	0.44	0.45	1.02	1.11	0.54	0.56	0.53	0.53
6-19	0.44	0.45	0.95	0.94	0.65	0.65	0.52	0.53
20 or More	0.41	0.42	0.32	0.38	0.33	0.32	0.49	0.51

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.6P Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Frequency of Use	Total (2011)	Total (2012)	Aged 12-17 (2011)	Aged 12-17 (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26+ (2011)	Aged 26+ (2012)
TOTAL PAST YEAR USERS	0.2667		0.0128		0.5505		0.2103	
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.7664		0.8191		0.8379		0.6717	
12-49	0.6885		0.1221		0.9115		0.5918	
50-99	0.5153		0.3084		0.3499		0.6770	
100-299	0.4433		0.1912		0.7051		0.5147	
300 or More	0.7787		0.2931		0.6841		0.7092	
TOTAL PAST MONTH USERS	0.5527		0.3572		0.4827		0.4684	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.4308		0.5131		0.7440		0.4504	
3-5	0.2874		0.5573		0.7072		0.2410	
6-19	0.6592		0.1633		0.2921		0.8719	
20 or More	0.4698		0.7606		0.4665		0.5614	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.