

Table 6.79C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	168	155	128	122	106	97
Marijuana and Hashish	154	146	118	113	97	93
Cocaine	37	28	30	17	21	22
Crack	5	7	2	*	5	7
Heroin	16	18	9	4	13	18
Hallucinogens	34	40	24	30	24	27
LSD	12	14	7	7	10	12
PCP	3	4	*	2	3	4
Ecstasy	27	35	20	28	19	22
Inhalants	35	22	31	16	15	15
Nonmedical Use of Psychotherapeutics ^{4,5}	62	61	40	40	46	46
Pain Relievers	51	51	29	31	42	42
OxyContin [®]	17	12	12	4	12	12
Tranquilizers	32	30	21	16	23	25
Stimulants ⁵	29	27	23	21	17	17
Methamphetamine ⁵	13	12	3	4	12	11
Sedatives	6	8	4	6	5	6
ILLCIT DRUGS OTHER THAN MARIJUANA³	82	76	59	51	54	54

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.79D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2011 and 2012

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	0.55	0.51	0.94	0.88	0.65	0.64
Marijuana and Hashish	0.52	0.50	0.88	0.85	0.61	0.63
Cocaine	0.16	0.13	0.30	0.19	0.17	0.17
Crack	0.02	0.03	0.02	*	0.04	0.06
Heroin	0.07	0.08	0.09	0.05	0.10	0.13
Hallucinogens	0.15	0.18	0.25	0.32	0.19	0.21
LSD	0.05	0.06	0.08	0.08	0.08	0.10
PCP	0.01	0.02	*	0.02	0.02	0.03
Ecstasy	0.12	0.16	0.21	0.30	0.14	0.17
Inhalants	0.16	0.10	0.34	0.17	0.12	0.12
Nonmedical Use of Psychotherapeutics ^{4,5}						
Pain Relievers	0.22	0.23	0.30	0.33	0.30	0.31
OxyContin [®]	0.07	0.06	0.13	0.05	0.09	0.09
Tranquilizers	0.14	0.13	0.22	0.17	0.18	0.19
Stimulants ⁵	0.13	0.12	0.23	0.21	0.13	0.13
Methamphetamine ⁵	0.06	0.05	0.04	0.05	0.09	0.09
Sedatives	0.03	0.04	0.04	0.06	0.04	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.33	0.32	0.55	0.50	0.38	0.40

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.79P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	0.6487		0.9829		0.5566	
Marijuana and Hashish	0.7920		0.5160		0.8370	
Cocaine	0.1474		0.0315		0.9914	
Crack	0.3429		*		0.2374	
Heroin	0.3374		0.4851		0.2230	
Hallucinogens	0.3129		0.4723		0.4911	
LSD	0.2231		0.9664		0.1600	
PCP	0.1776		*		0.2990	
Ecstasy	0.2966		0.4424		0.4781	
Inhalants	0.7404		0.7877		0.8447	
Nonmedical Use of Psychotherapeutics ^{4,5}	0.3046		0.2873		0.6587	
Pain Relievers	0.5138		0.3613		0.9389	
OxyContin [®]	0.2206		0.0285		0.9310	
Tranquilizers	0.3307		0.0580		0.9227	
Stimulants ⁵	0.3903		0.3380		0.7848	
Methamphetamine ⁵	0.9152		0.6166		0.9331	
Sedatives	0.4082		0.4105		0.7124	
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.5376		0.5615		0.7649	

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.80C Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	106	113	68	82	80	77
Marijuana and Hashish	99	111	63	80	77	74
Cocaine	30	23	23	14	18	19
Crack	4	6	2	*	4	6
Heroin	12	16	4	4	11	15
Hallucinogens	27	25	18	15	19	20
LSD	11	12	6	7	9	10
PCP	2	4	*	*	2	4
Ecstasy	20	19	15	10	13	16
Inhalants	20	15	17	7	11	14
Nonmedical Use of Psychotherapeutics ^{4,5}	44	42	30	26	32	33
Pain Relievers	36	36	20	22	30	28
OxyContin [®]	15	11	12	4	9	11
Tranquilizers	21	22	14	13	15	18
Stimulants ⁵	25	19	20	14	13	13
Methamphetamine ⁵	11	9	2	1	10	9
Sedatives	5	3	4	2	3	3
ILLCIT DRUGS OTHER THAN MARIJUANA³	56	52	37	33	39	41

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.80D Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2011 and 2012

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	0.74	0.75	1.27	1.30	0.88	0.92
Marijuana and Hashish	0.71	0.74	1.22	1.28	0.85	0.90
Cocaine	0.26	0.21	0.54	0.31	0.26	0.27
Crack	0.04	0.06	0.05	*	0.06	0.09
Heroin	0.10	0.14	0.09	0.08	0.16	0.22
Hallucinogens	0.23	0.22	0.41	0.36	0.27	0.29
LSD	0.10	0.11	0.15	0.15	0.13	0.15
PCP	0.02	0.04	*	*	0.03	0.06
Ecstasy	0.17	0.17	0.36	0.24	0.18	0.23
Inhalants	0.18	0.14	0.41	0.17	0.16	0.20
Nonmedical Use of Psychotherapeutics ^{4,5}	0.36	0.36	0.65	0.57	0.44	0.46
Pain Relievers	0.30	0.32	0.46	0.50	0.41	0.40
OxyContin [®]	0.13	0.10	0.28	0.09	0.13	0.15
Tranquilizers	0.18	0.19	0.31	0.29	0.22	0.26
Stimulants ⁵	0.21	0.16	0.46	0.30	0.19	0.18
Methamphetamine ⁵	0.09	0.08	0.05	0.03	0.15	0.13
Sedatives	0.04	0.03	0.08	0.05	0.04	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.45	0.44	0.79	0.70	0.52	0.57

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.80P Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	0.8946		0.5965		0.7773	
Marijuana and Hashish	0.9442		0.9048		0.9827	
Cocaine	0.1032		0.0119		0.9202	
Crack	0.3539		*		0.2094	
Heroin	0.2923		0.8351		0.2399	
Hallucinogens	0.9648		0.7821		0.8542	
LSD	0.3586		0.8518		0.3273	
PCP	0.1288		*		0.1260	
Ecstasy	0.8318		0.5093		0.3635	
Inhalants	0.6489		0.3710		0.8256	
Nonmedical Use of Psychotherapeutics ^{4,5}	0.3019		0.3835		0.5399	
Pain Relievers	0.4762		0.9644		0.3702	
OxyContin [®]	0.4251		0.0314		0.3934	
Tranquilizers	0.2874		0.1951		0.7239	
Stimulants ⁵	0.3309		0.2106		0.9533	
Methamphetamine ⁵	0.7483		0.8571		0.7837	
Sedatives	0.4806		0.5676		0.6681	
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.2363		0.2390		0.5613	

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.81C Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	109	87	88	67	59	55
Marijuana and Hashish	99	77	81	58	54	50
Cocaine	18	18	14	14	11	10
Crack	3	4	*	*	3	4
Heroin	11	7	8	2	7	7
Hallucinogens	21	33	15	27	14	18
LSD	5	8	3	3	4	7
PCP	2	2	*	2	2	*
Ecstasy	18	30	13	26	13	15
Inhalants	18	15	15	14	10	7
Nonmedical Use of Psychotherapeutics ^{4,5}	39	43	22	29	31	32
Pain Relievers	32	36	17	23	26	30
OxyContin [®]	7	5	2	1	7	5
Tranquilizers	23	21	16	10	16	18
Stimulants ⁵	14	20	9	15	11	11
Methamphetamine ⁵	7	7	3	4	7	5
Sedatives	4	8	1	6	4	5
ILLCIT DRUGS OTHER THAN MARIJUANA³	49	56	34	41	33	36

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.81D Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2011 and 2012

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	0.76	0.65	1.24	1.07	0.87	0.80
Marijuana and Hashish	0.72	0.59	1.16	0.98	0.81	0.75
Cocaine	0.16	0.16	0.26	0.29	0.18	0.17
Crack	0.03	0.03	*	*	0.05	0.06
Heroin	0.10	0.07	0.15	0.05	0.12	0.11
Hallucinogens	0.19	0.29	0.30	0.55	0.24	0.30
LSD	0.04	0.07	0.07	0.06	0.06	0.11
PCP	0.01	0.02	*	0.04	0.03	*
Ecstasy	0.16	0.27	0.25	0.53	0.22	0.25
Inhalants	0.16	0.14	0.29	0.28	0.17	0.11
Nonmedical Use of Psychotherapeutics ^{4,5}	0.34	0.38	0.41	0.57	0.50	0.51
Pain Relievers	0.28	0.32	0.31	0.46	0.43	0.47
OxyContin [®]	0.06	0.04	0.03	0.02	0.12	0.08
Tranquilizers	0.21	0.19	0.31	0.21	0.27	0.30
Stimulants ⁵	0.13	0.17	0.16	0.30	0.19	0.18
Methamphetamine ⁵	0.06	0.06	0.05	0.09	0.11	0.09
Sedatives	0.04	0.07	0.03	0.11	0.06	0.09
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.41	0.48	0.60	0.77	0.54	0.56

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.81P Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
ILLCIT DRUGS³	0.4278		0.7408		0.3959	
Marijuana and Hashish	0.7382		0.3413		0.5638	
Cocaine	0.8273		0.6112		0.7793	
Crack	0.7623		*		0.8141	
Heroin	0.8955		0.6124		0.6010	
Hallucinogens	0.1656		0.2842		0.3795	
LSD	0.3786		0.6810		0.2116	
PCP	0.9940		*		*	
Ecstasy	0.2337		0.1753		0.9151	
Inhalants	0.9334		0.7726		0.5325	
Nonmedical Use of Psychotherapeutics ^{4,5}	0.0106		0.0121		0.2205	
Pain Relievers	0.0899		0.2055		0.3095	
OxyContin [®]	0.2273		0.5845		0.2306	
Tranquilizers	0.7766		0.1916		0.6453	
Stimulants ⁵	0.0098		0.0014		0.6197	
Methamphetamine ⁵	0.5205		0.4974		0.7699	
Sedatives	0.1389		0.1536		0.4878	
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.0459		0.0800		0.2583	

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.82C Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	168	155	128	122	106	97
AGE						
18	65	65	49	54	42	42
19	61	67	48	49	39	41
20	68	64	52	49	44	39
21	53	58	34	40	40	40
22	57	58	34	30	44	48
GENDER						
Male	106	113	68	82	80	77
Female	109	87	88	67	59	55
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	144	133	111	102	89	85
White	123	112	95	83	75	72
Black or African American	50	50	30	31	38	45
American Indian or Alaska Native	6	5	*	*	5	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	24	31	15	27	18	14
Two or More Races	18	25	*	*	14	15
Hispanic or Latino	66	62	40	44	52	45

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.82D Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Percentages, 2011 and 2012**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.55	0.51	0.94	0.88	0.65	0.64
AGE						
18	1.04	0.98	1.97	1.81	1.21	1.24
19	1.15	1.23	1.62	1.69	1.64	1.68
20	1.17	1.15	1.72	1.84	1.58	1.48
21	1.03	1.14	1.52	1.83	1.37	1.43
22	1.11	1.08	2.13	1.92	1.25	1.31
GENDER						
Male	0.74	0.75	1.27	1.30	0.88	0.92
Female	0.76	0.65	1.24	1.07	0.87	0.80
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.60	0.57	0.97	0.96	0.74	0.72
White	0.73	0.68	1.14	1.11	0.90	0.86
Black or African American	1.25	1.22	1.96	2.32	1.56	1.76
American Indian or Alaska Native	3.93	3.57	*	*	4.47	4.15
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.02	2.44	2.11	3.04	4.11	3.92
Two or More Races	3.12	3.46	*	*	3.93	3.46
Hispanic or Latino	1.13	1.13	2.17	2.09	1.36	1.30

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.82P Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.6487		0.9829		0.5566	
AGE						
18	0.9316		0.6710		0.6382	
19	0.7310		0.9852		0.6930	
20	0.9290		0.5986		0.4988	
21	0.9472		0.7428		0.8557	
22	0.3837		0.8722		0.3365	
GENDER						
Male	0.8946		0.5965		0.7773	
Female	0.4278		0.7408		0.3959	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.5755		0.7330		0.7257	
White	0.3209		0.5458		0.3878	
Black or African American	0.0070		0.0677		0.0818	
American Indian or Alaska Native	0.5431		*		0.3525	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5218		0.3026		0.9802	
Two or More Races	0.2248		*		0.9066	
Hispanic or Latino	0.9199		0.4685		0.7262	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.83C Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	154	146	118	113	97	93
AGE						
18	61	61	46	48	40	40
19	59	62	46	45	37	38
20	66	61	50	46	41	38
21	51	53	33	37	39	37
22	53	54	31	28	40	46
GENDER						
Male	99	111	63	80	77	74
Female	99	77	81	58	54	50
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	135	125	105	96	83	80
White	114	103	89	77	70	66
Black or African American	49	47	29	30	37	42
American Indian or Alaska Native	6	7	*	*	5	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	24	29	15	26	18	13
Two or More Races	16	23	*	*	12	13
Hispanic or Latino	61	59	38	40	48	44

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.83D Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Percentages, 2011 and 2012**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.52	0.50	0.88	0.85	0.61	0.63
AGE						
18	0.99	0.97	1.86	1.72	1.16	1.20
19	1.11	1.15	1.60	1.56	1.59	1.60
20	1.15	1.11	1.72	1.80	1.52	1.43
21	1.00	1.06	1.47	1.70	1.32	1.34
22	1.04	1.05	1.97	1.84	1.17	1.28
GENDER						
Male	0.71	0.74	1.22	1.28	0.85	0.90
Female	0.72	0.59	1.16	0.98	0.81	0.75
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.58	0.55	0.94	0.93	0.70	0.70
White	0.69	0.66	1.09	1.06	0.84	0.82
Black or African American	1.23	1.18	1.97	2.33	1.53	1.69
American Indian or Alaska Native	3.90	4.32	*	*	4.48	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.01	2.36	2.07	2.95	4.07	3.79
Two or More Races	2.93	3.33	*	*	3.47	3.03
Hispanic or Latino	1.09	1.10	2.12	1.97	1.31	1.27

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.83P Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.7920		0.5160		0.8370	
AGE						
18	0.7755		0.6161		0.9487	
19	0.8578		0.8587		0.7202	
20	0.7675		0.8893		0.5716	
21	0.5291		0.3478		0.9708	
22	0.6027		0.9587		0.5034	
GENDER						
Male	0.9442		0.9048		0.9827	
Female	0.7382		0.3413		0.5638	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8721		0.8177		0.9328	
White	0.1295		0.3714		0.1983	
Black or African American	0.0460		0.2534		0.1623	
American Indian or Alaska Native	0.3873		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.7249		0.4381		0.9067	
Two or More Races	0.0871		*		0.4194	
Hispanic or Latino	0.7939		0.3210		0.7296	

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.84C Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2011 and 2012

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	202	206	131	144	148	133
Cigarettes	180	179	110	121	138	121
Smokeless Tobacco	58	58	36	38	46	43
Cigars	98	98	63	69	69	67
Pipe Tobacco	41	36	33	22	26	28
ALCOHOL	321	310	268	260	163	147
Binge Alcohol Use ⁴	245	243	199	200	128	118
Heavy Alcohol Use ⁴	125	125	107	101	58	62

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.84D Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2011 and 2012

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	0.60	0.60	0.87	0.94	0.78	0.76
Cigarettes	0.57	0.58	0.80	0.88	0.76	0.75
Smokeless Tobacco	0.25	0.25	0.36	0.40	0.34	0.32
Cigars	0.36	0.36	0.52	0.57	0.48	0.46
Pipe Tobacco	0.19	0.15	0.36	0.22	0.19	0.21
ALCOHOL	0.71	0.67	1.20	1.09	0.75	0.78
Binge Alcohol Use ⁴	0.71	0.67	1.24	1.14	0.73	0.74
Heavy Alcohol Use ⁴	0.46	0.47	0.88	0.85	0.43	0.45

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.84P Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	0.0988		0.1326		0.2257	
Cigarettes	0.0106		0.0295		0.0611	
Smokeless Tobacco	0.6429		0.7827		0.3850	
Cigars	0.7722		0.4034		0.2599	
Pipe Tobacco	0.5269		0.3715		0.0564	
ALCOHOL	0.6434		0.6923		0.9205	
Binge Alcohol Use ⁴	0.8738		0.4620		0.6511	
Heavy Alcohol Use ⁴	0.4911		0.4139		0.8110	

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.85C Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2011 and 2012

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	136	150	83	99	106	106
Cigarettes	121	125	69	80	99	93
Smokeless Tobacco	56	57	34	38	45	41
Cigars	82	86	50	58	59	61
Pipe Tobacco	34	31	27	18	22	26
ALCOHOL	176	200	128	159	118	110
Binge Alcohol Use ⁴	151	162	106	128	100	87
Heavy Alcohol Use ⁴	81	100	63	81	50	52

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.85D Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2011 and 2012

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	0.82	0.82	1.38	1.31	1.01	1.03
Cigarettes	0.79	0.80	1.24	1.26	1.02	0.99
Smokeless Tobacco	0.46	0.46	0.74	0.81	0.61	0.56
Cigars	0.61	0.61	0.96	0.99	0.74	0.76
Pipe Tobacco	0.30	0.26	0.62	0.36	0.30	0.36
ALCOHOL	0.87	0.92	1.48	1.51	1.03	1.10
Binge Alcohol Use ⁴	0.90	0.90	1.62	1.61	1.00	0.99
Heavy Alcohol Use ⁴	0.62	0.72	1.22	1.45	0.65	0.69

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.85P Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	0.7669		0.6746		0.9385	
Cigarettes	0.0707		0.2305		0.2184	
Smokeless Tobacco	0.7440		0.8603		0.5840	
Cigars	0.4300		0.2698		0.8401	
Pipe Tobacco	0.2749		0.6362		0.0495	
ALCOHOL	0.6765		0.8766		0.6900	
Binge Alcohol Use ⁴	0.5282		0.8357		0.2876	
Heavy Alcohol Use ⁴	0.7570		0.8544		0.8378	

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.86C Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2011 and 2012

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	114	108	76	74	81	70
Cigarettes	105	103	68	69	77	69
Smokeless Tobacco	12	10	9	6	9	8
Cigars	46	42	31	31	35	29
Pipe Tobacco	23	17	19	12	12	12
ALCOHOL	206	175	177	140	94	90
Binge Alcohol Use ⁴	143	133	122	106	70	72
Heavy Alcohol Use ⁴	73	59	64	47	30	33

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.86D Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2011 and 2012

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	0.76	0.76	1.02	1.18	1.07	0.94
Cigarettes	0.73	0.76	0.97	1.13	1.04	0.96
Smokeless Tobacco	0.11	0.09	0.17	0.13	0.15	0.13
Cigars	0.40	0.36	0.55	0.59	0.58	0.45
Pipe Tobacco	0.21	0.15	0.38	0.24	0.20	0.19
ALCOHOL	0.99	0.89	1.58	1.43	1.04	1.04
Binge Alcohol Use ⁴	0.89	0.83	1.50	1.38	0.96	0.97
Heavy Alcohol Use ⁴	0.57	0.49	1.02	0.85	0.50	0.52

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.86P Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOBACCO PRODUCTS³	0.0203		0.0275		0.0842	
Cigarettes	0.0408		0.0295		0.1599	
Smokeless Tobacco	0.3437		0.2853		0.7137	
Cigars	0.0564		0.5435		0.0257	
Pipe Tobacco	0.5739		0.2824		0.5664	
ALCOHOL	0.7999		0.6369		0.6673	
Binge Alcohol Use ⁴	0.3812		0.5269		0.4221	
Heavy Alcohol Use ⁴	0.4971		0.4934		0.6746	

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.87C Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	180	179	110	121	138	121
AGE						
18	67	70	45	46	50	52
19	67	66	47	49	49	44
20	69	69	43	43	53	52
21	65	66	35	41	55	52
22	75	69	32	30	68	60
GENDER						
Male	121	125	69	80	99	93
Female	105	103	68	69	77	69
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	155	148	97	95	117	105
White	130	130	85	85	101	91
Black or African American	52	51	23	26	43	45
American Indian or Alaska Native	10	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	33	31	25	23	20	20
Two or More Races	23	26	12	*	20	19
Hispanic or Latino	76	73	40	49	64	54

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.87D Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.57	0.58	0.80	0.88	0.76	0.75
AGE						
18	1.13	1.12	1.74	1.85	1.39	1.46
19	1.24	1.23	1.68	1.78	1.80	1.79
20	1.23	1.26	1.62	1.68	1.72	1.73
21	1.23	1.23	1.68	1.78	1.64	1.66
22	1.25	1.24	2.03	1.87	1.62	1.47
GENDER						
Male	0.79	0.80	1.24	1.26	1.02	0.99
Female	0.73	0.76	0.97	1.13	1.04	0.96
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.63	0.62	0.84	0.89	0.84	0.82
White	0.75	0.76	1.01	1.10	0.97	0.96
Black or African American	1.25	1.25	1.69	2.19	1.68	1.65
American Indian or Alaska Native	5.78	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.55	2.33	3.23	2.58	4.16	4.84
Two or More Races	3.58	3.60	5.08	*	4.09	3.92
Hispanic or Latino	1.26	1.24	2.24	2.16	1.55	1.48

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.87P Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.0106		0.0295		0.0611	
AGE						
18	0.0149		0.1143		0.0542	
19	0.0355		0.1666		0.0709	
20	0.1670		0.2519		0.3127	
21	0.6134		0.5036		0.8648	
22	0.8647		0.8243		0.7864	
GENDER						
Male	0.0707		0.2305		0.2184	
Female	0.0408		0.0295		0.1599	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0348		0.0171		0.1423	
White	0.0320		0.0543		0.0821	
Black or African American	0.6450		0.9547		0.8502	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1166		0.0931		0.9497	
Two or More Races	0.4202		*		0.0903	
Hispanic or Latino	0.0960		0.7631		0.0664	

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.88C Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	321	310	268	260	163	147
AGE						
18	94	115	79	101	53	56
19	96	94	82	83	48	44
20	117	104	97	84	57	54
21	106	108	82	83	68	67
22	117	106	66	57	88	82
GENDER						
Male	176	200	128	159	118	110
Female	206	175	177	140	94	90
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	283	254	243	209	130	124
White	238	216	210	172	109	110
Black or African American	74	68	46	38	52	54
American Indian or Alaska Native	8	*	*	*	8	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	56	54	48	48	28	24
Two or More Races	30	34	*	*	21	19
Hispanic or Latino	104	118	58	90	83	74

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.88D Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.71	0.67	1.20	1.09	0.75	0.78
AGE						
18	1.29	1.44	2.29	2.61	1.45	1.48
19	1.39	1.36	2.01	1.98	1.74	1.72
20	1.40	1.41	2.05	2.15	1.68	1.70
21	1.26	1.23	1.99	1.80	1.55	1.59
22	1.23	1.23	2.07	2.20	1.52	1.36
GENDER						
Male	0.87	0.92	1.48	1.51	1.03	1.10
Female	0.99	0.89	1.58	1.43	1.04	1.04
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.76	0.70	1.23	1.12	0.81	0.84
White	0.82	0.81	1.30	1.15	0.90	1.02
Black or African American	1.42	1.41	2.33	2.50	1.70	1.70
American Indian or Alaska Native	5.16	*	*	*	5.08	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3.37	2.87	4.41	3.70	5.22	4.57
Two or More Races	3.60	3.55	*	*	4.23	3.79
Hispanic or Latino	1.44	1.56	2.71	2.64	1.69	1.73

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.88P Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.6434		0.6923		0.9205	
AGE						
18	0.7106		0.6708		0.8185	
19	0.4073		0.7817		0.4259	
20	0.2674		0.4064		0.4786	
21	0.9741		0.6788		0.6940	
22	0.9466		0.2059		0.4045	
GENDER						
Male	0.6765		0.8766		0.6900	
Female	0.7999		0.6369		0.6673	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.3695		0.3798		0.9009	
White	0.4487		0.5816		0.7872	
Black or African American	0.2985		0.9968		0.1772	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.2140		0.1983		0.7663	
Two or More Races	0.4738		*		0.0879	
Hispanic or Latino	0.5923		0.2710		0.8227	

*Low precision; no estimate reported.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.89C Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	245	243	199	200	128	118
AGE						
18	72	81	55	67	46	46
19	71	75	58	63	41	39
20	102	89	86	73	43	45
21	85	87	63	67	57	53
22	90	84	47	47	70	64
GENDER						
Male	151	162	106	128	100	87
Female	143	133	122	106	70	72
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	212	206	179	168	102	103
White	185	181	161	142	86	93
Black or African American	50	47	26	30	38	38
American Indian or Alaska Native	7	*	*	*	7	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	36	38	28	33	22	17
Two or More Races	24	23	*	*	19	14
Hispanic or Latino	86	90	48	66	69	57

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.89D Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.71	0.67	1.24	1.14	0.73	0.74
AGE						
18	1.16	1.17	2.10	2.01	1.32	1.33
19	1.21	1.25	1.74	1.85	1.61	1.61
20	1.55	1.46	2.52	2.31	1.52	1.65
21	1.39	1.37	2.24	2.25	1.69	1.64
22	1.40	1.34	2.53	2.39	1.59	1.51
GENDER						
Male	0.90	0.90	1.62	1.61	1.00	0.99
Female	0.89	0.83	1.50	1.38	0.96	0.97
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.76	0.72	1.28	1.23	0.79	0.81
White	0.88	0.84	1.43	1.31	0.91	0.98
Black or African American	1.19	1.18	1.77	2.33	1.55	1.51
American Indian or Alaska Native	4.69	*	*	*	5.09	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.72	2.63	3.39	3.17	4.63	4.32
Two or More Races	3.65	3.56	*	*	4.50	3.49
Hispanic or Latino	1.37	1.43	2.67	2.47	1.59	1.59

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.89P Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.8738		0.4620		0.6511	
AGE						
18	0.4345		0.9591		0.3370	
19	0.6973		0.3120		0.5835	
20	0.5008		0.5552		0.7455	
21	0.3490		0.6673		0.3402	
22	0.8745		0.3317		0.6155	
GENDER						
Male	0.5282		0.8357		0.2876	
Female	0.3812		0.5269		0.4221	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.7007		0.5479		0.9320	
White	0.6898		0.9409		0.3803	
Black or African American	0.5749		0.2462		0.7334	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.9723		0.6334		0.5975	
Two or More Races	0.7453		*		0.1353	
Hispanic or Latino	0.7235		0.4547		0.2204	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.90C Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	125	125	107	101	58	62
AGE						
18	37	30	31	24	21	18
19	37	44	30	37	22	24
20	56	48	51	40	23	26
21	46	47	35	36	30	30
22	42	48	25	27	31	39
GENDER						
Male	81	100	63	81	50	52
Female	73	59	64	47	30	33
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	110	115	97	94	48	56
White	104	100	90	82	46	49
Black or African American	17	24	10	16	14	19
American Indian or Alaska Native	4	5	*	*	*	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	13	20	9	15	10	12
Two or More Races	13	13	*	8	8	10
Hispanic or Latino	42	40	25	29	34	28

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.90D Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.46	0.47	0.88	0.85	0.43	0.45
AGE						
18	0.71	0.59	1.48	1.30	0.69	0.59
19	0.76	0.89	1.11	1.37	1.00	1.07
20	1.06	0.96	1.94	1.60	0.93	1.07
21	0.94	0.97	1.58	1.68	1.12	1.10
22	0.90	0.94	1.69	1.68	0.99	1.12
GENDER						
Male	0.62	0.72	1.22	1.45	0.65	0.69
Female	0.57	0.49	1.02	0.85	0.50	0.52
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.51	0.55	0.93	0.99	0.47	0.51
White	0.66	0.65	1.14	1.12	0.62	0.64
Black or African American	0.51	0.75	0.78	1.42	0.66	0.86
American Indian or Alaska Native	3.55	2.80	*	*	*	3.18
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.18	1.64	1.19	1.83	2.49	3.39
Two or More Races	2.46	2.20	*	3.91	2.69	2.61
Hispanic or Latino	0.83	0.76	1.56	1.39	0.98	0.88

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.90P Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.4911		0.4139		0.8110	
AGE						
18	0.2008		0.3682		0.3973	
19	0.2957		0.1773		0.9562	
20	0.4887		0.5131		0.7777	
21	0.5535		0.8222		0.5389	
22	0.8792		0.8150		0.9646	
GENDER						
Male	0.7570		0.8544		0.8378	
Female	0.4971		0.4934		0.6746	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.3237		0.3088		0.5885	
White	0.5941		0.5003		0.8095	
Black or African American	0.1200		0.1060		0.4919	
American Indian or Alaska Native	0.6209		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3932		0.5700		0.3917	
Two or More Races	0.8631		*		0.9798	
Hispanic or Latino	0.6709		0.9717		0.5386	

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.91C Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	76	93	47	65	59	65
AGE						
18	34	43	24	31	25	31
19	31	38	19	27	23	25
20	34	38	21	25	27	29
21	33	33	21	24	26	23
22	30	33	10	14	27	30
GENDER						
Male	60	72	34	47	49	51
Female	42	50	28	33	31	36
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	66	79	41	56	51	54
White	55	68	34	49	44	45
Black or African American	29	30	15	14	22	27
American Indian or Alaska Native	5	4	*	*	4	4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	13	9	9	6	8	7
Two or More Races	8	20	3	*	8	9
Hispanic or Latino	34	41	19	23	28	33

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.91D Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.31	0.36	0.46	0.58	0.43	0.46
AGE						
18	0.64	0.78	1.17	1.35	0.78	0.96
19	0.66	0.78	0.79	1.10	1.07	1.13
20	0.74	0.81	0.93	1.18	1.08	1.19
21	0.72	0.71	1.05	1.22	0.98	0.86
22	0.64	0.70	0.77	1.00	0.84	0.91
GENDER						
Male	0.48	0.56	0.72	0.91	0.64	0.71
Female	0.37	0.42	0.52	0.62	0.51	0.56
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.35	0.40	0.48	0.64	0.50	0.51
White	0.41	0.49	0.56	0.80	0.61	0.60
Black or African American	0.80	0.90	1.13	1.32	1.01	1.19
American Indian or Alaska Native	3.36	2.36	*	*	3.71	2.73
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.14	0.79	1.32	0.68	2.09	2.22
Two or More Races	1.66	3.39	1.40	*	2.56	2.38
Hispanic or Latino	0.70	0.81	1.20	1.29	0.84	1.04

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.91P Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.2240		0.2627		0.5585	
AGE						
18	0.0491		0.3005		0.0973	
19	0.4136		0.2208		0.9228	
20	0.4700		0.5484		0.6841	
21	0.3452		0.2854		0.7610	
22	0.7979		0.1604		0.7169	
GENDER						
Male	0.9725		0.5185		0.6885	
Female	0.0398		0.3354		0.0646	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.2083		0.3184		0.5118	
White	0.4612		0.2621		0.8670	
Black or African American	0.1708		0.6054		0.2238	
American Indian or Alaska Native	0.7357		*		0.9292	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3592		0.1365		0.7245	
Two or More Races	0.2396		*		0.9435	
Hispanic or Latino	0.8196		0.6007		0.9639	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.92C Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	123	124	99	95	71	72
AGE						
18	45	43	35	33	30	30
19	43	44	36	38	24	23
20	49	48	40	40	27	25
21	45	50	36	35	28	34
22	52	50	24	26	45	42
GENDER						
Male	79	87	53	63	57	56
Female	83	72	71	55	40	43
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	108	103	86	78	60	62
White	95	93	75	70	53	54
Black or African American	24	31	15	17	19	25
American Indian or Alaska Native	5	6	*	*	5	6
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	26	19	20	16	16	9
Two or More Races	14	11	*	7	8	9
Hispanic or Latino	46	56	27	41	39	37

*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.92D Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.43	0.43	0.73	0.71	0.49	0.50
AGE						
18	0.80	0.78	1.56	1.41	0.92	0.92
19	0.87	0.90	1.28	1.43	1.13	1.04
20	0.93	0.96	1.45	1.65	1.10	1.04
21	0.88	0.98	1.53	1.56	1.03	1.21
22	1.00	0.97	1.50	1.57	1.30	1.22
GENDER						
Male	0.60	0.62	1.01	1.07	0.73	0.74
Female	0.62	0.55	1.07	0.89	0.62	0.65
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.48	0.47	0.76	0.76	0.56	0.57
White	0.57	0.57	0.89	0.91	0.68	0.70
Black or African American	0.72	0.91	1.08	1.46	0.93	1.12
American Indian or Alaska Native	3.74	3.88	*	*	4.74	4.36
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.07	1.59	2.53	1.88	3.77	2.56
Two or More Races	2.62	2.01	*	3.42	2.74	2.44
Hispanic or Latino	0.89	1.00	1.62	1.92	1.10	1.10

*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.92P Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.8905		0.8467		0.9736	
AGE						
18	0.2651		0.9947		0.1529	
19	0.4574		0.4717		0.7900	
20	0.8119		0.5355		0.7297	
21	0.4064		0.8164		0.1468	
22	0.8728		0.8054		0.7533	
GENDER						
Male	0.3239		0.7365		0.3142	
Female	0.3953		1.0000		0.1198	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.4781		0.5102		0.7870	
White	0.4508		0.4871		0.7738	
Black or African American	0.0930		0.1358		0.3101	
American Indian or Alaska Native	0.9497		*		0.7392	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1552		0.3529		0.2434	
Two or More Races	0.3227		*		0.8342	
Hispanic or Latino	0.3570		0.3886		0.6526	

*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.93C Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	143	151	113	114	86	90
AGE						
18	55	57	43	45	35	40
19	50	56	41	46	29	31
20	56	56	43	43	35	36
21	51	57	39	40	34	39
22	61	56	25	28	54	47
GENDER						
Male	95	110	63	77	69	70
Female	90	81	76	59	46	50
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	123	126	97	93	72	77
White	105	113	82	83	63	66
Black or African American	35	38	19	20	27	33
American Indian or Alaska Native	6	7	*	*	5	6
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	27	19	21	16	17	10
Two or More Races	15	22	*	*	9	11
Hispanic or Latino	55	65	32	44	46	46

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.93D Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.47	0.50	0.80	0.80	0.56	0.62
AGE						
18	0.91	0.97	1.81	1.73	1.05	1.18
19	0.96	1.07	1.40	1.65	1.30	1.34
20	1.03	1.08	1.52	1.74	1.36	1.39
21	0.97	1.11	1.65	1.76	1.20	1.36
22	1.13	1.03	1.55	1.69	1.49	1.30
GENDER						
Male	0.68	0.75	1.15	1.23	0.83	0.91
Female	0.65	0.59	1.09	0.91	0.70	0.74
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.51	0.54	0.82	0.84	0.63	0.68
White	0.60	0.67	0.94	1.03	0.77	0.82
Black or African American	0.94	1.09	1.33	1.66	1.22	1.41
American Indian or Alaska Native	4.32	4.12	*	*	4.84	4.71
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.13	1.59	2.66	1.87	3.77	3.01
Two or More Races	2.75	3.40	*	*	3.05	2.89
Hispanic or Latino	1.02	1.13	1.87	2.07	1.24	1.34

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.93P Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2011	2012	2011	2012	2011	2012
TOTAL	0.5816		0.9521		0.4178	
AGE						
18	0.7536		0.6612		0.9637	
19	0.8095		0.9335		0.6516	
20	0.8467		0.8761		0.8987	
21	0.7461		0.2745		0.1219	
22	0.8926		0.5273		0.8476	
GENDER						
Male	0.8200		0.9910		0.7698	
Female	0.2584		0.8155		0.0379	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8010		0.7545		0.5337	
White	0.9768		0.8876		0.8410	
Black or African American	0.0773		0.2345		0.2005	
American Indian or Alaska Native	0.9279		*		0.9595	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0994		0.1380		0.4901	
Two or More Races	0.7881		*		0.8142	
Hispanic or Latino	0.4958		0.6070		0.6761	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.