

Table 6.7C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
ILLCIT DRUGS¹	342	352	330	349
Marijuana and Hashish	314	317	278	299
Cocaine	86	127	60	66
Crack	42	88	*	32
Heroin	45	44	11	26
Hallucinogens	52	85	29	32
LSD	21	30	8	9
PCP	10	6	*	11
Ecstasy	41	68	22	25
Inhalants	45	27	51	58
Nonmedical Use of Psychotherapeutics ^{2,3}	156	176	168	189
Pain Relievers	128	138	141	154
OxyContin [®]	42	43	31	14
Tranquilizers	91	115	96	112
Stimulants ³	67	77	56	65
Methamphetamine ³	53	68	47	31
Sedatives	34	22	35	44
ILLCIT DRUGS OTHER THAN MARIJUANA¹	174	219	183	205

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.7D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2011 and 2012

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
ILLCIT DRUGS¹	0.54	0.53	0.16	0.17
Marijuana and Hashish	0.51	0.49	0.14	0.14
Cocaine	0.15	0.22	0.03	0.03
Crack	0.07	0.15	*	0.02
Heroin	0.08	0.08	0.01	0.01
Hallucinogens	0.09	0.15	0.01	0.02
LSD	0.04	0.05	0.00	0.00
PCP	0.02	0.01	*	0.01
Ecstasy	0.07	0.12	0.01	0.01
Inhalants	0.08	0.05	0.03	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.26	0.30	0.08	0.09
Pain Relievers	0.22	0.23	0.07	0.08
OxyContin [®]	0.07	0.07	0.02	0.01
Tranquilizers	0.16	0.20	0.05	0.06
Stimulants ³	0.12	0.13	0.03	0.03
Methamphetamine ³	0.09	0.12	0.02	0.02
Sedatives	0.06	0.04	0.02	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.30	0.36	0.09	0.10

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.7P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
ILLCIT DRUGS¹	0.2146		0.1688	
Marijuana and Hashish	0.3628		0.5794	
Cocaine	0.1470		0.6509	
Crack	0.1048		*	
Heroin	0.8724		0.1515	
Hallucinogens	0.1821		0.6692	
LSD	0.4517		0.8372	
PCP	0.3804		*	
Ecstasy	0.5337		0.4034	
Inhalants	0.1144		0.4256	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.9455		0.0070	
Pain Relievers	0.8742		0.1282	
OxyContin [®]	0.8390		0.0500	
Tranquilizers	0.6032		0.1584	
Stimulants ³	0.8908		0.0424	
Methamphetamine ³	0.8027		0.6469	
Sedatives	0.1287		0.0788	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.5156		0.0211	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.8C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
ILLICIT DRUGS¹	47	42	52	56
Marijuana and Hashish	46	39	41	45
Cocaine	11	7	5	2
Crack	2	1	*	*
Heroin	8	*	*	*
Hallucinogens	16	16	13	8
LSD	7	6	4	1
PCP	2	3	1	*
Ecstasy	11	10	11	5
Inhalants	10	12	17	15
Nonmedical Use of Psychotherapeutics ^{2,3}	24	20	25	33
Pain Relievers	21	16	23	29
OxyContin [®]	9	8	3	7
Tranquilizers	15	11	8	16
Stimulants ³	11	12	6	9
Methamphetamine ³	8	5	2	4
Sedatives	4	4	5	5
ILLICIT DRUGS OTHER THAN MARIJUANA¹	29	25	33	37

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.8D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Percentages, 2011 and 2012

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
ILLCIT DRUGS¹	1.49	1.61	0.21	0.22
Marijuana and Hashish	1.52	1.60	0.17	0.19
Cocaine	0.54	0.42	0.02	0.01
Crack	0.11	0.04	*	*
Heroin	0.39	*	*	*
Hallucinogens	0.79	0.92	0.06	0.04
LSD	0.36	0.34	0.02	0.01
PCP	0.09	0.17	0.00	*
Ecstasy	0.53	0.63	0.05	0.02
Inhalants	0.52	0.69	0.07	0.06
Nonmedical Use of Psychotherapeutics ^{2,3}	1.14	1.12	0.11	0.14
Pain Relievers	1.02	0.93	0.10	0.12
OxyContin [®]	0.46	0.45	0.01	0.03
Tranquilizers	0.75	0.65	0.03	0.07
Stimulants ³	0.53	0.71	0.02	0.04
Methamphetamine ³	0.42	0.30	0.01	0.02
Sedatives	0.18	0.25	0.02	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1.29	1.35	0.14	0.15

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.8P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
ILLICIT DRUGS¹	0.1642		0.3872	
Marijuana and Hashish	0.1080		0.5127	
Cocaine	0.0468		0.1005	
Crack	0.3223		*	
Heroin	*		*	
Hallucinogens	0.6662		0.0056	
LSD	0.7575		0.1641	
PCP	0.4800		*	
Ecstasy	0.6899		0.0103	
Inhalants	0.5918		0.1419	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1255		0.0216	
Pain Relievers	0.0838		0.0487	
OxyContin [®]	0.6125		0.1992	
Tranquilizers	0.1236		0.2307	
Stimulants ³	0.4076		0.0838	
Methamphetamine ³	0.3101		0.0919	
Sedatives	0.4729		0.9773	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.1300		0.9812	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.9C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
ILLCIT DRUGS¹	133	133	113	103
Marijuana and Hashish	126	127	101	95
Cocaine	38	31	17	12
Crack	6	8	2	5
Heroin	19	20	7	11
Hallucinogens	34	40	22	21
LSD	13	15	5	9
PCP	6	3	*	3
Ecstasy	27	35	16	16
Inhalants	35	19	6	12
Nonmedical Use of Psychotherapeutics ^{2,3}	62	66	38	40
Pain Relievers	51	57	31	32
OxyContin [®]	18	23	10	5
Tranquilizers	34	40	21	16
Stimulants ³	31	26	11	17
Methamphetamine ³	15	15	4	3
Sedatives	9	5	5	12
ILLCIT DRUGS OTHER THAN MARIJUANA¹	80	78	46	47

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.9D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Percentages, 2011 and 2012

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
ILLICIT DRUGS¹	0.80	0.81	0.41	0.37
Marijuana and Hashish	0.78	0.82	0.37	0.36
Cocaine	0.32	0.28	0.07	0.05
Crack	0.05	0.07	0.01	0.02
Heroin	0.16	0.18	0.03	0.05
Hallucinogens	0.29	0.36	0.09	0.09
LSD	0.11	0.14	0.02	0.04
PCP	0.05	0.03	*	0.01
Ecstasy	0.23	0.31	0.07	0.07
Inhalants	0.30	0.17	0.03	0.05
Nonmedical Use of Psychotherapeutics ^{2,3}	0.47	0.54	0.16	0.16
Pain Relievers	0.40	0.48	0.13	0.14
OxyContin [®]	0.16	0.21	0.04	0.02
Tranquilizers	0.29	0.35	0.09	0.07
Stimulants ³	0.26	0.23	0.05	0.07
Methamphetamine ³	0.13	0.14	0.02	0.01
Sedatives	0.08	0.05	0.02	0.05
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.60	0.63	0.19	0.19

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.9P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
ILLICIT DRUGS¹	0.2264		0.8899	
Marijuana and Hashish	0.4142		0.7018	
Cocaine	0.2002		0.8482	
Crack	0.3347		0.0737	
Heroin	0.4801		0.2493	
Hallucinogens	0.7464		0.2045	
LSD	0.4927		0.1254	
PCP	0.4328		*	
Ecstasy	0.7062		0.1187	
Inhalants	0.3598		0.2424	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1724		0.3991	
Pain Relievers	0.1548		0.7840	
OxyContin [®]	0.7607		0.1246	
Tranquilizers	0.4529		0.2108	
Stimulants ³	0.6133		0.0243	
Methamphetamine ³	0.2370		0.3995	
Sedatives	0.2205		0.0860	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.9371		0.1431	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.10C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2011 and 2012

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
ILLCIT DRUGS¹	299	325	300	329
Marijuana and Hashish	274	290	253	283
Cocaine	77	123	57	65
Crack	41	88	*	32
Heroin	40	40	9	23
Hallucinogens	36	74	13	21
LSD	15	26	*	*
PCP	8	4	*	11
Ecstasy	28	59	10	18
Inhalants	25	13	48	55
Nonmedical Use of Psychotherapeutics ^{2,3}	138	162	160	181
Pain Relievers	114	127	135	148
OxyContin [®]	37	35	30	12
Tranquilizers	82	105	92	110
Stimulants ³	59	72	54	63
Methamphetamine ³	51	65	47	31
Sedatives	33	21	34	42
ILLCIT DRUGS OTHER THAN MARIJUANA¹	148	199	172	194

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.10D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2011 and 2012

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
ILLCIT DRUGS¹	0.64	0.63	0.19	0.21
Marijuana and Hashish	0.59	0.58	0.16	0.18
Cocaine	0.18	0.27	0.04	0.04
Crack	0.09	0.20	*	0.02
Heroin	0.09	0.09	0.01	0.01
Hallucinogens	0.08	0.16	0.01	0.01
LSD	0.03	0.06	*	*
PCP	0.02	0.01	*	0.01
Ecstasy	0.06	0.13	0.01	0.01
Inhalants	0.06	0.03	0.03	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.31	0.35	0.10	0.12
Pain Relievers	0.26	0.28	0.09	0.10
OxyContin [®]	0.08	0.08	0.02	0.01
Tranquilizers	0.19	0.23	0.06	0.07
Stimulants ³	0.14	0.16	0.04	0.04
Methamphetamine ³	0.12	0.14	0.03	0.02
Sedatives	0.08	0.05	0.02	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.33	0.43	0.11	0.12

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.10P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2011	2012	2011	2012
ILLCIT DRUGS¹	0.0667		0.2070	
Marijuana and Hashish	0.1015		0.6220	
Cocaine	0.0304		0.6112	
Crack	0.1283		*	
Heroin	0.9044		0.3049	
Hallucinogens	0.0702		0.4169	
LSD	0.5000		*	
PCP	0.4660		*	
Ecstasy	0.4439		0.3236	
Inhalants	0.1697		0.5438	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.9699		0.0293	
Pain Relievers	0.8860		0.2579	
OxyContin [®]	0.9242		0.0583	
Tranquilizers	0.4867		0.1301	
Stimulants ³	0.9800		0.1889	
Methamphetamine ³	0.9062		0.6131	
Sedatives	0.1876		0.1573	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.1826		0.0450	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.