

Table 6.94C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012

Age Category	Illicit Drugs (2011)	Illicit Drugs (2012)	Alcohol (2011)	Alcohol (2012)	Illicit Drugs or Alcohol (2011)	Illicit Drugs or Alcohol (2012)
TOTAL	261	288	573	572	593	600
12	5	*	5	*	5	*
13	4	5	4	5	4	5
14	5	6	4	6	5	7
15	10	8	9	8	12	9
16	18	17	17	15	20	19
17	25	26	21	22	27	30
18	41	41	40	40	48	48
19	41	44	42	47	49	56
20	42	53	51	50	59	63
21	39	38	51	53	54	55
22	46	43	59	57	63	60
23	34	41	56	53	58	60
24	31	33	53	49	55	52
25	37	32	51	49	52	51
26-29	106	114	192	195	205	207
30-34	105	109	191	180	196	190
35-39	86	99	178	165	180	170
40-44	71	80	178	174	182	177
45-49	55	71	170	172	173	173
50-54	100	96	225	266	234	271
55-59	64	70	166	202	170	206
60-64	44	79	170	172	171	181
65 or Older	31	26	157	187	160	187

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.94D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2011 and 2012

Age Category	Illicit Drugs (2011)	Illicit Drugs (2012)	Alcohol (2011)	Alcohol (2012)	Illicit Drugs or Alcohol (2011)	Illicit Drugs or Alcohol (2012)
TOTAL	0.10	0.11	0.22	0.22	0.23	0.23
12	0.13	*	0.13	*	0.13	*
13	0.10	0.12	0.10	0.11	0.11	0.12
14	0.11	0.15	0.10	0.14	0.13	0.16
15	0.23	0.18	0.21	0.19	0.27	0.22
16	0.40	0.40	0.37	0.35	0.45	0.44
17	0.57	0.60	0.49	0.51	0.62	0.69
18	0.75	0.78	0.75	0.81	0.85	0.88
19	0.83	0.90	0.87	0.94	0.97	1.09
20	0.89	1.04	0.94	0.96	1.04	1.17
21	0.82	0.79	0.99	1.02	1.04	1.07
22	0.94	0.89	1.11	1.07	1.13	1.10
23	0.81	0.86	1.20	1.02	1.21	1.13
24	0.71	0.74	1.10	1.05	1.12	1.08
25	0.88	0.75	1.09	1.05	1.10	1.07
26-29	0.59	0.63	1.01	0.99	1.06	1.04
30-34	0.53	0.52	0.89	0.81	0.91	0.85
35-39	0.42	0.50	0.83	0.80	0.83	0.81
40-44	0.35	0.39	0.80	0.79	0.82	0.80
45-49	0.25	0.33	0.72	0.76	0.73	0.77
50-54	0.43	0.41	0.93	1.06	0.96	1.07
55-59	0.33	0.34	0.84	0.91	0.86	0.93
60-64	0.24	0.47	0.90	0.96	0.91	1.01
65 or Older	0.08	0.06	0.39	0.45	0.40	0.45

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.94P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

Age Category	Illicit Drugs (2011)	Illicit Drugs (2012)	Alcohol (2011)	Alcohol (2012)	Illicit Drugs or Alcohol (2011)	Illicit Drugs or Alcohol (2012)
TOTAL	0.0470		0.7714		0.5830	
12	*		*		*	
13	0.7690		0.8545		0.9766	
14	0.3940		0.3829		0.4849	
15	0.1715		0.8645		0.2374	
16	0.3559		0.3710		0.5109	
17	0.5886		0.4738		0.7434	
18	0.7311		0.8714		0.9852	
19	0.9717		0.3299		0.6530	
20	0.5318		0.4899		0.5197	
21	0.6853		0.9244		0.9476	
22	0.9815		0.8511		0.9962	
23	0.4786		0.3663		0.7676	
24	0.1235		0.5988		0.2420	
25	0.6950		0.9381		0.7841	
26-29	0.3764		0.9961		0.9244	
30-34	0.5825		0.4487		0.5607	
35-39	0.1987		0.8938		0.9066	
40-44	0.2209		0.6832		0.9070	
45-49	0.1181		0.6810		0.6307	
50-54	0.9769		0.6922		0.8337	
55-59	0.8619		0.4436		0.3975	
60-64	0.2172		0.8745		0.6155	
65 or Older	0.5203		0.2933		0.3343	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.95C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Illicit Drugs (2011)	Illicit Drugs (2012)	Alcohol (2011)	Alcohol (2012)	Illicit Drugs or Alcohol (2011)	Illicit Drugs or Alcohol (2012)
TOTAL	261	288	573	572	593	600
AGE						
12-17	33	33	29	29	37	38
18-25	101	105	134	128	139	139
26 or Older	240	261	547	539	566	565
GENDER						
Male	223	236	445	441	459	457
Female	129	149	319	334	328	343
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	241	267	523	525	542	550
White	219	237	481	481	503	494
Black or African American	87	96	161	158	165	163
American Indian or Alaska Native	19	27	37	38	39	42
Native Hawaiian or Other Pacific Islander	*	24	38	29	39	30
Asian	30	35	81	72	82	73
Two or More Races	29	28	41	61	44	64
Hispanic or Latino	101	107	207	195	209	202

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.95D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Illicit Drugs (2011)	Illicit Drugs (2012)	Alcohol (2011)	Alcohol (2012)	Illicit Drugs or Alcohol (2011)	Illicit Drugs or Alcohol (2012)
TOTAL	0.10	0.11	0.22	0.22	0.23	0.23
AGE						
12-17	0.13	0.13	0.12	0.12	0.15	0.15
18-25	0.30	0.30	0.39	0.37	0.41	0.40
26 or Older	0.12	0.13	0.28	0.27	0.29	0.28
GENDER						
Male	0.18	0.19	0.36	0.35	0.37	0.36
Female	0.10	0.11	0.24	0.25	0.25	0.26
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.11	0.12	0.24	0.24	0.25	0.25
White	0.13	0.14	0.28	0.28	0.30	0.29
Black or African American	0.29	0.31	0.53	0.51	0.54	0.53
American Indian or Alaska Native	1.26	1.78	2.12	2.42	2.18	2.62
Native Hawaiian or Other Pacific Islander	*	2.20	3.81	2.74	3.95	2.82
Asian	0.25	0.28	0.65	0.57	0.65	0.58
Two or More Races	0.73	0.72	1.01	1.45	1.09	1.53
Hispanic or Latino	0.26	0.27	0.52	0.48	0.53	0.50

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.95P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Demographic Characteristic	Illicit Drugs (2011)	Illicit Drugs (2012)	Alcohol (2011)	Alcohol (2012)	Illicit Drugs or Alcohol (2011)	Illicit Drugs or Alcohol (2012)
TOTAL	0.0470		0.7714		0.5830	
AGE						
12-17	0.2249		0.3291		0.6261	
18-25	0.4756		0.7601		0.9604	
26 or Older	0.0408		0.6885		0.5470	
GENDER						
Male	0.2777		0.9656		0.8501	
Female	0.0283		0.6534		0.4729	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0394		0.7183		0.5620	
White	0.0791		0.6354		0.5438	
Black or African American	0.3324		0.9225		0.8411	
American Indian or Alaska Native	0.2656		0.2177		0.1127	
Native Hawaiian or Other Pacific Islander	*		0.4917		0.4253	
Asian	0.6108		0.3993		0.5244	
Two or More Races	0.9419		0.6737		0.5458	
Hispanic or Latino	0.7844		0.9609		0.8912	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.96C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Illicit Drugs (2011)	Illicit Drugs (2012)	Alcohol (2011)	Alcohol (2012)	Illicit Drugs or Alcohol (2011)	Illicit Drugs or Alcohol (2012)
TOTAL	259	285	573	570	592	597
GENDER						
Male	221	235	446	439	459	454
Female	128	147	319	333	327	342
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	240	264	524	524	542	548
White	221	241	543	556	571	578
Black or African American	92	98	172	164	179	172
American Indian or Alaska Native	18	27	37	38	38	42
Native Hawaiian or Other Pacific Islander	*	23	*	29	39	30
Asian	30	35	81	72	82	73
Two or More Races	28	27	41	60	43	63
Hispanic or Latino	99	105	205	194	207	199
EDUCATION						
< High School	104	91	145	146	157	157
High School Graduate	142	152	282	297	300	310
Some College	156	160	314	308	333	322
College Graduate	129	151	407	413	419	426
CURRENT EMPLOYMENT						
Full-Time	207	216	518	516	534	531
Part-Time	98	119	200	202	208	213
Unemployed	79	84	106	121	118	125
Other ¹	107	121	222	249	235	258

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.96D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Demographic Characteristic	Illicit Drugs (2011)	Illicit Drugs (2012)	Alcohol (2011)	Alcohol (2012)	Illicit Drugs or Alcohol (2011)	Illicit Drugs or Alcohol (2012)
TOTAL	0.11	0.12	0.25	0.24	0.25	0.25
GENDER						
Male	0.20	0.21	0.40	0.39	0.41	0.40
Female	0.11	0.12	0.26	0.27	0.27	0.28
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.12	0.13	0.26	0.26	0.27	0.27
White	0.14	0.15	0.31	0.31	0.32	0.32
Black or African American	0.33	0.35	0.60	0.58	0.62	0.60
American Indian or Alaska Native	1.34	1.99	2.31	2.72	2.37	2.95
Native Hawaiian or Other Pacific Islander	*	2.39	*	3.03	4.27	3.08
Asian	0.27	0.31	0.72	0.63	0.72	0.64
Two or More Races	0.87	0.85	1.24	1.75	1.33	1.85
Hispanic or Latino	0.29	0.30	0.60	0.56	0.61	0.57
EDUCATION						
< High School	0.31	0.27	0.43	0.41	0.47	0.44
High School Graduate	0.20	0.21	0.39	0.41	0.41	0.42
Some College	0.24	0.25	0.45	0.46	0.48	0.48
College Graduate	0.19	0.21	0.53	0.51	0.54	0.53
CURRENT EMPLOYMENT						
Full-Time	0.17	0.18	0.38	0.39	0.39	0.40
Part-Time	0.30	0.36	0.58	0.56	0.60	0.59
Unemployed	0.56	0.60	0.76	0.85	0.82	0.89
Other ¹	0.15	0.17	0.31	0.34	0.32	0.35

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.96P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Demographic Characteristic	Illicit Drugs (2011)	Illicit Drugs (2012)	Alcohol (2011)	Alcohol (2012)	Illicit Drugs or Alcohol (2011)	Illicit Drugs or Alcohol (2012)
TOTAL	0.0310		0.7594		0.5823	
GENDER						
Male	0.2299		0.9608		0.8510	
Female	0.0191		0.6426		0.4738	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0350		0.7275		0.5939	
White	0.0639		0.6486		0.5500	
Black or African American	0.3751		0.9028		0.8940	
American Indian or Alaska Native	0.2258		0.1697		0.0897	
Native Hawaiian or Other Pacific Islander	*		*		0.3898	
Asian	0.6653		0.3708		0.4657	
Two or More Races	0.8835		0.7282		0.5929	
Hispanic or Latino	0.5538		0.9855		0.8009	
EDUCATION						
< High School	0.1512		0.9290		0.6821	
High School Graduate	0.0385		0.1725		0.1314	
Some College	0.6992		0.9474		0.9108	
College Graduate	0.0085		0.6244		0.8864	
CURRENT EMPLOYMENT						
Full-Time	0.0171		0.8627		0.7545	
Part-Time	0.1348		0.7073		0.7929	
Unemployed	0.7278		0.8388		0.8689	
Other ¹	0.8001		0.6668		0.6547	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.97C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Illicit Drugs (2011)	Illicit Drugs (2012)	Alcohol (2011)	Alcohol (2012)	Illicit Drugs or Alcohol (2011)	Illicit Drugs or Alcohol (2012)
TOTAL	259	285	573	570	592	597
GEOGRAPHIC DIVISION						
Northeast	113	100	250	229	260	229
New England	66	52	133	95	135	92
Middle Atlantic	91	85	210	208	221	209
Midwest	111	109	232	262	240	271
East North Central	93	87	195	205	203	211
West North Central	57	66	122	162	125	169
South	169	174	366	357	372	379
South Atlantic	122	136	262	274	267	292
East South Central	67	54	114	110	120	111
West South Central	96	96	201	205	202	215
West	134	168	293	297	299	308
Mountain	57	72	141	137	143	142
Pacific	121	149	257	263	263	273
COUNTY TYPE						
Large Metro	213	232	507	487	526	510
Small Metro	154	157	360	361	371	384
250K – 1 Mil. Pop.	124	131	288	316	298	335
< 250K Pop.	85	94	228	187	231	199
Nonmetro	90	92	196	189	210	197
Urbanized	65	72	99	142	113	145
Less Urbanized	62	50	159	122	162	129
Completely Rural	22	22	68	55	70	56

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 6.97D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic Characteristic	Illicit Drugs (2011)	Illicit Drugs (2012)	Alcohol (2011)	Alcohol (2012)	Illicit Drugs or Alcohol (2011)	Illicit Drugs or Alcohol (2012)
TOTAL	0.11	0.12	0.25	0.24	0.25	0.25
GEOGRAPHIC DIVISION						
Northeast	0.26	0.23	0.59	0.53	0.61	0.53
New England	0.59	0.46	1.19	0.84	1.20	0.81
Middle Atlantic	0.29	0.27	0.67	0.66	0.70	0.66
Midwest	0.22	0.22	0.46	0.52	0.48	0.54
East North Central	0.27	0.25	0.56	0.59	0.58	0.60
West North Central	0.37	0.43	0.79	1.05	0.81	1.09
South	0.20	0.20	0.43	0.41	0.43	0.44
South Atlantic	0.27	0.29	0.57	0.59	0.59	0.63
East South Central	0.48	0.39	0.82	0.79	0.87	0.80
West South Central	0.36	0.36	0.76	0.76	0.76	0.80
West	0.25	0.31	0.54	0.54	0.56	0.56
Mountain	0.35	0.44	0.86	0.83	0.87	0.85
Pacific	0.32	0.39	0.69	0.69	0.70	0.72
COUNTY TYPE						
Large Metro	0.17	0.18	0.36	0.35	0.38	0.37
Small Metro	0.20	0.21	0.41	0.42	0.42	0.44
250K – 1 Mil. Pop.	0.24	0.26	0.51	0.55	0.51	0.58
< 250K Pop.	0.35	0.37	0.77	0.70	0.77	0.72
Nonmetro	0.23	0.23	0.46	0.46	0.48	0.47
Urbanized	0.39	0.40	0.63	0.75	0.68	0.76
Less Urbanized	0.32	0.28	0.74	0.64	0.73	0.66
Completely Rural	0.59	0.49	1.56	1.24	1.60	1.26

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.97P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Geographic Characteristic	Illicit Drugs (2011)	Illicit Drugs (2012)	Alcohol (2011)	Alcohol (2012)	Illicit Drugs or Alcohol (2011)	Illicit Drugs or Alcohol (2012)
TOTAL	0.0310		0.7594		0.5823	
GEOGRAPHIC DIVISION						
Northeast	0.6884		0.4199		0.4539	
New England	0.3536		0.2999		0.3588	
Middle Atlantic	0.9532		0.7064		0.7094	
Midwest	0.3954		0.5612		0.4910	
East North Central	0.4698		0.6511		0.6878	
West North Central	0.6328		0.7059		0.5244	
South	0.7518		0.7265		0.6998	
South Atlantic	0.2664		0.9370		0.9853	
East South Central	0.0975		0.6509		0.2239	
West South Central	0.9012		0.7802		0.9820	
West	0.0090		0.2555		0.1348	
Mountain	0.1944		0.4096		0.3237	
Pacific	0.0215		0.3850		0.2343	
COUNTY TYPE						
Large Metro	0.0892		0.8095		0.6280	
Small Metro	0.1207		0.7029		0.4612	
250K – 1 Mil. Pop.	0.1856		0.3878		0.2703	
< 250K Pop.	0.4060		0.5138		0.7045	
Nonmetro	0.9850		0.9283		0.5874	
Urbanized	0.7965		0.0677		0.2775	
Less Urbanized	0.8615		0.1534		0.1619	
Completely Rural	0.5435		0.4113		0.3526	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.