

**Table 6.98C Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Standard Errors of Numbers in Thousands, 2011 and 2012**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>ILLCIT DRUGS<sup>2</sup></b>	453	485	97	103	457	485
Marijuana and Hashish	403	426	90	95	401	424
Cocaine	106	142	41	54	96	132
Crack	42	94	16	45	39	82
Heroin	48	51	21	25	39	44
Hallucinogens	56	89	14	51	54	73
LSD	21	31	5	5	20	30
PCP	10	12	1	2	10	12
Ecstasy	43	71	12	49	41	51
Inhalants	65	62	16	16	64	59
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	228	263	51	56	224	252
Pain Relievers	187	210	39	48	183	202
OxyContin <sup>®</sup>	54	45	15	8	49	44
Tranquilizers	132	161	24	40	130	154
Stimulants <sup>4</sup>	88	101	30	52	82	86
Methamphetamine <sup>4</sup>	71	75	24	51	67	52
Sedatives	48	49	5	6	48	49
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	251	305	62	64	243	293

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.98D Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Standard Errors of Percentages, 2011 and 2012**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>ILLCIT DRUGS<sup>2</sup></b>	0.19	0.21	1.89	1.78	0.19	0.20
Marijuana and Hashish	0.17	0.18	1.73	1.66	0.17	0.18
Cocaine	0.05	0.06	0.85	1.08	0.04	0.06
Crack	0.02	0.04	0.34	0.90	0.02	0.04
Heroin	0.02	0.02	0.45	0.51	0.02	0.02
Hallucinogens	0.02	0.04	0.31	1.01	0.02	0.03
LSD	0.01	0.01	0.11	0.10	0.01	0.01
PCP	0.00	0.01	0.03	0.03	0.00	0.01
Ecstasy	0.02	0.03	0.26	0.98	0.02	0.02
Inhalants	0.03	0.03	0.34	0.31	0.03	0.03
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.10	0.11	1.06	1.10	0.10	0.11
Pain Relievers	0.08	0.09	0.83	0.96	0.08	0.09
OxyContin <sup>®</sup>	0.02	0.02	0.32	0.17	0.02	0.02
Tranquilizers	0.06	0.07	0.52	0.81	0.06	0.07
Stimulants <sup>4</sup>	0.04	0.04	0.62	1.03	0.04	0.04
Methamphetamine <sup>4</sup>	0.03	0.03	0.50	1.03	0.03	0.02
Sedatives	0.02	0.02	0.10	0.12	0.02	0.02
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.11	0.13	1.27	1.23	0.11	0.13

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.98P Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>ILLCIT DRUGS<sup>2</sup></b>	0.0396		0.4959		0.0655	
Marijuana and Hashish	0.1799		0.5058		0.2724	
Cocaine	0.0819		0.9915		0.0700	
Crack	0.0386		0.4613		0.0640	
Heroin	0.3575		0.8793		0.3262	
Hallucinogens	0.0454		0.2349		0.1218	
LSD	0.3138		0.7893		0.2881	
PCP	0.7356		0.8591		0.7540	
Ecstasy	0.1696		0.2821		0.3905	
Inhalants	0.2404		0.9643		0.2224	
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.0592		1.0000		0.0607	
Pain Relievers	0.2154		0.5923		0.2983	
OxyContin <sup>®</sup>	0.2790		0.0549		0.5315	
Tranquilizers	0.1463		0.9040		0.1437	
Stimulants <sup>4</sup>	0.2093		1.0000		0.1805	
Methamphetamine <sup>4</sup>	0.9798		0.4326		0.6024	
Sedatives	0.6111		0.5795		0.6737	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.0208		0.9261		0.0222	

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.99C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Standard Errors of Numbers in Thousands, 2011 and 2012**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>ILLCIT DRUGS<sup>2</sup></b>	344	347	85	97	360	367
Marijuana and Hashish	305	306	76	89	311	316
Cocaine	87	114	27	54	83	103
Crack	34	70	16	45	30	54
Heroin	40	51	21	25	32	44
Hallucinogens	56	84	14	51	54	67
LSD	21	31	5	5	20	30
PCP	10	12	1	2	10	12
Ecstasy	43	70	12	49	41	49
Inhalants	57	44	16	14	55	42
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	189	194	49	54	188	187
Pain Relievers	157	167	39	46	155	161
OxyContin <sup>®</sup>	49	44	15	8	46	44
Tranquilizers	103	113	24	40	101	106
Stimulants <sup>4</sup>	76	84	27	52	70	67
Methamphetamine <sup>4</sup>	58	67	20	51	54	43
Sedatives	37	40	5	6	36	39
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	209	226	53	62	208	222

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 49, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.99D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Standard Errors of Percentages, 2011 and 2012**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>ILLCIT DRUGS<sup>2</sup></b>	0.26	0.26	1.92	1.87	0.26	0.26
Marijuana and Hashish	0.23	0.23	1.73	1.77	0.23	0.23
Cocaine	0.07	0.09	0.67	1.23	0.06	0.08
Crack	0.03	0.05	0.40	1.02	0.02	0.04
Heroin	0.03	0.04	0.52	0.57	0.03	0.03
Hallucinogens	0.04	0.06	0.35	1.15	0.04	0.05
LSD	0.02	0.02	0.12	0.11	0.02	0.02
PCP	0.01	0.01	0.03	0.03	0.01	0.01
Ecstasy	0.03	0.05	0.31	1.12	0.03	0.04
Inhalants	0.04	0.03	0.40	0.33	0.04	0.03
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.14	0.15	1.18	1.19	0.14	0.14
Pain Relievers	0.12	0.13	0.95	1.03	0.12	0.12
OxyContin <sup>®</sup>	0.04	0.03	0.37	0.19	0.04	0.03
Tranquilizers	0.08	0.09	0.60	0.92	0.08	0.08
Stimulants <sup>4</sup>	0.06	0.06	0.66	1.16	0.05	0.05
Methamphetamine <sup>4</sup>	0.04	0.05	0.50	1.16	0.04	0.03
Sedatives	0.03	0.03	0.12	0.14	0.03	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.16	0.17	1.28	1.33	0.16	0.17

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 49, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.99P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>ILLCIT DRUGS<sup>2</sup></b>	0.0544		0.6063		0.0978	
Marijuana and Hashish	0.1334		0.5310		0.2357	
Cocaine	0.1321		0.6634		0.1758	
Crack	0.0742		0.4855		0.0978	
Heroin	0.1139		0.9252		0.0772	
Hallucinogens	0.0947		0.2570		0.2468	
LSD	0.2678		0.7491		0.2430	
PCP	0.9679		0.8779		0.9888	
Ecstasy	0.1998		0.2975		0.4603	
Inhalants	0.1719		0.7143		0.1786	
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.1800		0.7582		0.1693	
Pain Relievers	0.2736		0.9668		0.3100	
OxyContin <sup>®</sup>	0.4435		0.0451		0.8128	
Tranquilizers	0.1843		0.9081		0.1720	
Stimulants <sup>4</sup>	0.2029		0.9499		0.1817	
Methamphetamine <sup>4</sup>	0.7032		0.3638		0.7587	
Sedatives	0.4558		0.6448		0.5167	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.1137		0.9162		0.1392	

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 49, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.100C Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>TOTAL 18 OR OLDER</b>	453	485	97	103	457	485
<b>AGE</b>						
18-49	344	347	85	97	360	367
18-25	142	138	43	50	180	173
26-34	214	210	59	74	222	216
35-49	211	235	37	61	214	230
<b>GENDER/AGE</b>						
Male 18 or Older	335	350	76	92	345	357
Male 18-49	261	269	66	86	270	290
Female 18 or Older	256	284	53	41	255	281
Female 18-49	203	197	47	41	208	205

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.100D Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>TOTAL 18 OR OLDER</b>	0.19	0.21	1.89	1.78	0.19	0.20
<b>AGE</b>						
18-49	0.26	0.26	1.92	1.87	0.26	0.26
18-25	0.42	0.40	1.99	2.20	0.42	0.40
26-34	0.59	0.57	4.35	4.40	0.59	0.55
35-49	0.34	0.38	3.11	3.76	0.35	0.37
<b>GENDER/AGE</b>						
Male 18 or Older	0.30	0.31	2.14	2.22	0.30	0.31
Male 18-49	0.40	0.41	2.20	2.30	0.40	0.41
Female 18 or Older	0.21	0.23	3.42	2.82	0.21	0.23
Female 18-49	0.30	0.29	3.45	3.16	0.30	0.29

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.100P Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>TOTAL 18 OR OLDER</b>	0.0396		0.4959		0.0655	
<b>AGE</b>						
18-49	0.0544		0.6063		0.0978	
18-25	0.8661		0.9738		0.8761	
26-34	0.2226		0.7564		0.2852	
35-49	0.0920		0.2306		0.1832	
<b>GENDER/AGE</b>						
Male 18 or Older	0.0862		0.1350		0.2038	
Male 18-49	0.1536		0.4499		0.3165	
Female 18 or Older	0.1779		0.2140		0.1189	
Female 18-49	0.1682		0.6927		0.1263	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.101C Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>TOTAL 18 OR OLDER</b>	195	252	61	96	187	236
<b>AGE</b>						
18-49	168	218	59	91	162	206
18-25	83	94	30	38	83	96
26-34	104	131	36	70	104	114
35-49	96	130	37	39	90	125
<b>GENDER/AGE</b>						
Male 18 or Older	161	210	52	91	155	195
Male 18-49	140	183	51	85	133	170
Female 18 or Older	107	119	30	26	102	117
Female 18-49	92	108	30	26	87	107

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.101D Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>TOTAL 18 OR OLDER</b>	0.08	0.11	1.27	1.75	0.08	0.10
<b>AGE</b>						
18-49	0.13	0.16	1.39	1.86	0.13	0.15
18-25	0.24	0.27	1.66	1.95	0.24	0.26
26-34	0.29	0.36	2.91	4.58	0.29	0.31
35-49	0.16	0.21	3.05	2.60	0.15	0.21
<b>GENDER/AGE</b>						
Male 18 or Older	0.14	0.19	1.56	2.27	0.14	0.17
Male 18-49	0.22	0.28	1.75	2.39	0.21	0.26
Female 18 or Older	0.09	0.10	2.19	1.89	0.09	0.10
Female 18-49	0.14	0.16	2.40	2.18	0.13	0.16

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.101P Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>TOTAL 18 OR OLDER</b>	0.0059		0.5268		0.0081	
<b>AGE</b>						
18-49	0.0037		0.9362		0.0032	
18-25	0.3932		0.7837		0.3458	
26-34	0.0388		0.4034		0.0722	
35-49	0.0398		0.4901		0.0248	
<b>GENDER/AGE</b>						
Male 18 or Older	0.0206		0.2611		0.0550	
Male 18-49	0.0382		0.7281		0.0657	
Female 18 or Older	0.0943		0.2710		0.0413	
Female 18-49	0.0238		0.4224		0.0080	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.102C Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>TOTAL 18 OR OLDER</b>	401	463	105	134	411	473
<b>AGE</b>						
18-49	303	357	90	120	324	377
18-25	128	133	44	50	163	167
26-34	196	211	58	88	207	211
35-49	204	243	53	73	206	240
<b>GENDER/AGE</b>						
Male 18 or Older	321	383	91	124	325	391
Male 18-49	245	281	79	110	258	296
Female 18 or Older	230	241	48	43	232	239
Female 18-49	187	200	40	40	194	206

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.102D Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2011 and 2012**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>TOTAL 18 OR OLDER</b>	0.17	0.20	1.91	2.16	0.17	0.19
<b>AGE</b>						
18-49	0.23	0.27	1.91	2.17	0.23	0.26
18-25	0.37	0.39	2.01	2.21	0.37	0.38
26-34	0.54	0.57	4.20	4.77	0.56	0.55
35-49	0.33	0.40	4.25	4.28	0.33	0.39
<b>GENDER/AGE</b>						
Male 18 or Older	0.29	0.34	2.25	2.59	0.29	0.33
Male 18-49	0.38	0.43	2.28	2.67	0.38	0.42
Female 18 or Older	0.19	0.20	3.27	3.00	0.19	0.20
Female 18-49	0.28	0.30	3.17	3.17	0.28	0.30

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

**Table 6.102P Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2011	2012	2011	2012	2011	2012
<b>TOTAL 18 OR OLDER</b>	0.0099		0.2417		0.0240	
<b>AGE</b>						
18-49	0.0092		0.5542		0.0193	
18-25	0.5307		0.9552		0.4386	
26-34	0.2785		0.2976		0.4925	
35-49	0.0251		0.8354		0.0364	
<b>GENDER/AGE</b>						
Male 18 or Older	0.0030		0.1061		0.0111	
Male 18-49	0.0266		0.5739		0.0627	
Female 18 or Older	0.8332		0.5329		0.7547	
Female 18-49	0.1992		0.8665		0.1667	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.