

Table 7.1C Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	963	909	969	940	899	974	927	966	1,023	1,036	956
Marijuana and Hashish	912	868	912	925	909	964	917	949	1,019	1,013	1,005
Cocaine	583	565	636	595	655	660	672	655	682	701	703
Crack	306	264	280	292	329	339	323	316	379	327	346
Heroin	223	205	193	226	238	240	224	217	249	227	245
Hallucinogens	602	589	618	608	644	640	647	666	687	628	674
LSD	514	494	506	521	520	550	548	564	560	530	561
PCP	284	271	298	289	294	298	339	298	321	307	311
Ecstasy	297	285	329	335	355	346	344	371	430	367	405
Inhalants	474	441	480	460	471	503	490	473	473	491	489
Nonmedical Use of Psychotherapeutics ^{2,3}	743	653	736	719	701	698	757	740	784	752	765
Pain Relievers	569	517	564	562	540	563	597	584	610	598	622
OxyContin [®]	116	140	134	142	168	181	187	222	246	211	245
Tranquilizers	497	435	490	480	477	469	506	494	494	494	563
Stimulants ³	515	475	498	491	508	472	546	509	557	500	556
Methamphetamine ³	417	403	401	375	413	368	400	404	452	410	426
Sedatives	370	325	403	347	353	360	401	354	355	353	377
ILLCIT DRUGS OTHER THAN MARIJUANA¹	815	756	827	835	809	858	855	877	900	889	873

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.1D Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.41	0.38	0.40	0.39	0.37	0.39	0.37	0.38	0.40	0.40	0.37
Marijuana and Hashish	0.39	0.37	0.38	0.38	0.37	0.39	0.37	0.38	0.40	0.39	0.39
Cocaine	0.25	0.24	0.26	0.24	0.27	0.27	0.27	0.26	0.27	0.27	0.27
Crack	0.13	0.11	0.12	0.12	0.13	0.14	0.13	0.13	0.15	0.13	0.13
Heroin	0.10	0.09	0.08	0.09	0.10	0.10	0.09	0.09	0.10	0.09	0.09
Hallucinogens	0.26	0.25	0.26	0.25	0.26	0.26	0.26	0.26	0.27	0.24	0.26
LSD	0.22	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.21	0.22
PCP	0.12	0.11	0.12	0.12	0.12	0.12	0.14	0.12	0.13	0.12	0.12
Ecstasy	0.13	0.12	0.14	0.14	0.14	0.14	0.14	0.15	0.17	0.14	0.16
Inhalants	0.20	0.19	0.20	0.19	0.19	0.20	0.20	0.19	0.19	0.19	0.19
Nonmedical Use of Psychotherapeutics ^{2,3}	0.32	0.27	0.31	0.30	0.28	0.28	0.30	0.29	0.31	0.29	0.29
Pain Relievers	0.24	0.22	0.23	0.23	0.22	0.23	0.24	0.23	0.24	0.23	0.24
OxyContin [®]	0.05	0.06	0.06	0.06	0.07	0.07	0.07	0.09	0.10	0.08	0.09
Tranquilizers	0.21	0.18	0.20	0.20	0.19	0.19	0.20	0.20	0.19	0.19	0.22
Stimulants ³	0.22	0.20	0.21	0.20	0.21	0.19	0.22	0.20	0.22	0.19	0.21
Methamphetamine ³	0.18	0.17	0.17	0.15	0.17	0.15	0.16	0.16	0.18	0.16	0.16
Sedatives	0.16	0.14	0.17	0.14	0.14	0.15	0.16	0.14	0.14	0.14	0.14
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.35	0.32	0.34	0.34	0.33	0.35	0.34	0.35	0.35	0.35	0.34

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.1P Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0004	0.0022	0.0000	0.0004	0.0000	0.0008	0.1193	0.2433	0.1963	0.0649	
Marijuana and Hashish	0.0000	0.0001	0.0000	0.0000	0.0000	0.0001	0.0028	0.0462	0.1768	0.0949	
Cocaine	0.8455	0.6027	0.4396	0.0756	0.7034	0.9763	0.4515	0.7963	0.5359	0.6718	
Crack	0.5672	0.4803	0.2421	0.2520	0.9478	0.9610	0.6564	0.4535	0.4117	0.1175	
Heroin	0.1443	0.1584	0.0003	0.0261	0.1147	0.1046	0.0721	0.0236	0.3721	0.2688	
Hallucinogens	0.9650	0.7393	0.4082	0.0459	0.5328	0.0489	0.7055	0.4602	0.5511	0.1960	
LSD	0.0000	0.0001	0.0463	0.7487	0.2152	0.9001	0.3010	0.3554	0.7785	0.4995	
PCP	0.0002	0.0046	0.0907	0.2443	0.2898	0.8805	0.4179	0.8646	0.7655	0.3638	
Ecstasy	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0109	0.7744	0.0089	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	0.0013	0.0013	0.0699	0.5982	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.2298	0.4590	0.2624	0.1977	0.6381	0.1938	0.9302	0.5277	0.2590	0.0121	
Pain Relievers	0.0000	0.0006	0.0020	0.0157	0.0459	0.0072	0.4720	0.4262	0.1632	0.0038	
OxyContin [®]	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1252	0.4543	0.0625	
Tranquilizers	0.0031	0.0400	0.0050	0.1312	0.1323	0.0013	0.1209	0.1515	0.2388	0.0160	
Stimulants ³	0.0000	0.0000	0.0008	0.2164	0.0036	0.0915	0.4131	0.1045	0.3169	0.2202	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0261	0.0000	0.0116	0.1314	0.0699	0.0680	0.7062	
Sedatives	0.0000	0.0000	0.0000	0.0015	0.0064	0.1086	0.0160	0.0624	0.8654	0.4864	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.8197	0.8612	0.1908	0.3247	0.4427	0.5501	0.4302	0.6761	0.7646	0.1308	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.2C Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	588	558	535	550	566	596	553	598	646	603	648
Marijuana and Hashish	471	455	451	473	478	493	474	541	559	514	556
Cocaine	222	229	205	205	230	242	207	209	205	168	217
Crack	124	124	117	114	134	123	94	105	92	69	111
Heroin	55	48	56	43	86	54	59	79	75	72	78
Hallucinogens	151	147	153	146	149	140	130	158	178	143	175
LSD	63	44	47	48	56	55	50	55	72	60	85
PCP	25	24	28	21	38	19	14	22	24	20	34
Ecstasy	126	105	112	114	106	108	96	126	128	107	134
Inhalants	95	83	90	95	107	106	115	111	115	107	120
Nonmedical Use of Psychotherapeutics ^{2,3}	379	358	352	346	360	381	352	366	397	363	406
Pain Relievers	300	299	300	304	306	316	294	322	336	302	355
OxyContin [®]	--	--	74	81	93	96	88	105	116	104	105
Tranquilizers	225	195	208	207	197	222	200	222	207	211	252
Stimulants ³	154	136	157	134	180	152	123	149	158	151	161
Methamphetamine ³	116	100	128	99	137	115	75	100	105	118	113
Sedatives	116	85	72	74	99	94	61	80	103	64	66
ILLCIT DRUGS OTHER THAN MARIJUANA¹	432	420	410	398	418	449	407	420	446	404	459

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.2D Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.25	0.23	0.22	0.23	0.23	0.24	0.22	0.24	0.25	0.23	0.25
Marijuana and Hashish	0.20	0.19	0.19	0.19	0.19	0.20	0.19	0.21	0.22	0.20	0.21
Cocaine	0.09	0.10	0.09	0.08	0.09	0.10	0.08	0.08	0.08	0.07	0.08
Crack	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.03	0.04
Heroin	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.03	0.03	0.03	0.03
Hallucinogens	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.06	0.07	0.06	0.07
LSD	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.03
PCP	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01
Ecstasy	0.05	0.04	0.05	0.05	0.04	0.04	0.04	0.05	0.05	0.04	0.05
Inhalants	0.04	0.03	0.04	0.04	0.04	0.04	0.05	0.04	0.05	0.04	0.05
Nonmedical Use of Psychotherapeutics ^{2,3}	0.16	0.15	0.15	0.14	0.15	0.15	0.14	0.15	0.16	0.14	0.16
Pain Relievers	0.13	0.13	0.12	0.12	0.12	0.13	0.12	0.13	0.13	0.12	0.14
OxyContin [®]	--	--	0.03	0.03	0.04	0.04	0.04	0.04	0.05	0.04	0.04
Tranquilizers	0.10	0.08	0.09	0.08	0.08	0.09	0.08	0.09	0.08	0.08	0.10
Stimulants ³	0.07	0.06	0.07	0.06	0.07	0.06	0.05	0.06	0.06	0.06	0.06
Methamphetamine ³	0.05	0.04	0.05	0.04	0.06	0.05	0.03	0.04	0.04	0.05	0.04
Sedatives	0.05	0.04	0.03	0.03	0.04	0.04	0.02	0.03	0.04	0.02	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.18	0.18	0.17	0.16	0.17	0.18	0.16	0.17	0.18	0.16	0.18

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.2P Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLICIT DRUGS¹	0.0043	0.0004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0199	0.0861	0.0009	
Marijuana and Hashish	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0163	0.0639	0.0450	
Cocaine	0.0000	0.0000	0.0000	0.0001	0.0000	0.0001	0.0071	0.3411	0.9390	0.0049	
Crack	0.0000	0.0005	0.0038	0.0008	0.0005	0.0005	0.1088	0.4581	0.9212	0.0321	
Heroin	0.0250	0.0006	0.0158	0.0040	0.5231	0.0038	0.0472	0.5344	0.7717	0.6839	
Hallucinogens	0.0001	1.0000	0.6393	0.3174	0.6443	0.1130	0.0294	0.1190	0.1555	0.3911	
LSD	0.6663	0.0000	0.0000	0.0000	0.0007	0.0001	0.0310	0.0185	0.1594	0.0981	
PCP	0.0430	0.1161	0.2257	0.9520	0.6288	0.4891	0.0569	0.2799	0.0776	0.1852	
Ecstasy	0.0000	0.1003	0.0029	0.0042	0.0512	0.0318	0.0147	0.1341	0.5359	0.3434	
Inhalants	0.0001	0.0001	0.0000	0.0001	0.0001	0.0027	0.0066	0.0042	0.0157	0.2371	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.6023	0.8933	0.2727	0.6397	0.1684	0.4065	0.1216	0.8919	0.7092	0.0004	
Pain Relievers	0.4936	0.5628	0.5071	0.7668	0.0589	0.1823	0.8576	0.4602	0.8978	0.0069	
OxyContin [®]	--	--	0.2102	0.2173	0.5901	0.8891	0.7414	0.0857	0.0044	0.2526	
Tranquilizers	0.0450	0.0982	0.0796	0.1692	0.0286	0.1272	0.0222	0.2420	0.2888	0.0057	
Stimulants ³	0.0720	1.0000	0.3891	0.9427	0.0060	0.4426	0.0085	0.5785	0.1416	0.0087	
Methamphetamine ³	0.0000	0.0002	0.0000	0.0003	0.0000	0.1075	0.0543	0.7363	0.2782	0.5051	
Sedatives	0.0006	0.0051	0.0416	0.0423	0.0018	0.0075	0.5043	0.0152	0.0088	0.4923	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0465	0.1443	0.9858	0.7141	0.0544	0.1355	0.4914	0.4345	0.8516	0.0003	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.3C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	388	404	415	432	427	445	427	457	488	460	492
Marijuana and Hashish	320	327	360	360	357	359	377	395	407	409	431
Cocaine	128	147	119	142	153	149	131	136	108	106	142
Crack	68	91	66	87	101	80	55	77	60	42	94
Heroin	42	28	37	19	77	38	39	37	43	48	51
Hallucinogens	80	72	58	83	70	75	68	92	84	60	90
LSD	18	18	26	16	24	33	19	22	20	23	31
PCP	15	13	17	13	9	13	8	18	21	10	13
Ecstasy	64	55	47	44	51	56	51	69	61	45	72
Inhalants	64	45	64	57	73	67	71	58	83	68	65
Nonmedical Use of Psychotherapeutics ^{2,3}	230	256	212	232	244	251	225	250	268	231	265
Pain Relievers	186	207	170	194	217	214	196	214	215	189	211
OxyContin [®]	--	--	36	38	35	53	58	59	67	54	46
Tranquilizers	136	118	103	118	115	129	118	137	138	133	162
Stimulants ³	94	102	99	81	105	94	75	99	86	89	101
Methamphetamine ³	78	81	76	62	79	80	53	67	53	72	74
Sedatives	64	55	48	47	69	68	37	55	72	49	50
ILLCIT DRUGS OTHER THAN MARIJUANA¹	276	289	255	279	284	306	261	292	300	256	309

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.3D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.17	0.17	0.17	0.18	0.17	0.18	0.17	0.18	0.19	0.18	0.19
Marijuana and Hashish	0.14	0.14	0.15	0.15	0.15	0.14	0.15	0.16	0.16	0.16	0.17
Cocaine	0.05	0.06	0.05	0.06	0.06	0.06	0.05	0.05	0.04	0.04	0.05
Crack	0.03	0.04	0.03	0.04	0.04	0.03	0.02	0.03	0.02	0.02	0.04
Heroin	0.02	0.01	0.02	0.01	0.03	0.02	0.02	0.01	0.02	0.02	0.02
Hallucinogens	0.03	0.03	0.02	0.03	0.03	0.03	0.03	0.04	0.03	0.02	0.03
LSD	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
PCP	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.01	0.01	0.00	0.00
Ecstasy	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.03
Inhalants	0.03	0.02	0.03	0.02	0.03	0.03	0.03	0.02	0.03	0.03	0.02
Nonmedical Use of Psychotherapeutics ^{2,3}	0.10	0.11	0.09	0.10	0.10	0.10	0.09	0.10	0.11	0.09	0.10
Pain Relievers	0.08	0.09	0.07	0.08	0.09	0.09	0.08	0.09	0.08	0.07	0.08
OxyContin [®]	--	--	0.02	0.02	0.01	0.02	0.02	0.02	0.03	0.02	0.02
Tranquilizers	0.06	0.05	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06
Stimulants ³	0.04	0.04	0.04	0.03	0.04	0.04	0.03	0.04	0.03	0.03	0.04
Methamphetamine ³	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.03	0.02	0.03	0.03
Sedatives	0.03	0.02	0.02	0.02	0.03	0.03	0.01	0.02	0.03	0.02	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.12	0.12	0.11	0.11	0.12	0.12	0.10	0.12	0.12	0.10	0.12

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.3P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0005	0.0001	0.0000	0.0000	0.0004	0.0000	0.0000	0.0755	0.3606	0.0723	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0125	0.0989	0.2989	
Cocaine	0.0038	0.0001	0.0054	0.0000	0.0000	0.0150	0.1424	0.8237	0.4350	0.1269	
Crack	0.1271	0.1131	0.6053	0.0312	0.0368	0.1368	0.5527	0.5870	0.6252	0.0405	
Heroin	0.0273	0.0005	0.0163	0.0005	0.8067	0.0103	0.0788	0.0334	0.1815	0.4741	
Hallucinogens	0.1346	0.9551	0.2436	0.8126	0.5699	0.4673	0.7817	0.1946	0.3893	0.1576	
LSD	0.1036	0.3015	0.4437	0.0401	0.2460	0.4790	0.5755	0.6016	0.4814	0.4322	
PCP	0.1336	0.1225	0.3551	0.3143	0.9808	0.4975	0.6981	0.2947	0.8471	0.7242	
Ecstasy	0.2353	0.2246	0.1091	0.2886	0.4499	0.2826	0.5161	0.1199	0.3863	0.3573	
Inhalants	0.0297	0.1064	0.0376	0.0758	0.0020	0.1075	0.0716	0.3270	0.0453	0.1275	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.7396	0.5555	0.5224	0.7624	0.0636	0.2627	0.3002	0.3097	0.4122	0.0593	
Pain Relievers	0.9436	0.3794	0.7197	0.6949	0.0261	0.0608	0.8298	0.0547	0.2211	0.2255	
OxyContin [®]	--	--	0.9084	0.9803	0.2432	0.6638	0.1853	0.0274	0.0073	0.2724	
Tranquilizers	0.5173	0.5097	0.0470	0.3306	0.1608	0.3169	0.1855	0.8452	0.7251	0.1830	
Stimulants ³	0.0627	0.0825	0.0929	0.4494	0.0503	0.6285	0.0861	0.2346	0.6483	0.1605	
Methamphetamine ³	0.0058	0.0022	0.0036	0.0201	0.0034	0.2866	0.2240	0.4428	0.3981	0.9737	
Sedatives	0.0141	0.5016	0.8152	0.7728	0.1202	0.2892	0.7163	0.1409	0.1981	0.5915	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0579	0.0708	0.9342	0.1116	0.0024	0.0500	0.9555	0.1644	0.3929	0.0454	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.4C Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	104	107	96	100	104	103	98	103	102	103	92
Marijuana and Hashish	88	91	87	85	87	88	82	86	91	89	82
Cocaine	36	36	33	34	32	32	32	28	26	26	23
Crack	17	17	14	14	15	13	12	10	11	16	10
Heroin	14	11	12	10	11	10	13	9	9	12	12
Hallucinogens	49	48	45	44	42	41	41	43	44	43	39
LSD	34	26	24	23	21	18	21	20	21	19	21
PCP	20	20	18	19	16	14	12	13	11	10	13
Ecstasy	40	32	31	26	28	30	33	34	35	37	30
Inhalants	67	68	67	67	66	68	65	66	61	58	51
Nonmedical Use of Psychotherapeutics ^{2,3}	75	76	70	72	75	74	69	70	68	64	64
Pain Relievers	69	70	67	65	68	69	66	64	64	59	58
OxyContin [®]	21	20	24	21	24	25	23	27	28	25	23
Tranquilizers	38	40	36	38	36	37	35	33	36	37	38
Stimulants ³	46	41	38	41	43	34	39	31	31	31	28
Methamphetamine ³	29	24	25	26	28	19	22	20	18	21	15
Sedatives	22	22	23	22	19	20	18	21	17	16	17
ILLCIT DRUGS OTHER THAN MARIJUANA¹	89	97	84	87	87	92	83	88	87	82	77

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.4D Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.42	0.43	0.38	0.39	0.41	0.41	0.39	0.42	0.42	0.41	0.37
Marijuana and Hashish	0.36	0.37	0.34	0.33	0.34	0.35	0.33	0.35	0.37	0.35	0.33
Cocaine	0.15	0.15	0.13	0.14	0.13	0.13	0.13	0.11	0.11	0.11	0.09
Crack	0.07	0.07	0.06	0.05	0.06	0.05	0.05	0.04	0.04	0.06	0.04
Heroin	0.05	0.04	0.05	0.04	0.04	0.04	0.05	0.04	0.04	0.04	0.05
Hallucinogens	0.20	0.19	0.18	0.17	0.17	0.16	0.16	0.18	0.18	0.17	0.15
LSD	0.14	0.10	0.09	0.09	0.08	0.07	0.08	0.08	0.09	0.08	0.09
PCP	0.08	0.08	0.07	0.08	0.06	0.05	0.05	0.05	0.05	0.04	0.05
Ecstasy	0.16	0.13	0.12	0.10	0.11	0.12	0.13	0.14	0.14	0.15	0.12
Inhalants	0.27	0.27	0.27	0.26	0.26	0.27	0.26	0.27	0.25	0.23	0.21
Nonmedical Use of Psychotherapeutics ^{2,3}	0.30	0.30	0.28	0.28	0.30	0.29	0.28	0.28	0.28	0.26	0.26
Pain Relievers	0.28	0.28	0.27	0.26	0.27	0.27	0.26	0.26	0.26	0.23	0.23
OxyContin [®]	0.09	0.08	0.09	0.08	0.09	0.10	0.09	0.11	0.12	0.10	0.09
Tranquilizers	0.16	0.16	0.14	0.15	0.14	0.15	0.14	0.13	0.15	0.15	0.15
Stimulants ³	0.19	0.16	0.15	0.16	0.17	0.13	0.16	0.12	0.13	0.12	0.11
Methamphetamine ³	0.12	0.10	0.10	0.10	0.11	0.07	0.09	0.08	0.08	0.08	0.06
Sedatives	0.09	0.09	0.09	0.09	0.08	0.08	0.07	0.09	0.07	0.06	0.07
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.36	0.39	0.33	0.34	0.34	0.36	0.33	0.36	0.36	0.33	0.31

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.4P Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0001	0.0000	0.0059	0.0209	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.4026	0.4685	0.1205	0.4550	0.8209	0.8418	0.2539	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0036	0.0336	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0030	0.0745	0.0685	0.0580	
Heroin	0.0553	0.2187	0.3006	0.9606	0.9699	0.7377	0.6709	0.8840	0.4215	0.5558	
Hallucinogens	0.0000	0.0000	0.0000	0.0060	0.0097	0.2526	0.0079	0.0005	0.0006	0.0620	
LSD	0.0000	0.0000	0.0565	0.2767	0.2619	0.0820	0.4510	0.8974	0.6935	0.4909	
PCP	0.0000	0.0000	0.0005	0.0003	0.1388	0.6629	0.7089	0.8269	0.2793	0.2201	
Ecstasy	0.0000	0.0093	0.4974	0.0138	0.6155	0.2617	0.4072	0.0497	0.0023	0.0135	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0006	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0012	0.0001	0.0731	0.6854	
Pain Relievers	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0011	0.0000	0.0089	0.3445	
OxyContin [®]	0.0024	0.0241	0.5286	0.1071	0.6485	0.3201	0.4946	0.0793	0.1387	0.1616	
Tranquilizers	0.0117	0.0023	0.0467	0.3299	0.6381	0.4941	0.7145	0.9734	0.4757	0.9253	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0250	0.2577	0.7611	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0017	0.0644	0.0847	0.5032	0.1198	
Sedatives	0.0193	0.0074	0.0084	0.0540	0.0779	0.1719	0.2104	0.0535	0.7648	0.1655	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0057	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.5C Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	95	91	87	88	95	88	87	90	94	93	83
Marijuana and Hashish	79	79	77	75	78	75	73	78	84	83	75
Cocaine	32	28	27	28	28	27	24	22	22	20	19
Crack	14	13	10	10	12	11	8	7	5	7	8
Heroin	11	8	10	8	8	6	11	7	8	11	9
Hallucinogens	40	37	36	36	34	34	35	38	40	35	32
LSD	25	15	17	17	14	15	18	14	17	18	16
PCP	13	12	12	14	11	9	10	10	8	7	11
Ecstasy	32	23	23	21	23	26	27	29	32	29	23
Inhalants	44	48	45	47	45	43	44	42	42	40	34
Nonmedical Use of Psychotherapeutics ^{2,3}	64	64	59	61	62	63	58	59	58	53	53
Pain Relievers	59	59	56	56	56	59	54	54	54	48	47
OxyContin [®]	--	--	18	18	18	19	17	20	24	18	17
Tranquilizers	34	33	29	29	30	31	29	26	30	31	31
Stimulants ³	35	30	28	31	33	27	28	23	24	23	23
Methamphetamine ³	22	17	17	20	21	14	14	13	15	16	12
Sedatives	16	16	15	16	13	15	14	16	14	12	11
ILLCIT DRUGS OTHER THAN MARIJUANA¹	76	79	71	71	73	73	69	72	74	65	64

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.5D Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.38	0.36	0.34	0.35	0.37	0.35	0.35	0.36	0.38	0.37	0.33
Marijuana and Hashish	0.32	0.31	0.31	0.30	0.31	0.30	0.29	0.32	0.34	0.33	0.30
Cocaine	0.13	0.11	0.11	0.11	0.11	0.11	0.10	0.09	0.09	0.08	0.08
Crack	0.06	0.05	0.04	0.04	0.05	0.04	0.03	0.03	0.02	0.03	0.03
Heroin	0.04	0.03	0.04	0.03	0.03	0.02	0.04	0.03	0.03	0.05	0.04
Hallucinogens	0.16	0.15	0.14	0.14	0.13	0.14	0.14	0.16	0.16	0.14	0.13
LSD	0.10	0.06	0.07	0.07	0.05	0.06	0.07	0.06	0.07	0.07	0.07
PCP	0.05	0.05	0.05	0.06	0.04	0.04	0.04	0.04	0.03	0.03	0.04
Ecstasy	0.13	0.09	0.09	0.08	0.09	0.10	0.11	0.12	0.13	0.12	0.09
Inhalants	0.18	0.19	0.18	0.19	0.18	0.17	0.18	0.17	0.17	0.16	0.14
Nonmedical Use of Psychotherapeutics ^{2,3}	0.26	0.26	0.23	0.24	0.24	0.25	0.23	0.24	0.24	0.21	0.21
Pain Relievers	0.24	0.24	0.22	0.22	0.22	0.23	0.22	0.22	0.22	0.19	0.19
OxyContin [®]	--	--	0.07	0.07	0.07	0.07	0.07	0.08	0.10	0.07	0.07
Tranquilizers	0.14	0.13	0.12	0.11	0.12	0.12	0.12	0.11	0.12	0.12	0.13
Stimulants ³	0.14	0.12	0.11	0.12	0.13	0.11	0.11	0.09	0.10	0.09	0.09
Methamphetamine ³	0.09	0.07	0.07	0.08	0.08	0.06	0.06	0.05	0.06	0.06	0.05
Sedatives	0.07	0.06	0.06	0.06	0.05	0.06	0.06	0.06	0.06	0.05	0.05
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.31	0.32	0.28	0.28	0.29	0.29	0.28	0.29	0.30	0.26	0.26

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.5P Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0001	0.0010	0.0834	0.0142	0.0003	0.0025	0.0423	
Marijuana and Hashish	0.0000	0.0006	0.0188	0.7306	0.5376	0.0224	0.3499	0.6790	0.2482	0.1093	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0271	0.0283	0.0658	
Crack	0.0000	0.0000	0.0008	0.0062	0.0001	0.0007	0.1653	0.3265	0.9923	0.2752	
Heroin	0.1586	0.6574	0.2210	0.6756	0.6642	0.4688	0.5025	0.7593	0.8367	0.1301	
Hallucinogens	0.0000	0.0000	0.0001	0.0322	0.0558	0.1411	0.0036	0.0001	0.0000	0.0511	
LSD	0.0000	0.8723	0.8859	0.8413	0.0238	0.2156	0.1696	0.7248	0.5618	0.7848	
PCP	0.0003	0.0111	0.1530	0.0478	0.5391	0.6325	0.3664	1.0000	0.3595	0.4936	
Ecstasy	0.0000	0.2126	0.5667	0.2466	0.6555	0.2920	0.0903	0.0005	0.0000	0.0005	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0011	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	0.0004	0.0077	0.1606	
Pain Relievers	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0024	0.0251	
OxyContin [®]	--	--	0.8214	0.9259	0.6688	0.0860	0.1047	0.1103	0.0714	0.1875	
Tranquilizers	0.0104	0.0037	0.0839	0.3858	0.6014	0.2875	0.4558	0.7067	0.5585	0.6277	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0146	0.1700	0.6819	0.8141	0.4204	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0739	0.5046	0.7420	0.3238	0.2272	
Sedatives	0.0042	0.0126	0.0079	0.0609	0.1371	0.1265	0.0715	0.0186	0.0820	0.8751	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0050	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.6C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	71	67	67	64	67	68	61	66	70	68	63
Marijuana and Hashish	58	60	57	56	55	56	54	59	62	61	55
Cocaine	18	16	15	16	13	13	13	13	11	12	7
Crack	9	8	5	7	4	5	3	4	2	2	*
Heroin	5	6	5	5	5	2	6	5	3	8	*
Hallucinogens	20	20	19	19	18	17	21	20	21	22	17
LSD	12	10	8	8	7	8	10	7	10	8	6
PCP	6	6	5	6	5	5	4	5	3	2	3
Ecstasy	16	12	13	11	11	11	15	16	15	15	11
Inhalants	22	25	26	23	26	26	24	22	23	20	19
Nonmedical Use of Psychotherapeutics ^{2,3}	43	42	40	37	40	40	33	36	38	35	37
Pain Relievers	39	39	36	33	36	36	29	34	35	31	32
OxyContin [®]	--	--	10	7	6	8	8	11	10	10	10
Tranquilizers	18	22	15	17	14	19	16	15	15	17	19
Stimulants ³	22	19	19	18	17	14	14	14	15	12	14
Methamphetamine ³	14	11	12	13	10	8	6	8	8	8	6
Sedatives	9	10	6	6	8	9	8	9	8	6	6
ILLCIT DRUGS OTHER THAN MARIJUANA¹	52	48	49	44	48	49	42	45	47	42	43

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.6D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.29	0.27	0.27	0.25	0.27	0.27	0.25	0.27	0.29	0.27	0.25
Marijuana and Hashish	0.24	0.24	0.23	0.22	0.21	0.22	0.22	0.24	0.25	0.24	0.22
Cocaine	0.07	0.06	0.06	0.06	0.05	0.05	0.05	0.05	0.05	0.05	0.03
Crack	0.03	0.03	0.02	0.03	0.02	0.02	0.01	0.02	0.01	0.01	*
Heroin	0.02	0.02	0.02	0.02	0.02	0.01	0.03	0.02	0.01	0.03	*
Hallucinogens	0.08	0.08	0.07	0.07	0.07	0.07	0.08	0.08	0.09	0.09	0.07
LSD	0.05	0.04	0.03	0.03	0.03	0.03	0.04	0.03	0.04	0.03	0.02
PCP	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01
Ecstasy	0.06	0.05	0.05	0.04	0.04	0.04	0.06	0.06	0.06	0.06	0.04
Inhalants	0.09	0.10	0.10	0.09	0.10	0.10	0.10	0.09	0.10	0.08	0.08
Nonmedical Use of Psychotherapeutics ^{2,3}	0.17	0.17	0.16	0.14	0.16	0.16	0.13	0.15	0.16	0.14	0.15
Pain Relievers	0.16	0.15	0.14	0.13	0.14	0.14	0.12	0.14	0.14	0.12	0.13
OxyContin [®]	--	--	0.04	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04
Tranquilizers	0.07	0.09	0.06	0.07	0.06	0.07	0.07	0.06	0.06	0.07	0.08
Stimulants ³	0.09	0.08	0.08	0.07	0.07	0.06	0.05	0.06	0.06	0.05	0.06
Methamphetamine ³	0.06	0.04	0.05	0.05	0.04	0.03	0.02	0.03	0.03	0.03	0.03
Sedatives	0.03	0.04	0.02	0.03	0.03	0.04	0.03	0.04	0.03	0.02	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.21	0.19	0.20	0.17	0.19	0.19	0.17	0.18	0.19	0.17	0.17

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.6P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0000	0.0000	0.0037	0.2910	0.4723	0.9207	0.4871	0.1237	0.1243	0.1309	
Marijuana and Hashish	0.0031	0.0413	0.2638	0.2029	0.0824	0.0987	0.0959	0.6362	0.5865	0.0458	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0040	0.0168	0.0037	
Crack	*	*	*	*	*	*	*	*	*	*	
Heroin	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	0.0003	0.0002	0.0565	0.1047	0.4516	0.6307	0.0014	0.0277	0.0345	0.0562	
LSD	0.0114	0.0352	0.2481	0.5781	0.6088	0.7634	0.0297	0.3355	0.0745	0.4839	
PCP	0.0049	0.0168	0.2569	0.0532	0.1936	0.3966	0.0448	0.1548	0.6183	0.9100	
Ecstasy	0.0082	0.2904	0.8564	0.9641	0.6094	0.5567	0.0782	0.0271	0.0067	0.0812	
Inhalants	0.0001	0.0000	0.0002	0.0001	0.0000	0.0016	0.0054	0.0538	0.0098	0.2050	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0001	0.0104	0.0110	0.0185	0.6897	0.0635	0.3986	0.9119	
Pain Relievers	0.0000	0.0000	0.0001	0.0107	0.0128	0.0294	0.8257	0.0138	0.1808	0.9311	
OxyContin [®]	--	--	0.2604	0.2358	0.0924	0.8620	0.9576	0.1407	0.9732	0.8839	
Tranquilizers	0.0624	0.0031	0.4191	0.4661	0.4913	0.1489	0.6675	0.8006	0.9097	0.3908	
Stimulants ³	0.0004	0.0000	0.0119	0.0258	0.0258	0.7188	0.8072	0.6184	0.7146	0.3057	
Methamphetamine ³	0.0095	0.0017	0.0401	0.0047	0.0679	0.7679	0.8804	0.5405	0.6350	0.5575	
Sedatives	0.0478	0.0762	0.9729	0.9924	0.0874	0.5143	0.4110	0.2124	0.3576	0.7926	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0026	0.0004	0.0024	0.0706	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.7C Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	156	155	165	161	166	162	155	163	167	174	175
Marijuana and Hashish	157	157	176	168	175	166	160	169	167	177	178
Cocaine	114	107	109	115	116	117	112	113	112	108	113
Crack	51	54	50	54	55	49	48	45	47	42	40
Heroin	35	37	36	36	38	34	32	37	41	43	43
Hallucinogens	140	134	130	132	140	130	118	135	134	121	131
LSD	115	108	98	96	89	78	74	80	79	74	87
PCP	45	49	42	41	38	35	36	37	34	32	30
Ecstasy	112	109	108	113	112	111	100	104	115	102	117
Inhalants	111	104	111	102	101	96	92	95	91	95	84
Nonmedical Use of Psychotherapeutics ^{2,3}	135	136	143	143	154	145	142	153	143	145	151
Pain Relievers	119	130	129	131	145	136	138	139	134	130	138
OxyContin [®]	40	56	54	64	65	62	68	71	75	74	77
Tranquilizers	94	98	98	107	112	104	103	104	106	104	109
Stimulants ³	93	101	104	97	104	97	91	97	97	93	100
Methamphetamine ³	71	76	72	77	79	71	63	62	62	56	62
Sedatives	39	37	40	40	38	40	37	40	34	36	36
ILLCIT DRUGS OTHER THAN MARIJUANA¹	157	151	157	154	166	158	156	163	158	157	160

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.7D Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.50	0.49	0.51	0.49	0.51	0.49	0.47	0.49	0.49	0.51	0.51
Marijuana and Hashish	0.51	0.50	0.55	0.52	0.53	0.51	0.49	0.50	0.49	0.51	0.51
Cocaine	0.37	0.34	0.34	0.35	0.36	0.36	0.34	0.34	0.33	0.32	0.33
Crack	0.16	0.17	0.16	0.17	0.17	0.15	0.15	0.13	0.14	0.12	0.12
Heroin	0.11	0.12	0.11	0.11	0.12	0.11	0.10	0.11	0.12	0.13	0.12
Hallucinogens	0.45	0.42	0.40	0.41	0.43	0.40	0.36	0.40	0.39	0.35	0.38
LSD	0.37	0.34	0.31	0.30	0.27	0.24	0.22	0.24	0.23	0.22	0.25
PCP	0.15	0.16	0.13	0.13	0.12	0.11	0.11	0.11	0.10	0.09	0.09
Ecstasy	0.36	0.34	0.34	0.35	0.34	0.34	0.30	0.31	0.34	0.30	0.34
Inhalants	0.36	0.33	0.34	0.31	0.31	0.29	0.28	0.28	0.27	0.28	0.24
Nonmedical Use of Psychotherapeutics ^{2,3}	0.44	0.43	0.44	0.44	0.47	0.44	0.43	0.46	0.42	0.42	0.44
Pain Relievers	0.39	0.41	0.40	0.40	0.44	0.42	0.42	0.42	0.39	0.38	0.40
OxyContin [®]	0.13	0.18	0.17	0.20	0.20	0.19	0.21	0.21	0.22	0.22	0.22
Tranquilizers	0.30	0.31	0.31	0.33	0.34	0.32	0.31	0.31	0.31	0.30	0.32
Stimulants ³	0.30	0.32	0.32	0.30	0.32	0.30	0.28	0.29	0.28	0.27	0.29
Methamphetamine ³	0.23	0.24	0.23	0.24	0.24	0.22	0.19	0.18	0.18	0.16	0.18
Sedatives	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.12	0.10	0.11	0.10
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.51	0.47	0.49	0.48	0.51	0.48	0.47	0.49	0.47	0.46	0.46

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.7P Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0037	0.0001	0.0529	0.0385	0.0650	0.7386	0.2718	0.2817	0.5581	0.2442	
Marijuana and Hashish	0.0293	0.0165	0.4530	0.7366	0.6891	0.0572	0.0418	0.5383	0.2937	0.6576	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0182	0.8919	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.2783	
Heroin	0.0375	0.0843	0.1008	0.0157	0.0414	0.0158	0.0015	0.2989	0.4977	0.3005	
Hallucinogens	0.0000	0.0000	0.0000	0.0000	0.0000	0.0043	0.7073	0.0093	0.1199	0.8952	
LSD	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0648	0.0043	0.1331	0.8920	
PCP	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0035	0.0169	0.8380	
Ecstasy	0.0000	0.0001	0.0542	0.0697	0.2547	0.8624	0.1149	0.4192	0.3250	0.2045	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0941	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.7176	0.0197	0.0087	0.0000	0.0000	0.0019	0.0297	0.0332	0.1863	0.2126	
Pain Relievers	0.5419	0.0289	0.0012	0.0000	0.0000	0.0000	0.0002	0.0006	0.0074	0.6128	
OxyContin [®]	0.0000	0.0000	0.0000	0.0048	0.0255	0.0526	0.1186	0.1194	0.1037	0.4363	
Tranquilizers	0.0003	0.2655	0.1671	0.1671	0.4941	0.8456	0.3378	0.8324	0.3124	0.3164	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0060	0.0481	0.0261	0.1325	0.1949	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0014	0.3871	
Sedatives	0.0000	0.0003	0.0000	0.0000	0.0000	0.0005	0.0327	0.0203	0.2651	0.2952	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0184	0.0018	0.0875	0.2456	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.8C Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLICIT DRUGS¹	143	153	154	152	157	156	154	160	167	172	174
Marijuana and Hashish	135	146	152	145	150	150	150	156	166	167	171
Cocaine	74	72	80	74	80	78	70	69	69	72	74
Crack	23	23	24	29	27	24	23	20	22	16	18
Heroin	17	14	15	21	18	20	19	20	25	26	29
Hallucinogens	81	77	72	74	79	77	75	82	90	81	89
LSD	44	30	27	30	32	30	36	40	45	43	49
PCP	14	19	17	11	14	11	8	8	10	16	11
Ecstasy	67	50	48	52	61	57	60	65	70	65	69
Inhalants	41	39	41	42	40	38	36	45	45	47	38
Nonmedical Use of Psychotherapeutics ^{2,3}	97	104	110	109	118	110	112	119	114	110	111
Pain Relievers	86	97	94	98	103	97	101	103	100	94	97
OxyContin [®]	--	--	35	37	39	36	37	43	44	43	47
Tranquilizers	57	66	66	68	75	69	70	70	72	63	71
Stimulants ³	57	56	66	58	61	61	54	61	59	55	72
Methamphetamine ³	41	39	41	41	38	35	26	29	28	25	43
Sedatives	18	18	18	22	22	21	23	22	21	18	18
ILLICIT DRUGS OTHER THAN MARIJUANA¹	116	127	126	121	130	126	123	131	132	129	127

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.8D Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.46	0.48	0.48	0.47	0.48	0.48	0.47	0.48	0.49	0.50	0.50
Marijuana and Hashish	0.43	0.46	0.47	0.45	0.46	0.46	0.46	0.46	0.49	0.49	0.49
Cocaine	0.24	0.23	0.25	0.23	0.24	0.24	0.21	0.20	0.20	0.21	0.21
Crack	0.08	0.07	0.07	0.09	0.08	0.07	0.07	0.06	0.06	0.05	0.05
Heroin	0.05	0.04	0.05	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.08
Hallucinogens	0.26	0.24	0.22	0.23	0.24	0.24	0.23	0.24	0.27	0.23	0.26
LSD	0.14	0.09	0.08	0.09	0.10	0.09	0.11	0.12	0.13	0.13	0.14
PCP	0.04	0.06	0.05	0.03	0.04	0.03	0.02	0.02	0.03	0.05	0.03
Ecstasy	0.22	0.16	0.15	0.16	0.19	0.18	0.18	0.19	0.20	0.19	0.20
Inhalants	0.13	0.12	0.13	0.13	0.12	0.12	0.11	0.14	0.13	0.14	0.11
Nonmedical Use of Psychotherapeutics ^{2,3}	0.31	0.33	0.34	0.33	0.36	0.34	0.34	0.35	0.33	0.32	0.32
Pain Relievers	0.28	0.30	0.29	0.30	0.31	0.30	0.31	0.31	0.29	0.27	0.28
OxyContin [®]	--	--	0.11	0.11	0.12	0.11	0.11	0.13	0.13	0.13	0.14
Tranquilizers	0.18	0.21	0.20	0.21	0.23	0.21	0.21	0.21	0.21	0.18	0.21
Stimulants ³	0.18	0.18	0.20	0.18	0.19	0.18	0.16	0.18	0.17	0.16	0.21
Methamphetamine ³	0.13	0.12	0.13	0.13	0.12	0.11	0.08	0.09	0.08	0.07	0.12
Sedatives	0.06	0.06	0.06	0.07	0.07	0.06	0.07	0.06	0.06	0.05	0.05
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.37	0.40	0.39	0.37	0.40	0.38	0.37	0.39	0.39	0.38	0.37

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.8P Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.2240	0.0153	0.0006	0.0027	0.0078	0.0000	0.0002	0.9954	0.1003	0.0958	
Marijuana and Hashish	0.0100	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.3157	0.0251	0.2881	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0023	0.0214	0.8631	0.8186	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0028	0.1859	0.1359	0.1727	
Heroin	0.0001	0.0000	0.0000	0.0049	0.0005	0.0006	0.0004	0.0158	0.1199	0.3182	
Hallucinogens	0.0000	0.5917	0.2111	0.6490	0.7565	0.5206	0.8031	0.0347	0.0562	0.3469	
LSD	0.9373	0.0000	0.0000	0.0000	0.0002	0.0001	0.1529	0.1924	0.3098	0.6269	
PCP	0.0127	0.0034	0.0200	0.8212	0.2191	0.8663	0.0705	0.1394	0.1991	0.7694	
Ecstasy	0.0000	0.1054	0.0001	0.0001	0.2416	0.0308	0.3915	0.3749	0.2438	0.8928	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0123	0.1174	0.0838	0.0034	0.0209	0.6028	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1294	0.0402	0.0074	0.0019	0.0000	0.0038	0.0129	0.0046	0.1540	0.0320	
Pain Relievers	0.0013	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0153	0.3480	
OxyContin [®]	--	--	0.5476	0.6576	0.5060	0.5854	0.2887	0.0004	0.0028	0.3062	
Tranquilizers	0.7147	0.2522	0.5239	0.0552	0.0947	0.4175	0.1942	0.1811	0.2667	0.1100	
Stimulants ³	0.8794	0.5561	0.8861	0.6886	0.3221	0.0975	0.0529	0.3765	0.2990	0.0012	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.1310	0.2506	0.5773	0.1776	0.0225	
Sedatives	0.0201	0.0538	0.0336	0.0052	0.0053	0.0363	0.0229	0.1026	0.0774	0.6982	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0011	0.0169	0.0003	0.0000	0.0062	0.0572	0.0003	0.1242	0.2435	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.9C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	116	128	130	130	122	127	129	135	136	142	138
Marijuana and Hashish	110	116	119	121	115	120	123	126	130	135	133
Cocaine	37	42	43	47	41	38	39	36	39	41	33
Crack	9	13	13	16	13	11	11	11	16	6	9
Heroin	10	7	9	10	12	11	14	12	17	20	22
Hallucinogens	38	37	33	36	43	35	39	46	48	40	46
LSD	8	13	14	12	12	12	15	16	17	14	18
PCP	6	10	5	5	7	6	3	3	3	6	4
Ecstasy	31	23	23	26	34	24	31	33	37	30	38
Inhalants	18	19	18	21	17	19	18	21	21	36	22
Nonmedical Use of Psychotherapeutics ^{2,3}	60	71	69	72	77	69	71	74	72	69	74
Pain Relievers	51	61	60	61	66	60	61	62	64	58	65
OxyContin [®]	--	--	19	19	17	18	16	19	24	21	24
Tranquilizers	35	36	38	40	43	39	40	40	39	40	42
Stimulants ³	31	30	34	37	34	31	29	34	35	33	31
Methamphetamine ³	21	21	24	27	21	18	14	15	17	16	16
Sedatives	9	11	10	15	13	13	15	17	12	10	13
ILLCIT DRUGS OTHER THAN MARIJUANA¹	75	82	82	87	89	81	82	88	84	87	85

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.9D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.37	0.40	0.40	0.40	0.37	0.39	0.39	0.40	0.40	0.42	0.40
Marijuana and Hashish	0.36	0.37	0.37	0.37	0.35	0.37	0.37	0.38	0.38	0.39	0.39
Cocaine	0.12	0.13	0.13	0.15	0.13	0.12	0.12	0.11	0.11	0.12	0.09
Crack	0.03	0.04	0.04	0.05	0.04	0.03	0.03	0.03	0.05	0.02	0.03
Heroin	0.03	0.02	0.03	0.03	0.04	0.03	0.04	0.04	0.05	0.06	0.06
Hallucinogens	0.12	0.12	0.10	0.11	0.13	0.11	0.12	0.14	0.14	0.12	0.13
LSD	0.03	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.04	0.05
PCP	0.02	0.03	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.02	0.01
Ecstasy	0.10	0.07	0.07	0.08	0.10	0.07	0.09	0.10	0.11	0.09	0.11
Inhalants	0.06	0.06	0.06	0.06	0.05	0.06	0.05	0.06	0.06	0.10	0.06
Nonmedical Use of Psychotherapeutics ^{2,3}	0.19	0.22	0.21	0.22	0.23	0.21	0.22	0.22	0.21	0.20	0.21
Pain Relievers	0.16	0.19	0.19	0.19	0.20	0.18	0.19	0.19	0.19	0.17	0.19
OxyContin [®]	--	--	0.06	0.06	0.05	0.06	0.05	0.06	0.07	0.06	0.07
Tranquilizers	0.11	0.11	0.12	0.12	0.13	0.12	0.12	0.12	0.11	0.12	0.12
Stimulants ³	0.10	0.10	0.11	0.11	0.10	0.09	0.09	0.10	0.10	0.10	0.09
Methamphetamine ³	0.07	0.07	0.07	0.08	0.06	0.06	0.04	0.05	0.05	0.05	0.05
Sedatives	0.03	0.04	0.03	0.05	0.04	0.04	0.05	0.05	0.04	0.03	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.24	0.26	0.26	0.27	0.27	0.25	0.25	0.26	0.25	0.25	0.25

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.9P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0359	0.0616	0.0006	0.0344	0.0064	0.0067	0.0038	0.9548	0.6892	0.8661	
Marijuana and Hashish	0.0069	0.0012	0.0000	0.0001	0.0000	0.0000	0.0001	0.3543	0.6809	0.6027	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0070	0.0981	0.0257	0.1569	
Crack	0.1282	0.1946	0.0037	0.0002	0.0111	0.1280	0.1864	0.7969	0.0563	0.1128	
Heroin	0.0001	0.0000	0.0001	0.0023	0.0016	0.0007	0.0198	0.0055	0.0851	0.3289	
Hallucinogens	0.3606	0.9262	0.1328	0.2675	0.9596	0.0924	0.6619	0.5516	0.2195	0.5339	
LSD	0.0001	0.0480	0.2052	0.0103	0.0084	0.0378	0.5086	0.4528	0.6400	0.2545	
PCP	0.5369	0.0822	0.4008	1.0000	0.6625	0.6218	0.1912	0.2274	0.2842	0.9559	
Ecstasy	0.4968	0.0154	0.0143	0.1007	0.7500	0.0094	0.3160	0.5770	0.3850	0.3932	
Inhalants	0.1325	0.4428	0.2761	0.2906	0.6109	0.5844	0.6338	0.3108	0.6285	0.5709	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.5419	0.0142	0.0053	0.0011	0.0002	0.0284	0.0575	0.0005	0.0552	0.2813	
Pain Relievers	0.2669	0.0010	0.0009	0.0004	0.0000	0.0012	0.0052	0.0002	0.0146	0.3641	
OxyContin [®]	--	--	0.8190	0.7377	0.9253	0.5132	0.7817	0.2053	0.0047	0.6482	
Tranquilizers	0.9169	0.5420	0.2298	0.0767	0.0174	0.2629	0.3145	0.0798	0.4747	0.8159	
Stimulants ³	0.2229	0.2796	0.0169	0.0480	0.0625	0.5331	0.4938	0.4330	0.6550	0.2286	
Methamphetamine ³	0.0002	0.0000	0.0000	0.0000	0.0003	0.3352	0.3580	0.6261	0.5648	0.4478	
Sedatives	0.8629	0.5041	0.9691	0.2270	0.7646	0.2226	0.3694	0.1088	0.6285	0.5787	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0098	0.0001	0.0020	0.0000	0.0000	0.0036	0.0233	0.0002	0.0072	0.7983	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.10C Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	935	874	928	903	854	935	898	932	988	1,011	925
Marijuana and Hashish	888	831	875	887	863	921	887	907	986	993	967
Cocaine	574	552	621	580	635	655	660	646	663	704	683
Crack	303	257	274	283	322	337	317	314	371	324	344
Heroin	220	201	188	223	235	236	221	214	243	223	241
Hallucinogens	572	549	583	573	613	615	631	646	651	618	641
LSD	496	469	494	499	508	540	542	557	549	526	538
PCP	282	262	292	284	290	294	337	292	317	303	309
Ecstasy	247	255	286	294	322	317	319	352	396	344	374
Inhalants	457	407	448	436	445	488	468	463	458	479	471
Nonmedical Use of Psychotherapeutics ^{2,3}	715	629	706	693	663	662	730	705	752	740	740
Pain Relievers	539	477	529	527	497	526	567	544	579	589	589
OxyContin [®]	103	125	120	120	152	165	171	203	224	196	228
Tranquilizers	481	414	471	460	451	453	484	472	479	483	540
Stimulants ³	495	456	480	474	482	459	536	496	538	486	539
Methamphetamine ³	402	392	394	361	398	359	397	395	439	404	418
Sedatives	366	316	396	344	347	357	395	351	353	349	374
ILLCIT DRUGS OTHER THAN MARIJUANA¹	789	728	788	797	772	830	828	845	863	879	842

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.10D Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.52	0.48	0.51	0.49	0.45	0.49	0.47	0.48	0.51	0.51	0.46
Marijuana and Hashish	0.50	0.46	0.48	0.48	0.46	0.48	0.46	0.47	0.50	0.50	0.48
Cocaine	0.32	0.30	0.34	0.31	0.34	0.35	0.34	0.33	0.34	0.35	0.34
Crack	0.17	0.14	0.15	0.15	0.17	0.18	0.17	0.16	0.19	0.16	0.17
Heroin	0.12	0.11	0.10	0.12	0.12	0.12	0.12	0.11	0.12	0.11	0.12
Hallucinogens	0.32	0.30	0.32	0.31	0.33	0.32	0.33	0.33	0.33	0.31	0.32
LSD	0.28	0.26	0.27	0.27	0.27	0.28	0.28	0.29	0.28	0.27	0.27
PCP	0.16	0.14	0.16	0.15	0.15	0.15	0.18	0.15	0.16	0.15	0.15
Ecstasy	0.14	0.14	0.16	0.16	0.17	0.17	0.17	0.18	0.20	0.17	0.19
Inhalants	0.25	0.22	0.24	0.24	0.24	0.26	0.24	0.24	0.23	0.24	0.23
Nonmedical Use of Psychotherapeutics ^{2,3}	0.40	0.35	0.39	0.37	0.35	0.35	0.38	0.36	0.39	0.37	0.37
Pain Relievers	0.30	0.26	0.29	0.28	0.26	0.28	0.30	0.28	0.30	0.30	0.29
OxyContin [®]	0.06	0.07	0.07	0.06	0.08	0.09	0.09	0.11	0.11	0.10	0.11
Tranquilizers	0.27	0.23	0.26	0.25	0.24	0.24	0.25	0.24	0.25	0.24	0.27
Stimulants ³	0.28	0.25	0.26	0.26	0.26	0.24	0.28	0.26	0.28	0.24	0.27
Methamphetamine ³	0.22	0.22	0.22	0.19	0.21	0.19	0.21	0.20	0.22	0.20	0.21
Sedatives	0.20	0.17	0.22	0.19	0.18	0.19	0.21	0.18	0.18	0.18	0.19
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.44	0.40	0.43	0.43	0.41	0.44	0.43	0.44	0.44	0.44	0.42

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.10P Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	0.1041	0.0672	0.1245	0.0617	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0009	0.0146	0.0329	0.2116	0.0921	
Cocaine	0.1516	0.6020	0.0651	0.0040	0.1010	0.3211	0.9382	0.4749	0.8687	0.6334	
Crack	0.3652	0.0234	0.0142	0.0172	0.2336	0.4508	0.2635	0.1346	0.7514	0.0766	
Heroin	0.2570	0.2826	0.0008	0.0745	0.2474	0.2442	0.1994	0.0361	0.4533	0.3540	
Hallucinogens	0.0040	0.0054	0.0172	0.0008	0.1221	0.0118	0.6173	0.9515	0.9217	0.1628	
LSD	0.7169	0.7231	0.5833	0.1207	0.8498	0.8394	0.3907	0.5622	0.9087	0.5179	
PCP	0.0251	0.2505	0.5061	0.8910	0.7313	0.5572	0.6844	0.6211	0.6267	0.3821	
Ecstasy	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0092	0.7712	0.0085	
Inhalants	0.3487	0.2695	0.5232	0.4704	0.2716	0.2684	0.2101	0.3077	0.7067	0.2132	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0439	0.0487	0.0168	0.0110	0.0613	0.0222	0.4778	0.1534	0.1086	0.0206	
Pain Relievers	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0534	0.0321	0.0179	0.0033	
OxyContin [®]	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0161	0.1155	0.0151	
Tranquilizers	0.0190	0.0489	0.0088	0.0773	0.1121	0.0013	0.1788	0.1327	0.1388	0.0246	
Stimulants ³	0.0000	0.0011	0.0418	0.7784	0.1144	0.3160	0.7421	0.2480	0.4906	0.3091	
Methamphetamine ³	0.0000	0.0000	0.0008	0.9424	0.0089	0.2863	0.5506	0.3176	0.1700	0.5799	
Sedatives	0.0000	0.0000	0.0000	0.0068	0.0195	0.2054	0.0278	0.1168	0.7863	0.4657	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0062	0.0042	0.0002	0.0028	0.0043	0.0390	0.8408	0.4023	0.6259	0.1207	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.11C Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	514	489	473	493	494	529	497	526	572	550	583
Marijuana and Hashish	407	387	395	418	410	418	422	470	488	462	488
Cocaine	200	207	180	180	210	223	192	189	183	154	200
Crack	121	120	112	109	132	120	90	103	89	67	110
Heroin	52	45	52	36	83	50	53	76	70	66	72
Hallucinogens	109	109	132	112	113	105	95	122	129	106	138
LSD	35	28	29	31	43	42	28	32	47	35	65
PCP	16	6	18	10	34	12	*	18	20	9	30
Ecstasy	93	86	97	98	81	85	69	103	90	78	108
Inhalants	66	54	69	65	86	88	102	89	100	87	107
Nonmedical Use of Psychotherapeutics ^{2,3}	345	335	313	315	323	346	310	329	363	338	380
Pain Relievers	275	275	265	274	272	290	259	290	305	280	332
OxyContin [®]	--	--	61	69	82	85	79	90	103	91	90
Tranquilizers	210	175	189	189	180	208	184	203	194	197	234
Stimulants ³	129	115	136	114	163	129	103	132	132	135	141
Methamphetamine ³	99	91	116	89	131	102	69	96	93	115	101
Sedatives	113	81	69	69	94	88	54	73	101	59	63
ILLCIT DRUGS OTHER THAN MARIJUANA¹	384	375	364	354	367	407	364	375	397	370	423

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.11D Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.29	0.27	0.26	0.27	0.26	0.28	0.26	0.27	0.29	0.28	0.29
Marijuana and Hashish	0.23	0.21	0.22	0.23	0.22	0.22	0.22	0.24	0.25	0.23	0.24
Cocaine	0.11	0.11	0.10	0.10	0.11	0.12	0.10	0.10	0.09	0.08	0.10
Crack	0.07	0.07	0.06	0.06	0.07	0.06	0.05	0.05	0.05	0.03	0.05
Heroin	0.03	0.02	0.03	0.02	0.04	0.03	0.03	0.04	0.04	0.03	0.04
Hallucinogens	0.06	0.06	0.07	0.06	0.06	0.06	0.05	0.06	0.07	0.05	0.07
LSD	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.02	0.03
PCP	0.01	0.00	0.01	0.01	0.02	0.01	*	0.01	0.01	0.00	0.01
Ecstasy	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.05	0.05	0.04	0.05
Inhalants	0.04	0.03	0.04	0.03	0.05	0.05	0.05	0.05	0.05	0.04	0.05
Nonmedical Use of Psychotherapeutics ^{2,3}	0.19	0.18	0.17	0.17	0.17	0.18	0.16	0.17	0.19	0.17	0.19
Pain Relievers	0.15	0.15	0.14	0.15	0.14	0.15	0.13	0.15	0.16	0.14	0.17
OxyContin [®]	--	--	0.03	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.05
Tranquilizers	0.12	0.10	0.10	0.10	0.10	0.11	0.10	0.11	0.10	0.10	0.12
Stimulants ³	0.07	0.06	0.07	0.06	0.09	0.07	0.05	0.07	0.07	0.07	0.07
Methamphetamine ³	0.06	0.05	0.06	0.05	0.07	0.05	0.04	0.05	0.05	0.06	0.05
Sedatives	0.06	0.04	0.04	0.04	0.05	0.05	0.03	0.04	0.05	0.03	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.21	0.21	0.20	0.19	0.20	0.21	0.19	0.19	0.20	0.19	0.21

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.11P Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0014	0.0431	0.0004	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0112	0.0943	0.0265	
Cocaine	0.0072	0.0056	0.0648	0.4969	0.0131	0.0681	0.1760	0.9485	0.6712	0.0015	
Crack	0.0012	0.0255	0.0601	0.0474	0.0195	0.0108	0.3410	0.6362	0.6876	0.0447	
Heroin	0.2441	0.0612	0.2243	0.0431	0.7574	0.1024	0.3315	0.9168	0.8061	0.7864	
Hallucinogens	0.3243	0.0524	0.2658	0.0747	0.1363	0.0373	0.0004	0.6028	0.5134	0.0245	
LSD	0.0745	0.0053	0.0340	0.0119	0.2598	0.0488	0.0235	0.0353	0.3234	0.0485	
PCP	0.3581	0.0850	0.4910	0.1716	0.8106	0.2271	*	0.4995	0.2476	0.1112	
Ecstasy	0.8692	0.1331	0.1043	0.3278	0.0476	0.1101	0.0025	0.7257	0.1414	0.0207	
Inhalants	0.0995	0.0451	0.3584	0.1503	0.9704	0.8851	0.9551	0.7766	0.9535	0.8477	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0176	0.0272	0.0007	0.0132	0.3113	0.4567	0.0025	0.0948	0.1931	0.0009	
Pain Relievers	0.0019	0.0195	0.0004	0.0147	0.2978	0.3626	0.0179	0.1837	0.2546	0.0030	
OxyContin [®]	--	--	0.0482	0.0784	0.2690	0.6272	0.6191	0.9341	0.1632	0.6174	
Tranquilizers	0.0155	0.0072	0.0163	0.0248	0.0023	0.0447	0.0031	0.0748	0.1022	0.0094	
Stimulants ³	0.9005	0.2084	0.9043	0.3213	0.1122	0.5971	0.0184	0.7697	0.1975	0.1627	
Methamphetamine ³	0.0785	0.2074	0.0205	0.1740	0.0052	0.3494	0.0805	0.5820	0.3903	0.8946	
Sedatives	0.0089	0.0531	0.3417	0.3780	0.0170	0.0441	0.6335	0.1095	0.0424	0.3759	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.2676	0.1261	0.0062	0.0195	0.3720	0.7738	0.0170	0.1636	0.0979	0.0000	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.12C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLICIT DRUGS¹	353	363	366	395	376	395	393	401	441	420	452
Marijuana and Hashish	279	284	312	323	311	309	342	340	362	374	392
Cocaine	119	137	110	129	147	143	122	127	99	96	138
Crack	66	90	64	85	101	78	55	76	58	41	94
Heroin	40	26	35	15	76	37	36	35	40	43	46
Hallucinogens	67	54	44	73	51	63	53	77	61	38	77
LSD	11	8	13	7	20	30	*	13	*	16	26
PCP	13	*	15	10	*	11	*	17	20	*	12
Ecstasy	53	46	37	34	36	49	38	61	44	30	61
Inhalants	56	32	55	48	64	59	65	48	77	54	56
Nonmedical Use of Psychotherapeutics ^{2,3}	216	243	190	218	222	237	204	228	252	215	247
Pain Relievers	172	193	152	179	199	200	177	198	196	178	199
OxyContin [®]	--	--	28	31	29	50	56	54	62	49	37
Tranquilizers	127	112	91	109	105	124	108	128	130	123	155
Stimulants ³	85	93	87	69	97	86	66	92	76	81	96
Methamphetamine ³	71	77	67	56	77	76	49	65	49	69	72
Sedatives	63	53	47	44	67	67	33	51	71	47	47
ILLICIT DRUGS OTHER THAN MARIJUANA¹	259	274	226	257	257	288	242	264	278	232	284

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.12D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.20	0.20	0.20	0.21	0.20	0.21	0.20	0.21	0.23	0.21	0.23
Marijuana and Hashish	0.16	0.16	0.17	0.17	0.17	0.16	0.18	0.18	0.19	0.19	0.20
Cocaine	0.07	0.08	0.06	0.07	0.08	0.08	0.06	0.07	0.05	0.05	0.07
Crack	0.04	0.05	0.03	0.05	0.05	0.04	0.03	0.04	0.03	0.02	0.05
Heroin	0.02	0.01	0.02	0.01	0.04	0.02	0.02	0.02	0.02	0.02	0.02
Hallucinogens	0.04	0.03	0.02	0.04	0.03	0.03	0.03	0.04	0.03	0.02	0.04
LSD	0.01	0.00	0.01	0.00	0.01	0.02	*	0.01	*	0.01	0.01
PCP	0.01	*	0.01	0.01	*	0.01	*	0.01	0.01	*	0.01
Ecstasy	0.03	0.03	0.02	0.02	0.02	0.03	0.02	0.03	0.02	0.01	0.03
Inhalants	0.03	0.02	0.03	0.03	0.03	0.03	0.03	0.02	0.04	0.03	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.12	0.13	0.10	0.12	0.12	0.12	0.11	0.12	0.13	0.11	0.12
Pain Relievers	0.10	0.11	0.08	0.10	0.11	0.11	0.09	0.10	0.10	0.09	0.10
OxyContin [®]	--	--	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.02	0.02
Tranquilizers	0.07	0.06	0.05	0.06	0.06	0.07	0.06	0.07	0.07	0.06	0.08
Stimulants ³	0.05	0.05	0.05	0.04	0.05	0.05	0.03	0.05	0.04	0.04	0.05
Methamphetamine ³	0.04	0.04	0.04	0.03	0.04	0.04	0.03	0.03	0.03	0.04	0.04
Sedatives	0.04	0.03	0.03	0.02	0.04	0.04	0.02	0.03	0.04	0.02	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.14	0.15	0.12	0.14	0.14	0.15	0.13	0.14	0.14	0.12	0.14

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.12P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0001	0.0013	0.0001	0.0002	0.0241	0.1509	0.0215	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0099	0.0594	0.0961	
Cocaine	0.3822	0.0765	0.6004	0.1063	0.0235	0.2182	0.6495	0.6989	0.0928	0.0238	
Crack	0.2362	0.2194	0.9956	0.1424	0.0760	0.2147	0.4157	0.6408	0.4033	0.0548	
Heroin	0.2936	0.0377	0.1902	0.0077	0.3350	0.1738	0.2582	0.1669	0.3965	0.5746	
Hallucinogens	0.8524	0.2570	0.2266	0.7338	0.3240	0.9563	0.2989	0.5494	0.6418	0.0441	
LSD	0.4243	0.4027	0.5528	0.3237	0.9019	0.8439	*	0.6936	*	0.6639	
PCP	0.7289	*	0.7280	0.7343	*	0.7921	*	0.3020	0.7177	*	
Ecstasy	0.7489	0.7224	0.6038	0.7869	0.3690	0.7338	0.5784	0.3468	0.7498	0.2880	
Inhalants	0.7880	0.4276	0.8416	0.8177	0.1452	0.8109	0.2559	0.9327	0.2254	0.2994	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.4216	0.2851	0.0158	0.2374	0.7640	0.8729	0.0781	0.7986	0.8887	0.0991	
Pain Relievers	0.1508	0.2637	0.0140	0.2074	0.6943	0.5549	0.4718	0.6583	0.8208	0.3133	
OxyContin [®]	--	--	0.4571	0.9827	0.2866	0.8498	0.1164	0.1143	0.0929	0.3156	
Tranquilizers	0.3437	0.1786	0.0083	0.0821	0.0268	0.1178	0.0773	0.4470	0.8672	0.1124	
Stimulants ³	0.4077	0.4986	0.6501	0.6097	0.2654	0.7177	0.1195	0.3660	0.5325	0.3499	
Methamphetamine ³	0.1204	0.0776	0.1295	0.6272	0.0485	0.3980	0.3011	0.3910	0.4892	0.8855	
Sedatives	0.0266	0.8131	0.8145	0.9150	0.1888	0.4674	0.3897	0.3864	0.2753	0.6987	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.8913	0.5513	0.0298	0.4976	0.4532	0.5523	0.2668	0.8413	0.6615	0.0177	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.13C Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	963	902	965	937	896	966	924	961	1,018	1,035	953
Marijuana and Hashish	915	865	918	924	903	952	915	940	1,016	1,019	1,002
Cocaine	584	564	635	597	657	660	674	654	680	704	699
Crack	307	263	280	293	329	339	323	316	378	328	346
Heroin	222	204	193	227	238	240	223	217	248	226	244
Hallucinogens	599	584	613	608	642	638	644	665	681	628	670
LSD	513	494	504	521	520	549	548	565	558	532	557
PCP	281	270	297	288	295	298	339	297	320	306	311
Ecstasy	296	281	326	334	355	344	342	371	427	363	405
Inhalants	472	435	471	456	466	496	483	470	468	487	486
Nonmedical Use of Psychotherapeutics ^{2,3}	737	648	731	721	696	692	753	733	777	752	759
Pain Relievers	565	510	559	560	533	558	593	577	606	597	614
OxyContin [®]	114	140	133	139	165	178	186	219	242	209	243
Tranquilizers	493	433	484	478	476	467	503	490	491	493	557
Stimulants ³	508	472	497	492	504	471	545	508	554	500	554
Methamphetamine ³	414	403	400	375	413	366	401	405	449	412	426
Sedatives	370	322	399	346	352	360	400	354	355	353	377
ILLCIT DRUGS OTHER THAN MARIJUANA¹	813	748	820	831	805	857	853	869	890	887	866

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.13D Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.46	0.42	0.45	0.43	0.41	0.43	0.41	0.42	0.44	0.44	0.41
Marijuana and Hashish	0.44	0.41	0.43	0.42	0.41	0.43	0.41	0.41	0.44	0.44	0.43
Cocaine	0.28	0.27	0.30	0.27	0.30	0.30	0.30	0.29	0.30	0.30	0.30
Crack	0.15	0.12	0.13	0.13	0.15	0.15	0.14	0.14	0.16	0.14	0.15
Heroin	0.11	0.10	0.09	0.10	0.11	0.11	0.10	0.10	0.11	0.10	0.10
Hallucinogens	0.28	0.27	0.28	0.28	0.29	0.29	0.29	0.29	0.30	0.27	0.28
LSD	0.24	0.23	0.23	0.24	0.24	0.25	0.24	0.25	0.24	0.23	0.24
PCP	0.13	0.13	0.14	0.13	0.13	0.13	0.15	0.13	0.14	0.13	0.13
Ecstasy	0.14	0.13	0.15	0.15	0.16	0.15	0.15	0.16	0.19	0.16	0.17
Inhalants	0.22	0.20	0.22	0.21	0.21	0.22	0.21	0.21	0.20	0.21	0.21
Nonmedical Use of Psychotherapeutics ^{2,3}	0.35	0.30	0.34	0.33	0.32	0.31	0.33	0.32	0.34	0.32	0.32
Pain Relievers	0.27	0.24	0.26	0.26	0.24	0.25	0.26	0.25	0.26	0.26	0.26
OxyContin [®]	0.05	0.07	0.06	0.06	0.07	0.08	0.08	0.10	0.11	0.09	0.10
Tranquilizers	0.23	0.20	0.22	0.22	0.22	0.21	0.22	0.22	0.21	0.21	0.24
Stimulants ³	0.24	0.22	0.23	0.23	0.23	0.21	0.24	0.22	0.24	0.22	0.24
Methamphetamine ³	0.20	0.19	0.19	0.17	0.19	0.16	0.18	0.18	0.20	0.18	0.18
Sedatives	0.18	0.15	0.19	0.16	0.16	0.16	0.18	0.16	0.15	0.15	0.16
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.39	0.35	0.38	0.38	0.37	0.38	0.38	0.38	0.39	0.38	0.37

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.13P Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0000	0.0001	0.0000	0.0001	0.0000	0.0005	0.0759	0.1162	0.1159	0.0427	
Marijuana and Hashish	0.0000	0.0001	0.0000	0.0000	0.0000	0.0004	0.0064	0.0531	0.1703	0.0874	
Cocaine	0.7729	0.6448	0.4210	0.0719	0.6758	0.9759	0.4955	0.8559	0.6030	0.6506	
Crack	0.6419	0.4173	0.2287	0.2514	0.9945	0.9900	0.6381	0.4440	0.4395	0.1065	
Heroin	0.1427	0.1720	0.0004	0.0328	0.1357	0.1239	0.0742	0.0251	0.3914	0.2607	
Hallucinogens	0.7332	0.6070	0.3657	0.0572	0.5834	0.0626	0.6777	0.5561	0.6899	0.1703	
LSD	0.0001	0.0001	0.0280	0.5992	0.1292	0.7179	0.2643	0.3283	0.7636	0.5372	
PCP	0.0004	0.0065	0.1011	0.2779	0.2741	0.9286	0.3969	0.8770	0.7966	0.3964	
Ecstasy	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0073	0.9610	0.0049	
Inhalants	0.0000	0.0000	0.0007	0.0017	0.0019	0.0134	0.0270	0.0274	0.2438	0.3673	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0596	0.1610	0.0784	0.1205	0.3627	0.1128	0.7861	0.3552	0.1962	0.0117	
Pain Relievers	0.0000	0.0000	0.0001	0.0049	0.0097	0.0022	0.3148	0.2335	0.0966	0.0029	
OxyContin [®]	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0844	0.3573	0.0452	
Tranquilizers	0.0030	0.0352	0.0053	0.1622	0.1666	0.0016	0.1319	0.1606	0.2175	0.0169	
Stimulants ³	0.0000	0.0000	0.0024	0.3544	0.0115	0.1285	0.4995	0.1226	0.3437	0.2216	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0370	0.0000	0.0114	0.1346	0.0760	0.0710	0.6722	
Sedatives	0.0000	0.0000	0.0000	0.0015	0.0060	0.1066	0.0163	0.0744	0.8561	0.5363	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.1799	0.1845	0.0153	0.0844	0.1224	0.2454	0.8160	0.8326	0.8782	0.0831	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.14C Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	565	540	519	541	548	592	545	583	631	589	639
Marijuana and Hashish	459	437	437	463	466	484	466	527	548	503	549
Cocaine	217	225	202	202	227	239	207	208	202	167	217
Crack	124	122	115	114	133	123	94	105	92	68	111
Heroin	54	47	55	42	85	54	58	78	75	71	78
Hallucinogens	144	140	147	140	143	134	124	151	170	138	172
LSD	58	41	41	45	55	53	47	53	69	57	83
PCP	21	20	25	15	37	17	10	19	23	19	32
Ecstasy	122	101	108	111	102	104	92	123	121	103	132
Inhalants	80	66	78	79	94	96	108	101	109	99	115
Nonmedical Use of Psychotherapeutics ^{2,3}	368	356	341	345	354	377	345	360	389	357	398
Pain Relievers	293	298	289	300	298	312	288	318	329	297	349
OxyContin [®]	--	--	72	80	90	94	87	102	114	102	103
Tranquilizers	219	192	203	206	193	219	199	220	205	207	249
Stimulants ³	147	133	153	130	177	150	120	146	155	149	160
Methamphetamine ³	110	99	125	97	136	113	75	100	103	118	113
Sedatives	115	83	70	73	98	92	59	78	103	63	65
ILLCIT DRUGS OTHER THAN MARIJUANA¹	415	408	399	393	405	444	400	410	433	397	450

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.14D Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.27	0.25	0.24	0.25	0.25	0.27	0.24	0.26	0.28	0.25	0.27
Marijuana and Hashish	0.22	0.21	0.20	0.21	0.21	0.22	0.21	0.23	0.24	0.22	0.23
Cocaine	0.10	0.11	0.09	0.09	0.10	0.11	0.09	0.09	0.09	0.07	0.09
Crack	0.06	0.06	0.05	0.05	0.06	0.06	0.04	0.05	0.04	0.03	0.05
Heroin	0.03	0.02	0.03	0.02	0.04	0.02	0.03	0.03	0.03	0.03	0.03
Hallucinogens	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.07	0.07	0.06	0.07
LSD	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.04
PCP	0.01	0.01	0.01	0.01	0.02	0.01	0.00	0.01	0.01	0.01	0.01
Ecstasy	0.06	0.05	0.05	0.05	0.05	0.05	0.04	0.05	0.05	0.04	0.06
Inhalants	0.04	0.03	0.04	0.04	0.04	0.04	0.05	0.04	0.05	0.04	0.05
Nonmedical Use of Psychotherapeutics ^{2,3}	0.17	0.17	0.16	0.16	0.16	0.17	0.15	0.16	0.17	0.15	0.17
Pain Relievers	0.14	0.14	0.13	0.14	0.14	0.14	0.13	0.14	0.14	0.13	0.15
OxyContin [®]	--	--	0.03	0.04	0.04	0.04	0.04	0.04	0.05	0.04	0.04
Tranquilizers	0.10	0.09	0.09	0.09	0.09	0.10	0.09	0.10	0.09	0.09	0.11
Stimulants ³	0.07	0.06	0.07	0.06	0.08	0.07	0.05	0.06	0.07	0.06	0.07
Methamphetamine ³	0.05	0.05	0.06	0.04	0.06	0.05	0.03	0.04	0.04	0.05	0.05
Sedatives	0.05	0.04	0.03	0.03	0.04	0.04	0.03	0.03	0.04	0.03	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.20	0.19	0.19	0.18	0.18	0.20	0.18	0.18	0.19	0.17	0.19

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.14P Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0040	0.0288	0.0002	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0117	0.0391	0.0213	
Cocaine	0.0000	0.0000	0.0001	0.0014	0.0000	0.0005	0.0200	0.4486	0.7667	0.0028	
Crack	0.0000	0.0018	0.0072	0.0014	0.0013	0.0012	0.1286	0.4904	0.9221	0.0268	
Heroin	0.0133	0.0004	0.0093	0.0031	0.5045	0.0051	0.0359	0.5116	0.7869	0.5344	
Hallucinogens	0.0346	0.2578	0.1497	0.1138	0.3491	0.0441	0.0035	0.4490	0.5622	0.1886	
LSD	0.1843	0.0000	0.0000	0.0000	0.0025	0.0001	0.0087	0.0182	0.1864	0.0739	
PCP	0.6804	0.6206	0.5207	0.2772	0.8008	0.3168	0.0112	0.2368	0.1205	0.2411	
Ecstasy	0.0014	0.0471	0.0014	0.0057	0.0344	0.0141	0.0037	0.4258	0.6505	0.0776	
Inhalants	0.5929	0.9325	0.3240	0.5852	0.3827	0.4881	0.6115	0.3631	0.3591	0.9655	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0684	0.1536	0.0230	0.1799	0.6925	0.8911	0.0337	0.5107	0.4387	0.0002	
Pain Relievers	0.0447	0.4356	0.0558	0.5517	0.4013	0.5504	0.4031	0.9305	0.7355	0.0020	
OxyContin [®]	--	--	0.1708	0.1994	0.5112	0.8400	0.9884	0.1400	0.0110	0.3556	
Tranquilizers	0.0170	0.0368	0.0457	0.1407	0.0219	0.0955	0.0169	0.2218	0.2495	0.0039	
Stimulants ³	0.8527	0.1968	0.9729	0.3296	0.0626	0.2353	0.0035	0.5291	0.1276	0.0113	
Methamphetamine ³	0.0002	0.0017	0.0001	0.0022	0.0001	0.1559	0.0433	0.7620	0.2290	0.4219	
Sedatives	0.0028	0.0185	0.1357	0.0947	0.0035	0.0148	0.7650	0.0473	0.0174	0.4685	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.8470	0.7221	0.0877	0.3059	0.5855	0.5988	0.0911	0.8646	0.2976	0.0000	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.15C Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	379	396	404	430	416	440	422	447	482	453	485
Marijuana and Hashish	313	317	349	357	350	353	374	384	401	403	426
Cocaine	126	146	119	141	152	149	130	135	106	106	142
Crack	67	91	66	87	101	80	55	77	60	42	94
Heroin	41	27	36	18	77	38	39	37	43	48	51
Hallucinogens	78	68	55	82	68	72	65	89	80	56	89
LSD	13	15	22	14	23	32	16	21	17	21	31
PCP	14	11	16	11	7	13	*	17	21	10	12
Ecstasy	62	53	45	43	50	54	50	67	58	43	71
Inhalants	59	37	58	52	66	62	67	52	80	65	62
Nonmedical Use of Psychotherapeutics ^{2,3}	227	255	206	232	236	248	221	246	265	228	263
Pain Relievers	182	205	164	191	211	211	192	212	212	187	210
OxyContin [®]	--	--	35	38	34	53	57	58	67	54	45
Tranquilizers	133	116	102	116	114	129	117	135	137	132	161
Stimulants ³	92	100	96	79	103	93	74	98	84	88	101
Methamphetamine ³	75	80	75	60	79	79	52	67	53	71	75
Sedatives	64	54	48	46	68	68	36	54	72	48	49
ILLCIT DRUGS OTHER THAN MARIJUANA¹	270	286	247	278	275	303	258	287	296	251	305

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.15D Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.18	0.19	0.19	0.20	0.19	0.20	0.19	0.20	0.21	0.19	0.21
Marijuana and Hashish	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.18	0.17	0.18
Cocaine	0.06	0.07	0.06	0.06	0.07	0.07	0.06	0.06	0.05	0.05	0.06
Crack	0.03	0.04	0.03	0.04	0.05	0.04	0.02	0.03	0.03	0.02	0.04
Heroin	0.02	0.01	0.02	0.01	0.03	0.02	0.02	0.02	0.02	0.02	0.02
Hallucinogens	0.04	0.03	0.03	0.04	0.03	0.03	0.03	0.04	0.03	0.02	0.04
LSD	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
PCP	0.01	0.01	0.01	0.01	0.00	0.01	*	0.01	0.01	0.00	0.01
Ecstasy	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.02	0.03
Inhalants	0.03	0.02	0.03	0.02	0.03	0.03	0.03	0.02	0.04	0.03	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.11	0.12	0.10	0.11	0.11	0.11	0.10	0.11	0.12	0.10	0.11
Pain Relievers	0.09	0.10	0.08	0.09	0.10	0.09	0.09	0.09	0.09	0.08	0.09
OxyContin [®]	--	--	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.02	0.02
Tranquilizers	0.06	0.05	0.05	0.05	0.05	0.06	0.05	0.06	0.06	0.06	0.07
Stimulants ³	0.04	0.05	0.04	0.04	0.05	0.04	0.03	0.04	0.04	0.04	0.04
Methamphetamine ³	0.04	0.04	0.03	0.03	0.04	0.04	0.02	0.03	0.02	0.03	0.03
Sedatives	0.03	0.03	0.02	0.02	0.03	0.03	0.02	0.02	0.03	0.02	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.13	0.13	0.11	0.13	0.12	0.14	0.11	0.13	0.13	0.11	0.13

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.15P Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0002	0.0000	0.0000	0.0424	0.2509	0.0396	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0086	0.0800	0.1799	
Cocaine	0.0180	0.0007	0.0198	0.0001	0.0001	0.0337	0.2496	0.9738	0.3349	0.0819	
Crack	0.1790	0.1683	0.6747	0.0459	0.0418	0.1636	0.5215	0.6237	0.6078	0.0386	
Heroin	0.0183	0.0001	0.0083	0.0002	0.9233	0.0094	0.0488	0.0193	0.1421	0.3575	
Hallucinogens	0.5296	0.3535	0.0790	0.8640	0.4265	0.3742	0.2577	0.3941	0.7079	0.0454	
LSD	0.0032	0.0571	0.2433	0.0178	0.1800	0.4169	0.1701	0.4369	0.1783	0.3138	
PCP	0.5725	0.5042	0.5314	0.7512	0.6118	0.6580	*	0.4783	0.9095	0.7356	
Ecstasy	0.5246	0.1411	0.0889	0.2731	0.3752	0.3153	0.2992	0.2495	0.7633	0.1696	
Inhalants	0.4520	0.7074	0.5677	0.8390	0.1226	0.6867	0.3583	0.7677	0.1961	0.2404	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.5574	0.7771	0.1804	0.9173	0.1428	0.4487	0.2697	0.4404	0.4823	0.0592	
Pain Relievers	0.3063	0.9951	0.2558	0.9528	0.0727	0.1315	0.8639	0.1155	0.3093	0.2154	
OxyContin [®]	--	--	0.6523	0.8263	0.4108	0.6459	0.1849	0.0514	0.0064	0.2790	
Tranquilizers	0.3806	0.2725	0.0363	0.2906	0.1920	0.2347	0.1676	0.8254	0.7131	0.1463	
Stimulants ³	0.2393	0.3196	0.2068	0.7410	0.1057	0.5853	0.0903	0.2622	0.6866	0.2093	
Methamphetamine ³	0.0150	0.0064	0.0071	0.0540	0.0060	0.2954	0.2303	0.4773	0.4261	0.9798	
Sedatives	0.0276	0.6979	0.8100	0.7693	0.1768	0.3289	0.6088	0.1931	0.2367	0.6111	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.5507	0.5676	0.3161	0.4163	0.0222	0.1726	0.6933	0.3692	0.6991	0.0208	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.16C Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	75	71	67	75	74	74	68	73	73	77	68
Marijuana and Hashish	64	63	61	64	63	65	59	64	67	64	62
Cocaine	26	24	24	24	21	23	19	21	21	20	16
Crack	11	13	10	9	10	8	7	7	9	13	7
Heroin	7	8	9	7	7	8	10	6	7	8	8
Hallucinogens	35	33	32	31	30	31	30	32	32	32	27
LSD	25	19	17	18	16	13	15	16	15	15	15
PCP	13	13	13	14	11	10	10	9	7	7	10
Ecstasy	27	21	20	17	19	21	20	25	24	27	20
Inhalants	46	49	47	48	47	46	44	47	42	42	36
Nonmedical Use of Psychotherapeutics ^{2,3}	51	49	48	51	52	52	45	50	48	46	46
Pain Relievers	47	47	46	47	48	47	41	48	46	41	42
OxyContin [®]	14	16	17	14	16	17	16	21	19	16	16
Tranquilizers	27	26	22	25	23	23	24	22	25	25	25
Stimulants ³	30	27	25	27	29	23	20	21	21	21	19
Methamphetamine ³	18	17	16	18	17	12	10	11	13	13	11
Sedatives	13	16	15	16	13	13	12	14	11	11	10
ILLCIT DRUGS OTHER THAN MARIJUANA¹	63	63	61	63	62	66	57	63	60	62	55

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.16D Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.59	0.56	0.52	0.58	0.57	0.57	0.54	0.58	0.59	0.60	0.53
Marijuana and Hashish	0.50	0.49	0.47	0.49	0.48	0.50	0.46	0.51	0.53	0.50	0.49
Cocaine	0.21	0.18	0.18	0.18	0.16	0.18	0.15	0.17	0.17	0.16	0.13
Crack	0.09	0.10	0.08	0.07	0.08	0.06	0.06	0.06	0.07	0.10	0.05
Heroin	0.05	0.06	0.07	0.06	0.05	0.06	0.08	0.05	0.06	0.07	0.07
Hallucinogens	0.27	0.26	0.25	0.24	0.23	0.24	0.23	0.26	0.25	0.25	0.21
LSD	0.20	0.15	0.13	0.14	0.12	0.10	0.12	0.13	0.12	0.12	0.12
PCP	0.10	0.10	0.10	0.11	0.08	0.08	0.08	0.07	0.05	0.06	0.08
Ecstasy	0.21	0.16	0.16	0.13	0.15	0.16	0.16	0.20	0.19	0.21	0.16
Inhalants	0.37	0.39	0.37	0.37	0.37	0.36	0.34	0.37	0.33	0.33	0.28
Nonmedical Use of Psychotherapeutics ^{2,3}	0.41	0.38	0.37	0.39	0.40	0.40	0.36	0.40	0.39	0.36	0.36
Pain Relievers	0.37	0.37	0.36	0.36	0.37	0.36	0.33	0.38	0.37	0.32	0.33
OxyContin [®]	0.11	0.12	0.13	0.11	0.12	0.13	0.12	0.16	0.16	0.12	0.13
Tranquilizers	0.21	0.20	0.17	0.19	0.18	0.18	0.19	0.17	0.20	0.20	0.20
Stimulants ³	0.24	0.21	0.19	0.21	0.22	0.18	0.16	0.16	0.17	0.17	0.15
Methamphetamine ³	0.14	0.13	0.13	0.14	0.13	0.09	0.08	0.09	0.10	0.10	0.09
Sedatives	0.10	0.13	0.12	0.12	0.10	0.10	0.10	0.11	0.09	0.09	0.08
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.50	0.50	0.47	0.49	0.47	0.51	0.45	0.50	0.48	0.49	0.43

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.16P Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0008	0.0239	0.0000	0.0427	0.0450	
Marijuana and Hashish	0.0000	0.0008	0.0028	0.6173	0.9250	0.5037	0.5003	0.1918	0.5773	0.2014	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0003	0.0157	0.0619	
Crack	0.0004	0.0000	0.0002	0.0047	0.0030	0.0104	0.0692	0.1975	0.0884	0.1103	
Heroin	0.5300	0.5443	0.2176	0.7207	0.8146	0.9638	0.4540	0.8304	0.7079	0.6558	
Hallucinogens	0.0000	0.0000	0.0000	0.0125	0.0148	0.0858	0.0149	0.0011	0.0033	0.0262	
LSD	0.0000	0.0013	0.0519	0.0548	0.8081	0.3610	0.3087	0.5061	0.8200	0.6593	
PCP	0.0002	0.0009	0.0019	0.0041	0.6566	0.6079	0.3773	0.9531	0.1469	0.6629	
Ecstasy	0.0000	0.1452	0.3451	0.1785	0.5774	0.9667	0.7223	0.0457	0.0338	0.0102	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0035	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0019	0.0000	0.0023	0.3721	0.0169	0.8104	0.9545	
Pain Relievers	0.0000	0.0000	0.0000	0.0083	0.0000	0.0140	0.4780	0.0082	0.4521	0.9512	
OxyContin [®]	0.0352	0.6018	0.9025	0.2611	0.9912	0.5660	0.9102	0.1800	0.2351	0.7438	
Tranquilizers	0.0327	0.0143	0.2329	0.4145	0.9603	0.7619	0.7959	0.9656	0.5081	0.8833	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0010	0.1086	0.2323	0.2443	0.3036	
Methamphetamine ³	0.0000	0.0000	0.0001	0.0005	0.0016	0.1834	0.6738	0.8014	0.2600	0.1831	
Sedatives	0.4881	0.0068	0.0037	0.0657	0.1952	0.3659	0.2823	0.0871	0.7420	0.6443	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0013	0.0200	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.17C Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	66	73	66	67	68	67	71	70	69	69	66
Marijuana and Hashish	59	62	59	55	57	56	60	57	56	60	58
Cocaine	24	26	24	23	24	23	25	18	18	18	16
Crack	13	10	12	10	12	10	10	6	6	9	7
Heroin	12	8	8	6	9	7	8	6	6	9	8
Hallucinogens	34	35	31	29	29	28	29	30	31	30	27
LSD	22	18	16	14	13	12	14	12	15	12	15
PCP	14	14	12	12	12	9	7	10	9	7	8
Ecstasy	28	24	22	20	22	21	25	23	28	26	23
Inhalants	45	45	50	49	45	47	48	45	44	43	38
Nonmedical Use of Psychotherapeutics ^{2,3}	52	54	49	50	50	51	51	48	48	46	46
Pain Relievers	48	50	47	46	45	49	47	44	45	42	43
OxyContin [®]	16	13	16	16	18	17	17	17	19	20	18
Tranquilizers	27	28	29	27	28	27	26	25	26	27	30
Stimulants ³	35	31	29	31	30	26	31	23	25	22	23
Methamphetamine ³	22	19	20	18	21	15	20	16	13	15	12
Sedatives	17	15	15	15	14	15	14	16	13	11	13
ILLCIT DRUGS OTHER THAN MARIJUANA¹	59	66	58	61	57	60	61	59	61	58	53

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.17D Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.54	0.60	0.54	0.54	0.55	0.54	0.58	0.58	0.58	0.57	0.54
Marijuana and Hashish	0.49	0.51	0.48	0.45	0.46	0.45	0.49	0.47	0.47	0.49	0.47
Cocaine	0.20	0.21	0.19	0.18	0.19	0.18	0.21	0.15	0.15	0.15	0.13
Crack	0.11	0.08	0.09	0.08	0.10	0.08	0.08	0.05	0.05	0.07	0.06
Heroin	0.10	0.07	0.06	0.05	0.07	0.06	0.06	0.05	0.05	0.07	0.07
Hallucinogens	0.28	0.28	0.25	0.23	0.23	0.22	0.24	0.25	0.26	0.24	0.22
LSD	0.18	0.15	0.13	0.11	0.10	0.10	0.12	0.10	0.12	0.10	0.12
PCP	0.12	0.12	0.10	0.10	0.09	0.08	0.06	0.08	0.08	0.06	0.06
Ecstasy	0.23	0.20	0.18	0.16	0.18	0.17	0.21	0.19	0.23	0.21	0.19
Inhalants	0.37	0.36	0.41	0.39	0.36	0.38	0.39	0.38	0.37	0.35	0.31
Nonmedical Use of Psychotherapeutics ^{2,3}	0.43	0.44	0.40	0.40	0.40	0.41	0.42	0.40	0.40	0.37	0.38
Pain Relievers	0.40	0.41	0.38	0.37	0.36	0.39	0.39	0.36	0.38	0.35	0.35
OxyContin [®]	0.13	0.10	0.13	0.13	0.14	0.14	0.14	0.14	0.16	0.16	0.15
Tranquilizers	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.21	0.22	0.22	0.24
Stimulants ³	0.29	0.25	0.24	0.25	0.24	0.21	0.26	0.19	0.21	0.18	0.18
Methamphetamine ³	0.18	0.16	0.16	0.15	0.17	0.12	0.16	0.14	0.11	0.13	0.10
Sedatives	0.14	0.12	0.12	0.12	0.11	0.12	0.11	0.13	0.11	0.09	0.10
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.49	0.54	0.47	0.49	0.46	0.48	0.50	0.49	0.51	0.47	0.44

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.17P Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0001	0.0001	0.0686	0.0009	0.0228	0.0622	0.2335	
Marijuana and Hashish	0.0000	0.0000	0.0030	0.5051	0.3300	0.1246	0.7224	0.2719	0.7258	0.7761	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0307	0.0921	0.2846	
Crack	0.0000	0.0001	0.0007	0.0008	0.0000	0.0003	0.0191	0.2165	0.4236	0.2865	
Heroin	0.0602	0.2591	0.8482	0.6412	0.8695	0.5938	0.8291	1.0000	0.4384	0.7003	
Hallucinogens	0.0000	0.0000	0.0038	0.1669	0.2061	0.8912	0.2064	0.1009	0.0550	0.6848	
LSD	0.0000	0.0033	0.4500	0.5443	0.1574	0.1072	0.9639	0.5777	0.7416	0.1310	
PCP	0.0000	0.0012	0.0661	0.0242	0.0916	0.9435	0.5849	0.7070	0.9753	0.1658	
Ecstasy	0.0000	0.0334	0.9382	0.0418	0.8726	0.1398	0.4413	0.4539	0.0381	0.3350	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0009	0.0735	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0000	0.0000	0.0017	0.0004	0.0028	0.0234	0.6066	
Pain Relievers	0.0000	0.0000	0.0000	0.0001	0.0000	0.0024	0.0002	0.0026	0.0046	0.1681	
OxyContin [®]	0.0309	0.0086	0.3241	0.2568	0.5345	0.4093	0.4186	0.2515	0.3518	0.1367	
Tranquilizers	0.1447	0.0488	0.1178	0.5562	0.5612	0.5229	0.8068	0.9368	0.7133	0.8065	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0009	0.0613	0.6391	0.6068	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0064	0.0717	0.0484	0.8969	0.3751	
Sedatives	0.0117	0.2761	0.3050	0.3497	0.2309	0.2949	0.4823	0.2970	0.9035	0.1396	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.1382	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.18C Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	65	64	62	66	66	67	58	65	66	67	60
Marijuana and Hashish	55	53	53	56	54	57	52	59	60	59	57
Cocaine	23	19	20	19	18	18	17	17	16	14	14
Crack	8	9	7	7	8	7	6	5	3	5	5
Heroin	5	6	8	6	6	5	9	6	6	8	7
Hallucinogens	29	25	26	25	22	26	26	28	28	25	23
LSD	18	11	13	14	10	11	14	12	12	14	12
PCP	8	9	9	11	8	7	8	7	4	5	7
Ecstasy	22	15	16	14	14	19	18	21	22	20	15
Inhalants	31	33	34	33	32	31	31	29	27	29	21
Nonmedical Use of Psychotherapeutics ^{2,3}	42	43	39	41	43	45	38	41	41	37	38
Pain Relievers	38	40	37	38	40	40	35	38	40	34	35
OxyContin [®]	--	--	13	13	12	13	14	15	16	12	12
Tranquilizers	22	22	19	21	18	19	20	18	21	21	20
Stimulants ³	24	20	18	19	21	18	15	16	16	16	16
Methamphetamine ³	16	12	12	13	14	8	6	7	10	10	9
Sedatives	10	13	10	11	11	9	9	12	8	7	7
ILLCIT DRUGS OTHER THAN MARIJUANA¹	52	53	49	52	51	55	46	48	50	47	44

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.18D Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.52	0.50	0.48	0.51	0.51	0.52	0.46	0.51	0.53	0.53	0.47
Marijuana and Hashish	0.43	0.42	0.41	0.43	0.42	0.44	0.41	0.47	0.49	0.46	0.45
Cocaine	0.18	0.15	0.15	0.15	0.14	0.14	0.13	0.14	0.13	0.11	0.11
Crack	0.06	0.07	0.05	0.05	0.06	0.05	0.05	0.04	0.02	0.04	0.04
Heroin	0.04	0.05	0.06	0.04	0.04	0.04	0.07	0.04	0.05	0.06	0.05
Hallucinogens	0.23	0.20	0.20	0.19	0.17	0.20	0.20	0.22	0.22	0.20	0.18
LSD	0.15	0.09	0.10	0.10	0.07	0.09	0.11	0.09	0.10	0.11	0.09
PCP	0.06	0.07	0.07	0.09	0.06	0.06	0.06	0.06	0.03	0.04	0.06
Ecstasy	0.18	0.12	0.12	0.11	0.11	0.14	0.14	0.17	0.18	0.16	0.12
Inhalants	0.25	0.26	0.26	0.26	0.25	0.24	0.24	0.23	0.22	0.23	0.17
Nonmedical Use of Psychotherapeutics ^{2,3}	0.33	0.33	0.30	0.32	0.33	0.35	0.30	0.33	0.33	0.29	0.29
Pain Relievers	0.30	0.31	0.29	0.30	0.31	0.31	0.27	0.30	0.32	0.26	0.27
OxyContin [®]	--	--	0.10	0.10	0.09	0.10	0.11	0.12	0.13	0.09	0.09
Tranquilizers	0.17	0.17	0.14	0.16	0.14	0.15	0.16	0.14	0.17	0.17	0.16
Stimulants ³	0.19	0.15	0.14	0.14	0.16	0.14	0.12	0.13	0.13	0.12	0.13
Methamphetamine ³	0.12	0.09	0.09	0.10	0.11	0.06	0.05	0.06	0.08	0.08	0.07
Sedatives	0.08	0.10	0.08	0.08	0.08	0.07	0.07	0.10	0.06	0.06	0.05
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.41	0.41	0.38	0.40	0.39	0.42	0.36	0.38	0.40	0.37	0.35

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.18P Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0048	0.0111	0.0231	0.0432	0.0002	0.0221	0.0715	
Marijuana and Hashish	0.0004	0.0527	0.2019	0.6797	0.3138	0.4152	0.4720	0.1162	0.2196	0.1196	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0001	0.0002	0.0007	0.0056	0.1472	0.1419	
Crack	0.0025	0.0002	0.0068	0.0900	0.0143	0.0461	0.1944	0.2782	0.9959	0.0961	
Heroin	0.5740	0.8094	0.1210	0.8844	0.9068	0.9643	0.3074	0.7693	0.8444	0.5169	
Hallucinogens	0.0000	0.0032	0.0036	0.0653	0.3421	0.1155	0.0070	0.0004	0.0031	0.0141	
LSD	0.0000	0.5385	0.5363	0.6679	0.0323	0.6594	0.0470	0.6128	0.6557	0.4005	
PCP	0.0177	0.0360	0.1122	0.0830	0.6392	0.2706	0.1312	0.5812	0.3459	0.8952	
Ecstasy	0.0000	0.3916	0.4593	0.9828	0.8202	0.0929	0.1067	0.0006	0.0010	0.0001	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0008	0.0004	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0006	0.0024	0.0000	0.0021	0.0895	0.0433	0.4047	0.3475	
Pain Relievers	0.0000	0.0000	0.0006	0.0026	0.0000	0.0038	0.1113	0.0296	0.3460	0.4227	
OxyContin [®]	--	--	0.9695	0.9736	0.7763	0.6655	0.1817	0.4775	0.3896	0.8174	
Tranquilizers	0.0257	0.0134	0.1519	0.1498	0.7640	0.3146	0.1566	0.2862	0.4730	0.2593	
Stimulants ³	0.0000	0.0000	0.0125	0.0733	0.0052	0.3002	0.7640	0.7549	0.6332	0.5473	
Methamphetamine ³	0.0011	0.0031	0.0455	0.0149	0.0346	0.9368	0.6644	0.4729	0.5842	0.6253	
Sedatives	0.1563	0.0086	0.0141	0.0705	0.0343	0.2093	0.1003	0.0025	0.1909	0.7683	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0022	0.0090	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.19C Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	63	64	63	60	61	58	63	61	64	61	60
Marijuana and Hashish	53	55	54	50	51	48	52	48	53	55	53
Cocaine	23	19	19	19	20	20	17	14	16	15	14
Crack	11	9	8	7	8	9	5	4	4	4	6
Heroin	10	5	6	5	6	4	6	5	5	9	6
Hallucinogens	27	26	26	24	25	23	25	26	29	23	22
LSD	16	11	10	10	10	9	11	8	12	11	11
PCP	10	8	7	9	8	6	5	7	7	5	8
Ecstasy	22	17	17	15	18	18	22	20	26	21	18
Inhalants	30	31	34	33	32	30	31	30	32	29	27
Nonmedical Use of Psychotherapeutics ^{2,3}	43	46	45	44	43	42	42	42	42	38	38
Pain Relievers	40	42	43	39	39	40	39	40	40	36	33
OxyContin [®]	--	--	13	12	13	14	12	13	17	14	13
Tranquilizers	24	24	24	21	24	24	21	20	21	23	24
Stimulants ³	25	23	21	24	25	20	23	18	20	17	16
Methamphetamine ³	17	13	14	14	15	12	13	11	11	12	8
Sedatives	13	11	11	12	8	12	11	10	12	9	9
ILLCIT DRUGS OTHER THAN MARIJUANA¹	51	56	52	50	49	48	52	51	55	45	45

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.19D Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.52	0.52	0.51	0.48	0.49	0.47	0.52	0.51	0.54	0.50	0.50
Marijuana and Hashish	0.44	0.45	0.44	0.40	0.41	0.39	0.43	0.40	0.45	0.45	0.44
Cocaine	0.19	0.16	0.15	0.15	0.16	0.16	0.14	0.11	0.14	0.12	0.11
Crack	0.09	0.07	0.06	0.06	0.07	0.07	0.04	0.03	0.03	0.04	0.05
Heroin	0.08	0.04	0.05	0.04	0.05	0.03	0.05	0.04	0.04	0.07	0.05
Hallucinogens	0.23	0.22	0.21	0.19	0.20	0.18	0.21	0.21	0.24	0.19	0.18
LSD	0.13	0.09	0.08	0.08	0.08	0.07	0.09	0.07	0.10	0.09	0.09
PCP	0.08	0.06	0.06	0.07	0.06	0.05	0.04	0.06	0.06	0.04	0.06
Ecstasy	0.18	0.14	0.14	0.12	0.14	0.14	0.18	0.16	0.22	0.17	0.15
Inhalants	0.25	0.25	0.27	0.27	0.26	0.24	0.26	0.25	0.27	0.23	0.22
Nonmedical Use of Psychotherapeutics ^{2,3}	0.36	0.38	0.36	0.35	0.35	0.34	0.34	0.35	0.35	0.31	0.31
Pain Relievers	0.33	0.34	0.35	0.32	0.31	0.33	0.32	0.33	0.33	0.29	0.27
OxyContin [®]	--	--	0.10	0.09	0.11	0.12	0.10	0.11	0.14	0.11	0.10
Tranquilizers	0.20	0.19	0.19	0.17	0.19	0.19	0.17	0.16	0.18	0.18	0.20
Stimulants ³	0.21	0.19	0.17	0.20	0.20	0.16	0.19	0.15	0.17	0.14	0.13
Methamphetamine ³	0.14	0.10	0.11	0.11	0.12	0.09	0.10	0.09	0.09	0.10	0.07
Sedatives	0.10	0.09	0.09	0.10	0.06	0.10	0.09	0.08	0.10	0.08	0.08
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.42	0.46	0.43	0.40	0.39	0.39	0.42	0.42	0.46	0.37	0.37

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.19P Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0047	0.0209	0.9808	0.1643	0.2042	0.0431	0.2684	
Marijuana and Hashish	0.0001	0.0040	0.0416	0.9539	0.9040	0.0154	0.5550	0.2502	0.7042	0.4833	
Cocaine	0.0000	0.0000	0.0001	0.0000	0.0000	0.0000	0.0166	0.7968	0.1040	0.2792	
Crack	0.0000	0.0004	0.0338	0.0299	0.0032	0.0070	0.5009	0.7826	0.9940	0.8273	
Heroin	0.1813	0.6868	0.9838	0.6369	0.4451	0.2169	0.7890	0.8765	0.9340	0.1317	
Hallucinogens	0.0000	0.0004	0.0077	0.2264	0.0761	0.6383	0.1946	0.0574	0.0033	0.7455	
LSD	0.0015	0.6840	0.6223	0.4047	0.2769	0.1500	0.8087	0.2509	0.7207	0.5551	
PCP	0.0037	0.1379	0.6713	0.3053	0.6810	0.6467	0.7375	0.5831	0.6778	0.4130	
Ecstasy	0.0000	0.3590	0.9107	0.1305	0.6933	0.8777	0.4329	0.1310	0.0014	0.1792	
Inhalants	0.0035	0.0000	0.0000	0.0000	0.0000	0.0045	0.0004	0.0013	0.0009	0.2319	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0000	0.0000	0.0013	0.0009	0.0044	0.0040	0.2918	
Pain Relievers	0.0000	0.0000	0.0000	0.0000	0.0000	0.0011	0.0001	0.0002	0.0012	0.0222	
OxyContin [®]	--	--	0.7304	0.8664	0.4093	0.0657	0.3821	0.1228	0.0907	0.1340	
Tranquilizers	0.1231	0.0826	0.2967	0.8797	0.6586	0.5785	0.7319	0.6677	0.8821	0.7624	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0181	0.0490	0.3863	0.4790	0.5868	
Methamphetamine ³	0.0000	0.0001	0.0001	0.0007	0.0001	0.0245	0.2634	0.3037	0.4439	0.2331	
Sedatives	0.0095	0.4291	0.1509	0.3686	0.9911	0.3176	0.3269	0.7809	0.2155	0.9746	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0001	0.0001	0.0000	0.1550	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.20C Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	52	47	44	49	46	54	43	48	52	50	47
Marijuana and Hashish	44	43	39	43	39	44	38	45	47	46	41
Cocaine	12	10	12	13	9	9	10	10	9	5	4
Crack	4	7	4	6	2	2	2	4	*	2	1
Heroin	3	5	4	4	2	2	4	4	1	6	*
Hallucinogens	14	15	15	13	11	13	16	16	16	16	13
LSD	8	7	7	7	4	7	8	5	8	7	3
PCP	4	5	4	4	3	5	4	4	2	2	3
Ecstasy	10	8	10	7	8	8	10	12	10	10	7
Inhalants	16	16	16	18	18	19	17	16	15	13	13
Nonmedical Use of Psychotherapeutics ^{2,3}	30	28	26	26	27	29	22	24	24	24	26
Pain Relievers	26	26	24	24	25	26	20	22	23	21	23
OxyContin [®]	--	--	7	6	5	6	7	9	8	8	8
Tranquilizers	11	14	12	13	9	12	10	9	11	12	12
Stimulants ³	17	13	13	14	12	9	9	10	9	8	10
Methamphetamine ³	13	8	8	10	7	4	5	5	4	4	3
Sedatives	3	8	2	4	7	6	3	8	5	4	3
ILLCIT DRUGS OTHER THAN MARIJUANA¹	36	32	32	33	33	37	30	30	30	30	31

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.20D Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.41	0.37	0.34	0.38	0.36	0.42	0.34	0.38	0.42	0.39	0.37
Marijuana and Hashish	0.35	0.34	0.30	0.33	0.30	0.34	0.30	0.36	0.37	0.36	0.32
Cocaine	0.10	0.08	0.09	0.10	0.07	0.07	0.08	0.08	0.07	0.04	0.03
Crack	0.03	0.05	0.03	0.04	0.02	0.02	0.02	0.03	*	0.01	0.01
Heroin	0.02	0.04	0.03	0.03	0.01	0.01	0.03	0.03	0.01	0.05	*
Hallucinogens	0.11	0.11	0.11	0.10	0.09	0.10	0.13	0.12	0.12	0.13	0.10
LSD	0.07	0.06	0.05	0.06	0.03	0.06	0.06	0.04	0.07	0.05	0.03
PCP	0.03	0.04	0.03	0.03	0.02	0.04	0.03	0.03	0.01	0.01	0.02
Ecstasy	0.08	0.06	0.08	0.05	0.06	0.06	0.08	0.09	0.08	0.08	0.05
Inhalants	0.13	0.13	0.12	0.14	0.14	0.15	0.14	0.13	0.12	0.10	0.10
Nonmedical Use of Psychotherapeutics ^{2,3}	0.23	0.22	0.20	0.20	0.21	0.22	0.17	0.19	0.19	0.18	0.20
Pain Relievers	0.21	0.20	0.18	0.18	0.20	0.20	0.15	0.18	0.19	0.17	0.18
OxyContin [®]	--	--	0.05	0.04	0.04	0.05	0.05	0.07	0.06	0.06	0.06
Tranquilizers	0.08	0.11	0.09	0.10	0.07	0.09	0.08	0.07	0.09	0.09	0.09
Stimulants ³	0.13	0.11	0.10	0.10	0.09	0.07	0.07	0.08	0.08	0.06	0.08
Methamphetamine ³	0.10	0.06	0.06	0.08	0.06	0.03	0.04	0.04	0.03	0.03	0.02
Sedatives	0.02	0.06	0.01	0.03	0.05	0.04	0.02	0.06	0.04	0.03	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.28	0.25	0.25	0.26	0.25	0.28	0.23	0.24	0.24	0.23	0.24

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.20P Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLICIT DRUGS¹	0.0000	0.0004	0.0438	0.2548	0.5676	0.3660	0.8918	0.0305	0.1229	0.0204	
Marijuana and Hashish	0.0005	0.0191	0.1834	1.0000	0.1835	0.8685	0.7143	0.0468	0.0743	0.0014	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0002	0.0002	0.0000	0.0046	0.0126	0.1117	
Crack	0.0263	0.0021	0.0269	0.0247	0.0900	0.1544	0.0400	0.2256	*	0.5410	
Heroin	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	0.0473	0.0213	0.1777	0.8111	0.6527	0.6013	0.0074	0.0724	0.2049	0.0547	
LSD	0.0026	0.0343	0.0819	0.0848	0.9241	0.1037	0.0026	0.0738	0.0281	0.0467	
PCP	0.1442	0.0927	0.4888	0.4675	0.6179	0.3419	0.2323	0.4089	0.9117	0.7153	
Ecstasy	0.0205	0.5144	0.2544	0.8884	0.5158	0.7851	0.0261	0.0130	0.0987	0.0282	
Inhalants	0.0004	0.0117	0.0095	0.0016	0.0025	0.0017	0.0222	0.1045	0.1352	0.5138	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0001	0.0000	0.0058	0.0177	0.0172	0.0304	0.9311	0.1671	0.5805	0.8587	
Pain Relievers	0.0003	0.0001	0.0128	0.0322	0.0307	0.0386	0.9482	0.0813	0.9817	0.8269	
OxyContin [®]	--	--	0.9696	0.2135	0.2982	0.6583	0.7215	0.3121	0.9371	0.9713	
Tranquilizers	0.2490	0.0016	0.1710	0.0856	0.6350	0.0647	0.5160	0.6721	0.5361	0.2001	
Stimulants ³	0.0041	0.0007	0.0180	0.1013	0.0539	0.8060	0.8019	0.8310	0.9660	0.5209	
Methamphetamine ³	0.0165	0.0043	0.0724	0.0040	0.0506	0.7873	0.1778	0.1453	1.0000	0.3965	
Sedatives	0.8412	0.0149	0.4835	0.6654	0.0511	0.2012	0.8188	0.0362	0.2133	0.5243	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0002	0.0003	0.0020	0.0204	0.0120	0.3558	0.2738	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.21C Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	44	45	50	43	45	44	44	45	49	44	46
Marijuana and Hashish	35	39	38	35	37	35	39	36	40	38	39
Cocaine	13	12	9	10	10	10	7	7	7	10	6
Crack	7	3	3	5	3	4	1	2	2	1	*
Heroin	5	4	2	2	5	*	5	2	3	4	*
Hallucinogens	15	13	12	14	14	11	14	12	14	14	12
LSD	9	7	4	3	6	3	7	5	5	4	5
PCP	4	3	3	4	3	*	2	3	2	1	*
Ecstasy	12	10	7	9	9	8	11	10	12	12	9
Inhalants	16	19	20	16	18	17	16	15	17	15	14
Nonmedical Use of Psychotherapeutics ^{2,3}	30	31	31	26	28	28	26	28	30	24	27
Pain Relievers	28	28	28	24	25	25	22	26	26	22	23
OxyContin [®]	--	--	8	5	3	5	5	6	6	6	6
Tranquilizers	14	16	12	10	11	15	13	12	11	13	16
Stimulants ³	13	14	14	12	12	11	9	11	12	10	10
Methamphetamine ³	7	8	9	8	8	7	4	6	7	7	5
Sedatives	8	6	6	5	5	7	8	5	6	4	6
ILLCIT DRUGS OTHER THAN MARIJUANA¹	35	37	38	31	33	33	31	34	37	29	31

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.21D Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.37	0.37	0.40	0.35	0.36	0.35	0.36	0.38	0.41	0.36	0.38
Marijuana and Hashish	0.29	0.32	0.31	0.29	0.29	0.29	0.32	0.30	0.34	0.31	0.32
Cocaine	0.11	0.10	0.07	0.08	0.08	0.08	0.06	0.06	0.05	0.08	0.05
Crack	0.06	0.03	0.03	0.04	0.03	0.03	0.01	0.01	0.02	0.01	*
Heroin	0.04	0.03	0.02	0.01	0.04	*	0.04	0.02	0.02	0.03	*
Hallucinogens	0.12	0.11	0.10	0.11	0.11	0.09	0.11	0.10	0.12	0.11	0.09
LSD	0.07	0.06	0.04	0.03	0.05	0.02	0.05	0.04	0.04	0.03	0.04
PCP	0.03	0.02	0.02	0.03	0.03	*	0.02	0.02	0.02	0.01	*
Ecstasy	0.10	0.08	0.06	0.07	0.07	0.06	0.09	0.08	0.10	0.10	0.08
Inhalants	0.13	0.15	0.16	0.13	0.15	0.14	0.13	0.13	0.15	0.12	0.11
Nonmedical Use of Psychotherapeutics ^{2,3}	0.25	0.25	0.25	0.21	0.22	0.23	0.21	0.23	0.25	0.20	0.22
Pain Relievers	0.23	0.23	0.23	0.19	0.20	0.20	0.18	0.21	0.22	0.18	0.19
OxyContin [®]	--	--	0.07	0.04	0.03	0.04	0.04	0.05	0.05	0.05	0.05
Tranquilizers	0.11	0.13	0.09	0.08	0.09	0.12	0.10	0.10	0.10	0.10	0.13
Stimulants ³	0.10	0.11	0.11	0.10	0.10	0.09	0.07	0.09	0.10	0.08	0.08
Methamphetamine ³	0.05	0.06	0.07	0.06	0.06	0.05	0.03	0.05	0.06	0.06	0.05
Sedatives	0.07	0.05	0.04	0.04	0.04	0.06	0.06	0.04	0.05	0.04	0.05
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.29	0.30	0.31	0.25	0.27	0.26	0.25	0.28	0.31	0.24	0.25

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.

Table 7.21P Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2012 Versus 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
ILLCIT DRUGS¹	0.0088	0.0031	0.0397	0.7757	0.6480	0.4065	0.4089	0.9461	0.5591	0.7433	
Marijuana and Hashish	0.5841	0.6182	0.8058	0.0647	0.2593	0.0103	0.0430	0.1215	0.2213	0.5407	
Cocaine	0.0005	0.0000	0.0025	0.0001	0.0002	0.0008	0.0505	0.2980	0.4495	0.0173	
Crack	*	*	*	*	*	*	*	*	*	*	
Heroin	*	*	*	*	*	*	*	*	*	*	
Hallucinogens	0.0020	0.0028	0.1931	0.0367	0.1359	0.8934	0.1056	0.2199	0.0710	0.4348	
LSD	0.4783	0.3767	0.8202	0.1628	0.5143	0.0668	0.9865	0.7476	0.9186	0.1836	
PCP	*	*	*	*	*	*	*	*	*	*	
Ecstasy	0.1310	0.4110	0.3408	0.8711	0.9081	0.3166	0.7830	0.5454	0.0441	0.5415	
Inhalants	0.0471	0.0007	0.0053	0.0209	0.0005	0.1493	0.1225	0.2601	0.0294	0.2607	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0004	0.0011	0.0069	0.2102	0.2011	0.2373	0.6580	0.2453	0.1128	0.9822	
Pain Relievers	0.0019	0.0029	0.0051	0.1557	0.1704	0.3266	0.7206	0.1242	0.0797	0.7357	
OxyContin [®]	--	--	0.1036	0.7252	0.1504	0.7947	0.6862	0.2828	0.9620	0.8437	
Tranquilizers	0.1415	0.2270	0.8966	0.4971	0.6169	0.6817	0.9785	0.9864	0.5139	0.9608	
Stimulants ³	0.0278	0.0059	0.1794	0.1174	0.1701	0.4921	0.5488	0.5994	0.6597	0.4200	
Methamphetamine ³	0.2760	0.0818	0.2404	0.2882	0.4614	0.8502	0.1964	0.6930	0.5863	0.8545	
Sedatives	0.0274	0.9371	0.7972	0.7484	0.5965	0.9650	0.4251	0.5905	0.8392	0.4519	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0009	0.0006	0.0201	0.0869	0.0183	0.0014	0.1479	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2012.