

Table 1.1A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Numbers in Thousands, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	119,933	121,078	38,908	38,287	22,648	22,454
Marijuana and Hashish	106,613	107,842	29,301	29,739	17,409	18,071
Cocaine	37,361	36,921	4,533 ^a	3,857	1,472	1,369
Crack	9,208 ^a	8,214	885 ^a	625	378 ^a	228
Heroin	4,144	4,162	621	620	239	281
Hallucinogens	37,544	36,362	4,543 ^a	4,069	1,207 ^a	972
LSD	23,375	23,000	881	880	155	152
PCP	6,255	6,103	96	119	36	26
Ecstasy	15,929 ^a	14,570	2,653	2,422	691	544
Inhalants	21,778	20,523	2,048	1,861	690	624
Nonmedical Use of Psychotherapeutics ^{2,3}	51,832	51,243	16,051 ^a	14,657	6,957 ^a	6,119
Pain Relievers	34,908	34,247	12,242 ^a	11,143	5,093 ^a	4,471
OxyContin [®]	6,160	5,917	1,879	1,623	566	434
Tranquilizers	22,187	21,655	5,583	5,109	2,159	1,840
Stimulants ³	21,739	20,379	2,902	2,700	1,082	970
Methamphetamine ³	13,060	11,928	959	1,033	353	439
Sedatives	7,653	7,515	906 ^b	526	375	231
ILLCIT DRUGS OTHER THAN MARIJUANA¹	76,472	75,447	20,625 ^b	18,959	9,016 ^a	8,020

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.1B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Percentages, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	47.3	47.0	15.3	14.9	8.9	8.7
Marijuana and Hashish	42.0	41.9	11.6	11.5	6.9	7.0
Cocaine	14.7	14.3	1.8 ^b	1.5	0.6	0.5
Crack	3.6 ^a	3.2	0.3 ^a	0.2	0.1 ^a	0.1
Heroin	1.6	1.6	0.2	0.2	0.1	0.1
Hallucinogens	14.8 ^a	14.1	1.8 ^a	1.6	0.5 ^a	0.4
LSD	9.2	8.9	0.3	0.3	0.1	0.1
PCP	2.5	2.4	0.0	0.0	0.0	0.0
Ecstasy	6.3 ^b	5.7	1.0	0.9	0.3 ^a	0.2
Inhalants	8.6 ^a	8.0	0.8	0.7	0.3	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	20.4	19.9	6.3 ^b	5.7	2.7 ^b	2.4
Pain Relievers	13.8	13.3	4.8 ^b	4.3	2.0 ^a	1.7
OxyContin [®]	2.4	2.3	0.7	0.6	0.2	0.2
Tranquilizers	8.7	8.4	2.2	2.0	0.9	0.7
Stimulants ³	8.6 ^a	7.9	1.1	1.0	0.4	0.4
Methamphetamine ³	5.1 ^a	4.6	0.4	0.4	0.1	0.2
Sedatives	3.0	2.9	0.4 ^b	0.2	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	30.2	29.3	8.1 ^b	7.4	3.6 ^b	3.1

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.2A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Numbers in Thousands, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	1,017	925	681 ^a	558	316	263
Marijuana and Hashish	232	261	198	205	70	104
Cocaine	11	16	3 ^a	10	*	1
Crack	6	1	1	1	*	*
Heroin	8	8	7	6	2	*
Hallucinogens	67	60	42	22	16	8
LSD	14	10	5	4	2	1
PCP	6	4	2	4	*	*
Ecstasy	23	30	19	12	14	4
Inhalants	595	510	312 ^a	241	113	83
Nonmedical Use of Psychotherapeutics ^{2,3}	420	375	290	234	156 ^a	104
Pain Relievers	361	311	257	203	138 ^a	89
OxyContin [®]	21	23	15	13	2	5
Tranquilizers	41	47	28	29	9	12
Stimulants ³	53	70	24	38	11	15
Methamphetamine ³	9 ^a	34	6	17	1	4
Sedatives	36	35	14	18	5	3
ILLCIT DRUGS OTHER THAN MARIJUANA¹	902	793	569 ^b	438	271 ^b	182

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.2B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Percentages, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	12.9	11.7	8.6 ^a	7.1	4.0	3.3
Marijuana and Hashish	2.9	3.3	2.5	2.6	0.9	1.3
Cocaine	0.1	0.2	0.0 ^a	0.1	*	0.0
Crack	0.1	0.0	0.0	0.0	*	*
Heroin	0.1	0.1	0.1	0.1	0.0	*
Hallucinogens	0.8	0.8	0.5	0.3	0.2	0.1
LSD	0.2	0.1	0.1	0.1	0.0	0.0
PCP	0.1	0.1	0.0	0.0	*	*
Ecstasy	0.3	0.4	0.2	0.1	0.2	0.1
Inhalants	7.5	6.4	3.9 ^a	3.0	1.4	1.0
Nonmedical Use of Psychotherapeutics ^{2,3}	5.3	4.7	3.7	3.0	2.0 ^a	1.3
Pain Relievers	4.6	3.9	3.3	2.6	1.8 ^a	1.1
OxyContin [®]	0.3	0.3	0.2	0.2	0.0	0.1
Tranquilizers	0.5	0.6	0.3	0.4	0.1	0.1
Stimulants ³	0.7	0.9	0.3	0.5	0.1	0.2
Methamphetamine ³	0.1 ^a	0.4	0.1	0.2	0.0	0.0
Sedatives	0.5	0.4	0.2	0.2	0.1	0.0
ILLCIT DRUGS OTHER THAN MARIJUANA¹	11.4	10.0	7.2 ^b	5.5	3.4 ^b	2.3

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.3A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Numbers in Thousands, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	2,044	2,098	1,526	1,586	751	783
Marijuana and Hashish	1,253	1,336	1,063	1,129	523	570
Cocaine	95	98	71	63	16	21
Crack	15	33	5	7	2	2
Heroin	11	22	5 ^a	21	1	7
Hallucinogens	272	246	225	184	88	69
LSD	70	62	46	49	14	14
PCP	38	23	25	18	3	1
Ecstasy	163	145	131	102	47	29
Inhalants	751	699	356	326	100	76
Nonmedical Use of Psychotherapeutics ^{2,3}	818	782	567	569	238	224
Pain Relievers	707	656	473	466	202	191
OxyContin [®]	106	84	78	65	21	14
Tranquilizers	200	200	153	143	47	35
Stimulants ³	158	146	110	98	38	30
Methamphetamine ³	61	43	43	32	12	14
Sedatives	77	60	58	38	21	13
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,399	1,363	895	888	371	347

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.3B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Percentages, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	25.4	24.7	19.0	18.7	9.3	9.2
Marijuana and Hashish	15.6	15.7	13.2	13.3	6.5	6.7
Cocaine	1.2	1.2	0.9	0.7	0.2	0.3
Crack	0.2	0.4	0.1	0.1	0.0	0.0
Heroin	0.1	0.3	0.1 ^a	0.2	0.0	0.1
Hallucinogens	3.4	2.9	2.8	2.2	1.1	0.8
LSD	0.9	0.7	0.6	0.6	0.2	0.2
PCP	0.5	0.3	0.3	0.2	0.0	0.0
Ecstasy	2.0	1.7	1.6	1.2	0.6	0.3
Inhalants	9.4	8.2	4.4	3.8	1.2	0.9
Nonmedical Use of Psychotherapeutics ^{2,3}	10.2	9.2	7.1	6.7	3.0	2.6
Pain Relievers	8.8	7.7	5.9	5.5	2.5	2.3
OxyContin [®]	1.3	1.0	1.0	0.8	0.3	0.2
Tranquilizers	2.5	2.4	1.9	1.7	0.6	0.4
Stimulants ³	2.0	1.7	1.4	1.2	0.5	0.4
Methamphetamine ³	0.8	0.5	0.5	0.4	0.2	0.2
Sedatives	1.0	0.7	0.7	0.4	0.3	0.2
ILLCIT DRUGS OTHER THAN MARIJUANA¹	17.4	16.1	11.1	10.5	4.6	4.1

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.4A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Numbers in Thousands, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	3,216	3,350	2,538	2,591	1,401	1,476
Marijuana and Hashish	2,672	2,781	2,153	2,219	1,209	1,294
Cocaine	258	223	165	156	44	45
Crack	39	34	13	21	2	1
Heroin	28	40	15	27	5	8
Hallucinogens	662	624	481	441	111	139
LSD	147	157	85	106	30	19
PCP	32	49	9	17	3	3
Ecstasy	431	431	314	305	61	75
Inhalants	669	669	217	253	49	64
Nonmedical Use of Psychotherapeutics ^{2,3}	1,353	1,365	955	946	327	360
Pain Relievers	1,178	1,183	792	815	267	282
OxyContin [®]	242	262	142	141	24	32
Tranquilizers	482	452	286	302	78 ^a	115
Stimulants ³	320	293	190	162	59	53
Methamphetamine ³	88	107	49	56	12	19
Sedatives	65	49	38	28	8	8
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,865	1,851	1,294	1,239	450	497

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.4B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Percentages, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	38.3	39.0	30.2	30.2	16.7	17.2
Marijuana and Hashish	31.8	32.4	25.6	25.8	14.4	15.1
Cocaine	3.1	2.6	2.0	1.8	0.5	0.5
Crack	0.5	0.4	0.1	0.2	0.0	0.0
Heroin	0.3	0.5	0.2	0.3	0.1	0.1
Hallucinogens	7.9	7.3	5.7	5.1	1.3	1.6
LSD	1.8	1.8	1.0	1.2	0.4	0.2
PCP	0.4	0.6	0.1	0.2	0.0	0.0
Ecstasy	5.1	5.0	3.7	3.6	0.7	0.9
Inhalants	8.0	7.8	2.6	2.9	0.6	0.7
Nonmedical Use of Psychotherapeutics ^{2,3}	16.1	15.9	11.4	11.0	3.9	4.2
Pain Relievers	14.0	13.8	9.4	9.5	3.2	3.3
OxyContin [®]	2.9	3.1	1.7	1.6	0.3	0.4
Tranquilizers	5.7	5.3	3.4	3.5	0.9	1.3
Stimulants ³	3.8	3.4	2.3	1.9	0.7	0.6
Methamphetamine ³	1.0	1.2	0.6	0.7	0.1	0.2
Sedatives	0.8	0.6	0.5	0.3	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	22.2	21.5	15.4	14.4	5.4	5.8

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.5A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Numbers in Thousands, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	7,266	7,092	5,182	5,239	3,160	3,213
Marijuana and Hashish	6,394	6,453	4,501	4,709	2,778	2,929
Cocaine	1,169	1,119	565	608	163	208
Crack	195	153	65	42	23	12
Heroin	215 ^b	130	96	91	39	41
Hallucinogens	1,945	1,871	1,082	1,079	317	255
LSD	625	582	253	256	52	44
PCP	130	101	18	23	*	4
Ecstasy	1,354	1,324	725	679	184	134
Inhalants	1,190	1,040	309	278	52	76
Nonmedical Use of Psychotherapeutics ^{2,3}	3,370	3,088	1,990 ^a	1,779	808	694
Pain Relievers	2,853 ^a	2,543	1,567 ^a	1,374	607 ^a	491
OxyContin [®]	707	660	328	253	107 ^b	41
Tranquilizers	1,396	1,281	688	646	202	235
Stimulants ³	1,082 ^b	870	532	458	185	142
Methamphetamine ³	334	271	110	97	42	26
Sedatives	142	122	64	49	29	17
ILLCIT DRUGS OTHER THAN MARIJUANA¹	4,291	4,008	2,614	2,479	1,097	1,002

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.5B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Percentages, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	53.3	52.4	38.0	38.7	23.2	23.8
Marijuana and Hashish	46.9	47.7	33.0	34.8	20.4	21.7
Cocaine	8.6	8.3	4.1	4.5	1.2	1.5
Crack	1.4	1.1	0.5	0.3	0.2	0.1
Heroin	1.6 ^b	1.0	0.7	0.7	0.3	0.3
Hallucinogens	14.3	13.8	7.9	8.0	2.3	1.9
LSD	4.6	4.3	1.9	1.9	0.4	0.3
PCP	1.0	0.7	0.1	0.2	*	0.0
Ecstasy	9.9	9.8	5.3	5.0	1.4	1.0
Inhalants	8.7	7.7	2.3	2.1	0.4	0.6
Nonmedical Use of Psychotherapeutics ^{2,3}	24.7 ^a	22.8	14.6 ^a	13.2	5.9	5.1
Pain Relievers	20.9 ^b	18.8	11.5 ^a	10.2	4.5 ^a	3.6
OxyContin [®]	5.2	4.9	2.4	1.9	0.8 ^b	0.3
Tranquilizers	10.2	9.5	5.0	4.8	1.5	1.7
Stimulants ³	7.9 ^b	6.4	3.9	3.4	1.4	1.0
Methamphetamine ³	2.5	2.0	0.8	0.7	0.3	0.2
Sedatives	1.0	0.9	0.5	0.4	0.2	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	31.5	29.6	19.2	18.3	8.0	7.4

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.6A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Numbers in Thousands, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	12,272	12,442	6,807	6,828	4,184	4,139
Marijuana and Hashish	11,136	11,343	5,714	5,845	3,535	3,596
Cocaine	3,400 ^a	3,133	1,029	956	340	256
Crack	691 ^a	561	115 ^a	64	49 ^b	9
Heroin	400	464	115	139	51	66
Hallucinogens	4,350	4,158	1,358	1,244	355	302
LSD	1,569	1,473	296	330	53	48
PCP	318	250	19	39	6	8
Ecstasy	2,876	2,898	776	733	218	181
Inhalants	2,206	2,066	288	222	83	68
Nonmedical Use of Psychotherapeutics ^{2,3}	6,462	6,284	2,886 ^a	2,586	1,188 ^a	1,017
Pain Relievers	5,289	5,057	2,212 ^a	1,979	903 ^b	730
OxyContin [®]	1,442	1,418	424	376	132	117
Tranquilizers	3,108	2,950	1,116 ^b	909	368	311
Stimulants ³	2,452	2,302	710	608	229	202
Methamphetamine ³	1,027 ^a	879	159	128	41	53
Sedatives	327	350	101	78	31	25
ILLCIT DRUGS OTHER THAN MARIJUANA¹	8,119	7,852	3,780	3,494	1,613 ^a	1,383

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.6B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Percentages, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	60.0	59.9	33.3	32.9	20.5	19.9
Marijuana and Hashish	54.5	54.6	28.0	28.1	17.3	17.3
Cocaine	16.6 ^b	15.1	5.0	4.6	1.7 ^a	1.2
Crack	3.4 ^b	2.7	0.6 ^a	0.3	0.2 ^b	0.0
Heroin	2.0	2.2	0.6	0.7	0.2	0.3
Hallucinogens	21.3	20.0	6.6	6.0	1.7	1.5
LSD	7.7	7.1	1.4	1.6	0.3	0.2
PCP	1.6	1.2	0.1	0.2	0.0	0.0
Ecstasy	14.1	13.9	3.8	3.5	1.1	0.9
Inhalants	10.8	9.9	1.4	1.1	0.4	0.3
Nonmedical Use of Psychotherapeutics ^{2,3}	31.6	30.2	14.1 ^b	12.4	5.8 ^b	4.9
Pain Relievers	25.9 ^a	24.3	10.8 ^a	9.5	4.4 ^b	3.5
OxyContin [®]	7.1	6.8	2.1	1.8	0.6	0.6
Tranquilizers	15.2	14.2	5.5 ^b	4.4	1.8	1.5
Stimulants ³	12.0	11.1	3.5	2.9	1.1	1.0
Methamphetamine ³	5.0 ^a	4.2	0.8	0.6	0.2	0.3
Sedatives	1.6	1.7	0.5	0.4	0.2	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	39.7 ^a	37.8	18.5 ^a	16.8	7.9 ^b	6.7

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.7A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Numbers in Thousands, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	21,848	21,682	8,191	7,799	5,029	4,680
Marijuana and Hashish	19,737	19,505	6,422	6,040	3,857	3,721
Cocaine	6,969	6,361	1,302 ^b	841	403	282
Crack	1,869 ^a	1,502	133	80	17	19
Heroin	855	877	170	157	29	88
Hallucinogens	8,676 ^a	7,884	948 ^a	641	243	146
LSD	5,256 ^b	4,533	160	74	4	9
PCP	860	663	3	13	3	7
Ecstasy	5,982 ^b	5,169	539	381	145	97
Inhalants	4,841 ^b	4,005	208	194	79	88
Nonmedical Use of Psychotherapeutics ^{2,3}	10,581	10,393	3,458	3,256	1,587	1,437
Pain Relievers	8,228	7,911	2,832	2,535	1,170	1,085
OxyContin [®]	1,811	1,601	462	397	134	96
Tranquilizers	4,752	4,719	1,197	1,156	451	398
Stimulants ³	4,349	4,017	581	548	270	233
Methamphetamine ³	2,709	2,375	191	261	77	108
Sedatives	760 ^a	485	181 ^a	66	85 ^a	17
ILLCIT DRUGS OTHER THAN MARIJUANA¹	14,813	14,038	4,409	3,990	2,014	1,743

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.7B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Percentages, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	59.8	59.5	22.4	21.4	13.8	12.9
Marijuana and Hashish	54.0	53.6	17.6	16.6	10.6	10.2
Cocaine	19.1	17.5	3.6 ^b	2.3	1.1	0.8
Crack	5.1 ^a	4.1	0.4	0.2	0.0	0.1
Heroin	2.3	2.4	0.5	0.4	0.1	0.2
Hallucinogens	23.8 ^a	21.7	2.6 ^a	1.8	0.7	0.4
LSD	14.4 ^a	12.5	0.4	0.2	0.0	0.0
PCP	2.4	1.8	0.0	0.0	0.0	0.0
Ecstasy	16.4 ^a	14.2	1.5	1.0	0.4	0.3
Inhalants	13.3 ^b	11.0	0.6	0.5	0.2	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	29.0	28.5	9.5	8.9	4.3	3.9
Pain Relievers	22.5	21.7	7.8	7.0	3.2	3.0
OxyContin [®]	5.0	4.4	1.3	1.1	0.4	0.3
Tranquilizers	13.0	13.0	3.3	3.2	1.2	1.1
Stimulants ³	11.9	11.0	1.6	1.5	0.7	0.6
Methamphetamine ³	7.4	6.5	0.5	0.7	0.2	0.3
Sedatives	2.1 ^a	1.3	0.5 ^a	0.2	0.2 ^a	0.0
ILLCIT DRUGS OTHER THAN MARIJUANA¹	40.6	38.6	12.1	11.0	5.5	4.8

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.8A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Numbers in Thousands, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	72,269	73,488	13,982	13,685	7,806	7,900
Marijuana and Hashish	65,190	66,162	9,250	9,592	5,437	5,857
Cocaine	25,462	25,970	1,398	1,223	506	556
Crack	6,393	5,930	553	410	286	186
Heroin	2,629	2,622	212	178	112	71
Hallucinogens	21,572	21,519	408	457	77	54
LSD	15,694	16,183	37	61	*	17
PCP	4,872	5,012	21	*	21	*
Ecstasy	5,100	4,574	148	209	20	23
Inhalants	11,525	11,536	358	346	213	169
Nonmedical Use of Psychotherapeutics ^{2,3}	28,828	28,954	5,904	5,286	2,652	2,283
Pain Relievers	16,293	16,585	4,109	3,771	1,805	1,603
OxyContin [®]	1,831	1,868	431	379	146	129
Tranquilizers	12,208	12,006	2,117	1,924	1,005	735
Stimulants ³	13,326	12,683	754	788	291	296
Methamphetamine ³	8,833	8,218	402	442	167	215
Sedatives	6,246	6,414	448	248	195	148
ILLCIT DRUGS OTHER THAN MARIJUANA¹	45,082	45,542	7,063	6,432	3,200	2,867

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.8B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Percentages, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	45.5	45.4	8.8	8.5	4.9	4.9
Marijuana and Hashish	41.1	40.9	5.8	5.9	3.4	3.6
Cocaine	16.0	16.0	0.9	0.8	0.3	0.3
Crack	4.0	3.7	0.3	0.3	0.2	0.1
Heroin	1.7	1.6	0.1	0.1	0.1	0.0
Hallucinogens	13.6	13.3	0.3	0.3	0.0	0.0
LSD	9.9	10.0	0.0	0.0	*	0.0
PCP	3.1	3.1	0.0	*	0.0	*
Ecstasy	3.2	2.8	0.1	0.1	0.0	0.0
Inhalants	7.3	7.1	0.2	0.2	0.1	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	18.2	17.9	3.7	3.3	1.7	1.4
Pain Relievers	10.3	10.2	2.6	2.3	1.1	1.0
OxyContin [®]	1.2	1.2	0.3	0.2	0.1	0.1
Tranquilizers	7.7	7.4	1.3	1.2	0.6	0.5
Stimulants ³	8.4	7.8	0.5	0.5	0.2	0.2
Methamphetamine ³	5.6	5.1	0.3	0.3	0.1	0.1
Sedatives	3.9	4.0	0.3	0.2	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	28.4	28.1	4.5	4.0	2.0	1.8

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.9A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: Numbers in Thousands, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	64,638	64,049	22,561	22,001	13,837	13,798
Marijuana and Hashish	58,475	58,079	17,865	17,913	11,248	11,612
Cocaine	22,395	22,175	3,103 ^a	2,555	999	891
Crack	5,938	5,641	502	427	211	141
Heroin	2,867	2,664	426	403	163	154
Hallucinogens	22,902	21,972	2,928 ^a	2,554	763	620
LSD	14,862	14,626	601	573	119	103
PCP	4,254	4,077	60	76	27	19
Ecstasy	9,628 ^b	8,174	1,576	1,382	407	316
Inhalants	14,255	13,214	1,198	1,146	450	418
Nonmedical Use of Psychotherapeutics ^{2,3}	27,884	27,317	8,617 ^a	7,676	3,680	3,229
Pain Relievers	19,467	19,338	6,956 ^a	6,037	2,877	2,530
OxyContin [®]	3,885	3,694	1,065	1,004	296	298
Tranquilizers	11,930	11,280	2,740	2,402	987	813
Stimulants ³	12,098	11,496	1,576	1,527	580	554
Methamphetamine ³	7,926	7,382	604	682	200	252
Sedatives	4,398	4,114	536 ^b	183	256 ^b	61
ILLCIT DRUGS OTHER THAN MARIJUANA¹	42,264	41,427	11,619 ^a	10,478	5,028	4,513

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.9B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: Percentages, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	52.4	51.4	18.3	17.7	11.2	11.1
Marijuana and Hashish	47.4	46.6	14.5	14.4	9.1	9.3
Cocaine	18.1	17.8	2.5 ^a	2.0	0.8	0.7
Crack	4.8	4.5	0.4	0.3	0.2	0.1
Heroin	2.3	2.1	0.3	0.3	0.1	0.1
Hallucinogens	18.6	17.6	2.4 ^a	2.0	0.6	0.5
LSD	12.0	11.7	0.5	0.5	0.1	0.1
PCP	3.4	3.3	0.0	0.1	0.0	0.0
Ecstasy	7.8 ^b	6.6	1.3	1.1	0.3	0.3
Inhalants	11.5 ^a	10.6	1.0	0.9	0.4	0.3
Nonmedical Use of Psychotherapeutics ^{2,3}	22.6	21.9	7.0 ^a	6.2	3.0	2.6
Pain Relievers	15.8	15.5	5.6 ^b	4.8	2.3	2.0
OxyContin [®]	3.1	3.0	0.9	0.8	0.2	0.2
Tranquilizers	9.7	9.1	2.2	1.9	0.8	0.7
Stimulants ³	9.8	9.2	1.3	1.2	0.5	0.4
Methamphetamine ³	6.4	5.9	0.5	0.5	0.2	0.2
Sedatives	3.6	3.3	0.4 ^b	0.1	0.2 ^b	0.0
ILLCIT DRUGS OTHER THAN MARIJUANA¹	34.2	33.2	9.4 ^b	8.4	4.1	3.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.10A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: Numbers in Thousands, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLICIT DRUGS¹	55,295	57,029	16,347	16,286	8,811	8,656
Marijuana and Hashish	48,138	49,762	11,436	11,827	6,160	6,459
Cocaine	14,966	14,746	1,430	1,302	473	478
Crack	3,270 ^b	2,573	383 ^a	198	168	87
Heroin	1,277	1,498	195	217	76	127
Hallucinogens	14,642	14,390	1,615	1,515	445	353
LSD	8,513	8,373	281	307	36	48
PCP	2,001	2,026	37	44	9	*
Ecstasy	6,301	6,396	1,077	1,040	284	228
Inhalants	7,523	7,309	850	715	240	206
Nonmedical Use of Psychotherapeutics ^{2,3}	23,948	23,926	7,434	6,981	3,277	2,891
Pain Relievers	15,441	14,908	5,286	5,106	2,215	1,940
OxyContin [®]	2,275	2,223	814 ^a	619	271 ^a	136
Tranquilizers	10,257	10,375	2,843	2,708	1,172	1,028
Stimulants ³	9,642	8,883	1,326	1,173	502	416
Methamphetamine ³	5,134	4,545	354	351	153	187
Sedatives	3,255	3,401	370	343	119	170
ILLICIT DRUGS OTHER THAN MARIJUANA¹	34,208	34,020	9,006	8,482	3,988 ^a	3,507

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.10B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: Percentages, 2010 and 2011

Drug	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
ILLCIT DRUGS¹	42.5	42.9	12.6	12.2	6.8	6.5
Marijuana and Hashish	37.0	37.4	8.8	8.9	4.7	4.9
Cocaine	11.5	11.1	1.1	1.0	0.4	0.4
Crack	2.5 ^b	1.9	0.3 ^a	0.1	0.1	0.1
Heroin	1.0	1.1	0.1	0.2	0.1	0.1
Hallucinogens	11.2	10.8	1.2	1.1	0.3	0.3
LSD	6.5	6.3	0.2	0.2	0.0	0.0
PCP	1.5	1.5	0.0	0.0	0.0	*
Ecstasy	4.8	4.8	0.8	0.8	0.2	0.2
Inhalants	5.8	5.5	0.7 ^a	0.5	0.2	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	18.4	18.0	5.7	5.2	2.5 ^a	2.2
Pain Relievers	11.9	11.2	4.1	3.8	1.7	1.5
OxyContin [®]	1.7	1.7	0.6 ^a	0.5	0.2 ^a	0.1
Tranquilizers	7.9	7.8	2.2	2.0	0.9	0.8
Stimulants ³	7.4 ^a	6.7	1.0	0.9	0.4	0.3
Methamphetamine ³	3.9 ^a	3.4	0.3	0.3	0.1	0.1
Sedatives	2.5	2.6	0.3	0.3	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	26.3	25.6	6.9	6.4	3.1 ^a	2.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.