

Table 1.49A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	51,832	51,243	16,051 ^a	14,657	6,957 ^a	6,119
AGE						
12-17	2,591	2,522	1,812	1,749	721	688
18-25	9,832 ^a	9,373	4,876 ^b	4,366	1,997 ^b	1,711
26 or Older	39,409	39,348	9,362	8,542	4,239	3,720
GENDER						
Male	27,884	27,317	8,617 ^a	7,676	3,680	3,229
Female	23,948	23,926	7,434	6,981	3,277	2,891
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	46,111	45,349	13,861 ^b	12,503	6,020 ^a	5,255
White	39,745	38,737	11,671 ^b	10,506	5,135 ^a	4,399
Black or African American	3,996	4,168	1,334	1,273	602	498
American Indian or Alaska Native	328	366	129	161	55	85
Native Hawaiian or Other Pacific Islander	70	*	29	47	18	35
Asian	1,088	880	442	251	111	111
Two or More Races	884	978	257	266	99	127
Hispanic or Latino	5,721	5,894	2,189	2,154	937	864

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.49B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	20.4	19.9	6.3 ^b	5.7	2.7 ^b	2.4
AGE						
12-17	10.6	10.1	7.4	7.0	3.0	2.8
18-25	28.9 ^b	27.3	14.3 ^b	12.7	5.9 ^b	5.0
26 or Older	20.2	19.8	4.8	4.3	2.2	1.9
GENDER						
Male	22.6	21.9	7.0 ^a	6.2	3.0	2.6
Female	18.4	18.0	5.7	5.2	2.5 ^a	2.2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	21.3	20.8	6.4 ^b	5.7	2.8 ^a	2.4
White	23.4	22.9	6.9 ^a	6.2	3.0 ^a	2.6
Black or African American	13.2	13.8	4.4	4.2	2.0	1.6
American Indian or Alaska Native	27.2	25.6	10.7	11.3	4.6	6.0
Native Hawaiian or Other Pacific Islander	9.6	*	4.0	5.0	2.4	3.7
Asian	9.5	7.1	3.9	2.0	1.0	0.9
Two or More Races	27.8	24.5	8.1	6.7	3.1	3.2
Hispanic or Latino	15.6	15.0	6.0	5.5	2.5	2.2

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.50A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	2,591	2,522	1,812	1,749	721	688
GENDER						
Male	1,198	1,215	806	829	282	302
Female	1,392	1,307	1,006	920	440	386
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	2,019	1,972	1,413	1,387	555	554
White	1,509	1,425	1,095	1,036	407	405
Black or African American	341	356	206	223	92	89
American Indian or Alaska Native	22	23	15	20	4	10
Native Hawaiian or Other Pacific Islander	7	*	*	*	1	*
Asian	58	58	35	33	19	14
Two or More Races	82	98	60	72	31	35
Hispanic or Latino	572	551	399	362	166	134
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	669	705	475	500	159	185
Female, White, Not Hispanic	840 ^a	720	620	535	248	220
Male, Black, Not Hispanic	148	168	81	109	37	33
Female, Black, Not Hispanic	193	188	125	114	56	56
Male, Hispanic	304	257	204	167	70	54
Female, Hispanic	268	294	195	195	96	79

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.50B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	10.6	10.1	7.4	7.0	3.0	2.8
GENDER						
Male	9.6	9.5	6.5	6.5	2.3	2.4
Female	11.7	10.7	8.5	7.5	3.7	3.2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	10.4	10.1	7.3	7.1	2.9	2.8
White	10.7	10.3	7.8	7.5	2.9	2.9
Black or African American	9.6	10.1	5.8	6.3	2.6	2.5
American Indian or Alaska Native	16.9	16.9	11.5	14.3	3.4	7.6
Native Hawaiian or Other Pacific Islander	9.7	*	*	*	1.6	*
Asian	5.5	4.8	3.3	2.7	1.8	1.1
Two or More Races	15.5	13.7	11.3	10.1	5.8	4.9
Hispanic or Latino	11.7	10.2	8.1	6.7	3.4	2.5
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	9.3	9.9	6.6	7.0	2.2	2.6
Female, White, Not Hispanic	12.2 ^a	10.7	9.0	7.9	3.6	3.3
Male, Black, Not Hispanic	8.3	9.5	4.5	6.2	2.0	1.9
Female, Black, Not Hispanic	10.9	10.6	7.1	6.4	3.2	3.2
Male, Hispanic	12.0 ^a	9.3	8.0	6.0	2.8	2.0
Female, Hispanic	11.3	11.1	8.2	7.4	4.1	3.0

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.51A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	9,832 ^a	9,373	4,876 ^b	4,366	1,997 ^b	1,711
GENDER						
Male	5,275 ^a	4,996	2,685 ^a	2,442	1,098 ^a	945
Female	4,558	4,377	2,191 ^b	1,924	899 ^a	766
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	8,374 ^b	7,852	4,232 ^b	3,686	1,747 ^b	1,494
White	7,175 ^b	6,470	3,660 ^b	3,054	1,508 ^b	1,236
Black or African American	735	814	353	387	162	148
American Indian or Alaska Native	59	85	28	34	19	9
Native Hawaiian or Other Pacific Islander	*	*	11	*	*	*
Asian	198	245	93	91	26	37
Two or More Races	181	193	86	102	25	50
Hispanic or Latino	1,458	1,520	644	680	250	217
EDUCATION						
< High School	1,706	1,614	870	766	417	351
High School Graduate	3,238	3,111	1,601	1,540	704	603
Some College	3,445	3,410	1,729	1,590	681	602
College Graduate	1,442 ^a	1,237	676 ^b	471	195	154
CURRENT EMPLOYMENT						
Full-Time	3,812	3,680	1,779 ^a	1,565	769 ^b	544
Part-Time	2,745	2,553	1,414 ^a	1,228	484	497
Unemployed	1,352	1,340	691	674	354	317
Other ¹	1,923	1,799	992	899	389	353

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.51B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	28.9 ^b	27.3	14.3 ^b	12.7	5.9 ^b	5.0
GENDER						
Male	30.5	29.1	15.5 ^a	14.2	6.4 ^a	5.5
Female	27.1 ^a	25.6	13.0 ^b	11.2	5.4 ^a	4.5
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	30.4 ^a	28.8	15.4 ^b	13.5	6.4 ^b	5.5
White	35.3 ^b	33.0	18.0 ^b	15.6	7.4 ^b	6.3
Black or African American	15.1	17.3	7.3	8.2	3.3	3.1
American Indian or Alaska Native	32.2	39.7	15.4	15.9	10.5	4.4
Native Hawaiian or Other Pacific Islander	*	*	7.8	*	*	*
Asian	13.8	13.0	6.5	4.8	1.8	2.0
Two or More Races	33.1	27.2	15.7	14.4	4.6	7.1
Hispanic or Latino	22.2	21.6	9.8	9.6	3.8	3.1
EDUCATION						
< High School	28.8	28.1	14.7	13.3	7.0	6.1
High School Graduate	27.7	26.6	13.7	13.2	6.0	5.2
Some College	29.6	28.5	14.8 ^a	13.3	5.8	5.0
College Graduate	30.0 ^b	25.2	14.1 ^b	9.6	4.1	3.1
CURRENT EMPLOYMENT						
Full-Time	30.7	29.5	14.3 ^a	12.5	6.2 ^b	4.4
Part-Time	28.9	27.3	14.9 ^a	13.1	5.1	5.3
Unemployed	29.7	29.9	15.2	15.0	7.8	7.1
Other ¹	25.4 ^a	22.6	13.1 ^a	11.3	5.1	4.4

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.52A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	39,409	39,348	9,362	8,542	4,239	3,720
GENDER						
Male	21,411	21,106	5,125	4,406	2,300	1,981
Female	17,998	18,241	4,237	4,136	1,938	1,739
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	35,719	35,525	8,217	7,431	3,717	3,207
White	31,062	30,843	6,916	6,416	3,219	2,758
Black or African American	2,920	2,999	774	663	347	261
American Indian or Alaska Native	247	257	86	107	32	65
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	831	577	314	127	66	60
Two or More Races	621	687	111	91	43	42
Hispanic or Latino	3,690	3,823	1,146	1,111	522	513
EDUCATION						
< High School	4,825	4,521	1,420	1,356	728	743
High School Graduate	10,710	10,478	2,490	2,449	1,142	1,150
Some College	11,652	11,816	2,724	2,383	1,185	1,023
College Graduate	12,222	12,533	2,728	2,355	1,184 ^a	805
CURRENT EMPLOYMENT						
Full-Time	23,243	23,094	5,419	4,789	2,415	2,035
Part-Time	5,257	4,957	1,105	1,234	478	483
Unemployed	2,835	2,522	879	779	415	338
Other ¹	8,074	8,775	1,959	1,740	930	864

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.52B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	20.2	19.8	4.8	4.3	2.2	1.9
GENDER						
Male	22.9	22.3	5.5 ^a	4.7	2.5	2.1
Female	17.7	17.6	4.2	4.0	1.9	1.7
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	21.0	20.7	4.8	4.3	2.2	1.9
White	22.9	22.7	5.1	4.7	2.4	2.0
Black or African American	13.4	13.6	3.6	3.0	1.6	1.2
American Indian or Alaska Native	27.7	23.9	9.7	10.0	3.6	6.1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	9.3	6.2	3.5	1.4	0.7	0.6
Two or More Races	29.5	26.7	5.3	3.6	2.0	1.6
Hispanic or Latino	14.6	14.2	4.5	4.1	2.1	1.9
EDUCATION						
< High School	16.6	16.6	4.9	5.0	2.5	2.7
High School Graduate	18.6	18.1	4.3	4.2	2.0	2.0
Some College	24.5	23.8	5.7	4.8	2.5	2.1
College Graduate	20.1	19.8	4.5	3.7	1.9 ^a	1.3
CURRENT EMPLOYMENT						
Full-Time	22.8	22.4	5.3	4.6	2.4	2.0
Part-Time	22.2	21.5	4.7	5.4	2.0	2.1
Unemployed	27.7	27.7	8.6	8.5	4.0	3.7
Other ¹	13.6	14.0	3.3	2.8	1.6	1.4

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.53A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	49,241	48,721	14,238 ^a	12,908	6,236 ^a	5,431
GENDER						
Male	26,686	26,102	7,810 ^a	6,848	3,398	2,926
Female	22,556	22,618	6,428	6,060	2,837	2,505
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	44,093	43,377	12,448 ^b	11,116	5,464 ^a	4,701
White	38,236	37,313	10,576 ^a	9,470	4,727 ^a	3,993
Black or African American	3,655	3,813	1,127	1,050	509	409
American Indian or Alaska Native	306	343	114	142	51	75
Native Hawaiian or Other Pacific Islander	64	*	27	43	*	34
Asian	1,030	822	407	218	92	98
Two or More Races	802	881	197	194	68	92
Hispanic or Latino	5,148	5,344	1,790	1,791	771	730
EDUCATION						
< High School	6,531	6,135	2,290	2,122	1,145	1,094
High School Graduate	13,948	13,589	4,091	3,988	1,846	1,753
Some College	15,097	15,226	4,453	3,972	1,866	1,625
College Graduate	13,665	13,770	3,404 ^a	2,825	1,379 ^a	959
CURRENT EMPLOYMENT						
Full-Time	27,055	26,774	7,198 ^a	6,354	3,185 ^a	2,580
Part-Time	8,003	7,510	2,519	2,462	962	980
Unemployed	4,187	3,862	1,570	1,452	769	655
Other ¹	9,997	10,574	2,951	2,639	1,320	1,217

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.53B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	21.5	20.9	6.2 ^b	5.5	2.7 ^a	2.3
GENDER						
Male	24.0	23.3	7.0 ^a	6.1	3.1	2.6
Female	19.1	18.7	5.4	5.0	2.4	2.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	22.3	21.8	6.3 ^b	5.6	2.8 ^a	2.4
White	24.5	24.0	6.8 ^a	6.1	3.0 ^a	2.6
Black or African American	13.7	14.3	4.2	3.9	1.9	1.5
American Indian or Alaska Native	28.5	26.6	10.6	11.0	4.7	5.8
Native Hawaiian or Other Pacific Islander	9.6	*	4.0	5.0	*	3.9
Asian	9.9	7.3	3.9	1.9	0.9	0.9
Two or More Races	30.2	26.9	7.4	5.9	2.6	2.8
Hispanic or Latino	16.2	15.7	5.6	5.3	2.4	2.1
EDUCATION						
< High School	18.6	18.6	6.5	6.4	3.3	3.3
High School Graduate	20.1	19.5	5.9	5.7	2.7	2.5
Some College	25.5	24.7	7.5 ^a	6.4	3.2	2.6
College Graduate	20.8	20.2	5.2 ^a	4.1	2.1 ^a	1.4
CURRENT EMPLOYMENT						
Full-Time	23.7	23.1	6.3 ^a	5.5	2.8 ^a	2.2
Part-Time	24.1	23.2	7.6	7.6	2.9	3.0
Unemployed	28.3	28.4	10.6	10.7	5.2	4.8
Other ¹	14.9	14.9	4.4	3.7	2.0	1.7

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.