

**Table 1.64A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	106,613	107,842	29,301	29,739	17,409	18,071
<b>GEOGRAPHIC DIVISION</b>						
Northeast	21,091	20,362	5,808	5,864	3,471	3,576
New England	6,140	5,916	1,831	1,830	1,153	1,096
Middle Atlantic	14,951	14,446	3,977	4,034	2,317	2,480
Midwest	23,357	23,534	5,989	6,138	3,563	3,796
East North Central	16,612	16,611	4,396	4,504	2,666	2,877
West North Central	6,746	6,923	1,593	1,634	897	919
South	36,311	37,899	9,044	9,412	5,256	5,465
South Atlantic	19,793	20,787	5,074	5,195	2,914	2,961
East South Central	5,746	5,996	1,313	1,440	745 <sup>a</sup>	960
West South Central	10,772	11,116	2,657	2,777	1,597	1,544
West	25,854	26,046	8,460	8,326	5,118	5,234
Mountain	8,039	7,868	2,584 <sup>a</sup>	2,201	1,521	1,332
Pacific	17,815	18,178	5,876	6,125	3,597	3,901
<b>COUNTY TYPE</b>						
Large Metro	59,003	58,821	16,653	16,927	9,785	10,313
Small Metro	32,371	33,907	8,826	9,098	5,285	5,531
250K – 1 Mil. Pop.	22,125	23,082	5,929	6,188	3,540	3,740
< 250K Pop.	10,246	10,825	2,897	2,910	1,744	1,790
Nonmetro	15,239	15,114	3,822	3,715	2,339	2,227
Urbanized	6,899	6,868	1,756	1,855	1,177	1,120
Less Urbanized	7,258	6,738	1,840	1,549	1,062	931
Completely Rural	1,081 <sup>a</sup>	1,508	227	310	100 <sup>a</sup>	177

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.64B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	42.0	41.9	11.6	11.5	6.9	7.0
<b>GEOGRAPHIC DIVISION</b>						
Northeast	45.3	43.4	12.5	12.5	7.5	7.6
New England	50.1	48.0	14.9	14.8	9.4	8.9
Middle Atlantic	43.6	41.8	11.6	11.7	6.8	7.2
Midwest	42.2	42.3	10.8	11.0	6.4	6.8
East North Central	43.1	42.9	11.4	11.6	6.9	7.4
West North Central	40.1	40.7	9.5	9.6	5.3	5.4
South	39.1	39.8	9.7	9.9	5.7	5.7
South Atlantic	40.4	41.4	10.4	10.4	5.9	5.9
East South Central	38.1	39.2	8.7	9.4	4.9	6.3
West South Central	37.3	37.4	9.2	9.4	5.5	5.2
West	44.0	43.5	14.4	13.9	8.7	8.7
Mountain	44.6	43.3	14.3 <sup>a</sup>	12.1	8.4	7.3
Pacific	43.7	43.6	14.4	14.7	8.8	9.4
<b>COUNTY TYPE</b>						
Large Metro	43.5	43.0	12.3	12.4	7.2	7.5
Small Metro	41.8	42.1	11.4	11.3	6.8	6.9
250K – 1 Mil. Pop.	43.0	42.4	11.5	11.4	6.9	6.9
< 250K Pop.	39.5	41.5	11.2	11.2	6.7	6.9
Nonmetro	37.7	37.6	9.4	9.2	5.8	5.5
Urbanized	40.4	40.9	10.3	11.0	6.9	6.7
Less Urbanized	36.9	35.1	9.4	8.1	5.4	4.9
Completely Rural	29.0 <sup>a</sup>	35.9	6.1	7.4	2.7	4.2

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.65A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	4,157	4,378	3,414	3,553	1,802	1,967
<b>GEOGRAPHIC DIVISION</b>						
Northeast	742	784	644	657	397	362
New England	227	244	192	219	119	129
Middle Atlantic	515	540	453	438	278	233
Midwest	836	855	676	692	358	382
East North Central	572	601	470	483	247	279
West North Central	263	254	206	209	111	102
South	1,428	1,435	1,151	1,144	549	621
South Atlantic	773	732	634	596	302	312
East South Central	197	212	157	170	68 <sup>a</sup>	102
West South Central	459	490	360	379	180	207
West	1,151 <sup>a</sup>	1,304	942	1,060	497 <sup>a</sup>	602
Mountain	364	376	291	312	135 <sup>a</sup>	178
Pacific	787 <sup>a</sup>	928	651	748	363	424
<b>COUNTY TYPE</b>						
Large Metro	2,208	2,329	1,859	1,896	1,020	1,044
Small Metro	1,364	1,444	1,083	1,168	560 <sup>a</sup>	682
250K – 1 Mil. Pop.	944	1,015	761	838	424	477
< 250K Pop.	420	428	322	330	135 <sup>b</sup>	205
Nonmetro	585	605	472	490	222	242
Urbanized	218 <sup>b</sup>	314	178 <sup>b</sup>	265	84 <sup>a</sup>	131
Less Urbanized	327 <sup>a</sup>	236	262 <sup>a</sup>	187	123	91
Completely Rural	40	55	31	37	15	20

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.65B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	17.1	17.5	14.0	14.2	7.4	7.9
<b>GEOGRAPHIC DIVISION</b>						
Northeast	17.5	18.3	15.2	15.4	9.4	8.5
New England	20.7	21.9	17.5	19.6	10.9	11.6
Middle Atlantic	16.4	17.1	14.4	13.9	8.9	7.4
Midwest	15.7	15.7	12.7	12.7	6.7	7.0
East North Central	15.3	15.8	12.6	12.7	6.6	7.3
West North Central	16.5	15.5	13.0	12.7	7.0	6.2
South	15.9	15.5	12.9	12.4	6.1	6.7
South Atlantic	17.2	15.8	14.1	12.9	6.7	6.8
East South Central	13.6	14.4	10.9	11.5	4.7 <sup>a</sup>	6.9
West South Central	15.2	15.5	11.9	12.0	6.0	6.6
West	19.8	21.8	16.2	17.7	8.5	10.1
Mountain	20.4	20.4	16.3	17.0	7.5	9.7
Pacific	19.5	22.3	16.1	18.0	9.0	10.2
<b>COUNTY TYPE</b>						
Large Metro	16.9	17.5	14.3	14.2	7.8	7.8
Small Metro	18.1	18.4	14.4	14.9	7.4 <sup>a</sup>	8.7
250K – 1 Mil. Pop.	18.7	18.9	15.1	15.6	8.4	8.9
< 250K Pop.	16.9	17.3	13.0	13.3	5.4 <sup>b</sup>	8.3
Nonmetro	15.5	15.8	12.5	12.8	5.9	6.3
Urbanized	14.3 <sup>a</sup>	18.6	11.7 <sup>a</sup>	15.7	5.5 <sup>a</sup>	7.8
Less Urbanized	16.8	13.3	13.5	10.6	6.3	5.1
Completely Rural	12.7	15.3	9.8	10.5	4.8	5.7

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.66A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	17,529	17,796	10,215	10,554	6,313	6,526
<b>GEOGRAPHIC DIVISION</b>						
Northeast	3,382	3,267	2,068	2,112	1,285	1,296
New England	1,043 <sup>a</sup>	944	700	649	452	416
Middle Atlantic	2,339	2,323	1,368	1,463	833	880
Midwest	3,869	3,801	2,218	2,218	1,344	1,337
East North Central	2,673	2,679	1,562	1,579	954	955
West North Central	1,196	1,123	655	639	390	383
South	5,937 <sup>a</sup>	6,271	3,312	3,485	2,034	2,086
South Atlantic	3,138 <sup>a</sup>	3,394	1,869	2,011	1,152	1,213
East South Central	879	978	453	494	255	309
West South Central	1,920	1,898	990	981	627	564
West	4,341	4,457	2,617	2,738	1,649	1,807
Mountain	1,286	1,357	729	752	439	476
Pacific	3,055	3,100	1,888	1,986	1,210	1,330
<b>COUNTY TYPE</b>						
Large Metro	9,387	9,643	5,695	5,967	3,493	3,757
Small Metro	5,851	5,818	3,314	3,333	2,091	2,028
250K – 1 Mil. Pop.	3,801	3,755	2,150	2,172	1,331	1,304
< 250K Pop.	2,050	2,063	1,165	1,161	760	725
Nonmetro	2,292	2,334	1,206	1,255	728	740
Urbanized	1,152	1,186	643	673	393	414
Less Urbanized	996	957	491	482	290	270
Completely Rural	143	191	72	100	45	56

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.66B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	51.4	51.9	30.0	30.8	18.5	19.0
<b>GEOGRAPHIC DIVISION</b>						
Northeast	56.0	53.4	34.2	34.5	21.3	21.2
New England	64.2	58.8	43.1	40.4	27.8	25.9
Middle Atlantic	52.9	51.4	31.0	32.4	18.8	19.5
Midwest	51.6	51.8	29.6	30.2	17.9	18.2
East North Central	52.0	52.9	30.4	31.2	18.6	18.8
West North Central	50.8	49.3	27.8	28.1	16.6	16.8
South	47.8	49.7	26.7	27.6	16.4	16.5
South Atlantic	49.7	52.7	29.6	31.2	18.2	18.8
East South Central	44.2	48.7	22.8	24.6	12.9	15.4
West South Central	46.7	45.6	24.1	23.6	15.2	13.6
West	53.5	54.1	32.3	33.3	20.3	21.9
Mountain	51.5	54.9	29.2	30.5	17.6	19.3
Pacific	54.4	53.8	33.6	34.5	21.6	23.1
<b>COUNTY TYPE</b>						
Large Metro	51.7	52.4	31.4	32.4	19.2	20.4
Small Metro	52.6	52.2	29.8	29.9	18.8	18.2
250K – 1 Mil. Pop.	54.1	53.0	30.6	30.7	19.0	18.4
< 250K Pop.	50.0	50.8	28.4	28.6	18.6	17.8
Nonmetro	47.8	49.2	25.2	26.4	15.2	15.6
Urbanized	54.6	53.7	30.4	30.5	18.6	18.7
Less Urbanized	42.7	45.7	21.1	23.0	12.4	12.9
Completely Rural	41.0	43.1	20.7	22.4	13.0	12.7

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.67A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	84,927	85,668	15,672	15,632	9,294	9,578
<b>GEOGRAPHIC DIVISION</b>						
Northeast	16,967	16,311	3,095	3,094	1,789	1,918
New England	4,871	4,728	939	962	582	551
Middle Atlantic	12,096	11,583	2,156	2,132	1,207	1,367
Midwest	18,653	18,878	3,095	3,228	1,860	2,078
East North Central	13,366	13,332	2,364	2,442	1,464	1,643
West North Central	5,286	5,546	732	786	396	434
South	28,945	30,194	4,580	4,782	2,673	2,758
South Atlantic	15,882	16,661	2,571	2,588	1,460	1,435
East South Central	4,671	4,806	703	777	422	550
West South Central	8,393	8,727	1,306	1,417	791	773
West	20,362	20,285	4,901	4,527	2,972	2,825
Mountain	6,389	6,135	1,564 <sup>a</sup>	1,136	948 <sup>a</sup>	678
Pacific	13,972	14,150	3,337	3,391	2,025	2,147
<b>COUNTY TYPE</b>						
Large Metro	47,408	46,848	9,099	9,064	5,272	5,512
Small Metro	25,156	26,645	4,429	4,597	2,634	2,821
250K – 1 Mil. Pop.	17,381	18,311	3,019	3,177	1,785	1,960
< 250K Pop.	7,776	8,334	1,410	1,419	849	861
Nonmetro	12,363	12,175	2,144	1,970	1,389	1,245
Urbanized	5,530	5,368	935	917	700	575
Less Urbanized	5,935	5,545	1,086	880	649	570
Completely Rural	898 <sup>a</sup>	1,262	123	173	39 <sup>a</sup>	100

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.67B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	43.5	43.2	8.0	7.9	4.8	4.8
<b>GEOGRAPHIC DIVISION</b>						
Northeast	46.8	44.7	8.5	8.5	4.9	5.3
New England	51.1	49.2	9.9	10.0	6.1	5.7
Middle Atlantic	45.3	43.1	8.1	7.9	4.5	5.1
Midwest	43.9	44.0	7.3	7.5	4.4	4.8
East North Central	45.1	44.7	8.0	8.2	4.9	5.5
West North Central	41.1	42.4	5.7	6.0	3.1	3.3
South	40.4	41.2	6.4	6.5	3.7	3.8
South Atlantic	41.6	42.6	6.7	6.6	3.8	3.7
East South Central	40.1	40.7	6.0	6.6	3.6	4.7
West South Central	38.6	39.0	6.0	6.3	3.6	3.5
West	45.4	44.5	10.9	9.9	6.6	6.2
Mountain	46.5	44.3	11.4 <sup>a</sup>	8.2	6.9 <sup>a</sup>	4.9
Pacific	44.9	44.6	10.7	10.7	6.5	6.8
<b>COUNTY TYPE</b>						
Large Metro	45.4	44.6	8.7	8.6	5.0	5.2
Small Metro	42.8	43.2	7.5	7.5	4.5	4.6
250K – 1 Mil. Pop.	44.1	43.5	7.7	7.6	4.5	4.7
< 250K Pop.	40.1	42.6	7.3	7.3	4.4	4.4
Nonmetro	38.8	38.5	6.7	6.2	4.4	3.9
Urbanized	41.1	41.6	7.0	7.1	5.2	4.5
Less Urbanized	38.6	36.2	7.1	5.7	4.2	3.7
Completely Rural	29.4 <sup>a</sup>	37.1	4.0	5.1	1.3 <sup>a</sup>	2.9

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.68A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	102,456	103,464	25,887	26,186	15,607	16,103
<b>GEOGRAPHIC DIVISION</b>						
Northeast	20,349	19,578	5,164	5,207	3,074	3,214
New England	5,914	5,672	1,639	1,611	1,034	967
Middle Atlantic	14,436	13,906	3,524	3,596	2,039	2,247
Midwest	22,522	22,679	5,313	5,446	3,205	3,415
East North Central	16,039	16,010	3,926	4,021	2,419	2,598
West North Central	6,483	6,669	1,387	1,425	786	817
South	34,882	36,465	7,892	8,268	4,707	4,844
South Atlantic	19,020	20,055	4,440	4,599	2,613	2,649
East South Central	5,549	5,784	1,156	1,271	677	858
West South Central	10,313	10,625	2,297	2,398	1,417	1,337
West	24,703	24,742	7,518	7,265	4,621	4,631
Mountain	7,675	7,492	2,293 <sup>a</sup>	1,888	1,386	1,154
Pacific	17,028	17,250	5,225	5,377	3,235	3,477
<b>COUNTY TYPE</b>						
Large Metro	56,795	56,492	14,794	15,031	8,765	9,269
Small Metro	31,007	32,463	7,743	7,930	4,725	4,849
250K – 1 Mil. Pop.	21,181	22,066	5,168	5,349	3,116	3,264
< 250K Pop.	9,826	10,397	2,575	2,580	1,609	1,585
Nonmetro	14,655	14,509	3,350	3,225	2,117	1,985
Urbanized	6,682	6,554	1,577	1,590	1,093	989
Less Urbanized	6,932	6,502	1,578	1,363	939	840
Completely Rural	1,041 <sup>a</sup>	1,453	195	273	85 <sup>a</sup>	157

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.68B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	44.7	44.5	11.3	11.3	6.8	6.9
<b>GEOGRAPHIC DIVISION</b>						
Northeast	48.1	45.9	12.2	12.2	7.3	7.5
New England	53.0	50.6	14.7	14.4	9.3	8.6
Middle Atlantic	46.3	44.3	11.3	11.4	6.5	7.2
Midwest	45.0	45.1	10.6	10.8	6.4	6.8
East North Central	46.1	45.9	11.3	11.5	7.0	7.4
West North Central	42.6	43.4	9.1	9.3	5.2	5.3
South	41.5	42.4	9.4	9.6	5.6	5.6
South Atlantic	42.7	44.0	10.0	10.1	5.9	5.8
East South Central	40.7	41.8	8.5	9.2	5.0	6.2
West South Central	39.9	40.0	8.9	9.0	5.5	5.0
West	46.6	46.0	14.2	13.5	8.7	8.6
Mountain	47.2	45.9	14.1 <sup>a</sup>	11.6	8.5	7.1
Pacific	46.4	46.0	14.2	14.3	8.8	9.3
<b>COUNTY TYPE</b>						
Large Metro	46.3	45.7	12.1	12.2	7.1	7.5
Small Metro	44.3	44.6	11.1	10.9	6.8	6.7
250K – 1 Mil. Pop.	45.6	44.9	11.1	10.9	6.7	6.6
< 250K Pop.	41.8	44.0	11.0	10.9	6.9	6.7
Nonmetro	40.0	39.9	9.1	8.9	5.8	5.5
Urbanized	43.0	43.4	10.1	10.5	7.0	6.5
Less Urbanized	39.1	37.4	8.9	7.8	5.3	4.8
Completely Rural	30.6 <sup>a</sup>	37.8	5.7	7.1	2.5	4.1

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.