

Table 1.69A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	37,361	36,921	4,533 ^a	3,857	1,472	1,369
GEOGRAPHIC DIVISION						
Northeast	7,305	6,989	996	921	366	360
New England	2,046	2,101	282	243	126	86
Middle Atlantic	5,259	4,888	714	678	240	273
Midwest	6,983	6,981	747	729	205	267
East North Central	4,870	5,076	573	567	169	218
West North Central	2,113	1,905	174	162	36	49
South	12,071	12,174	1,522 ^a	1,186	516	399
South Atlantic	6,672	6,627	897 ^a	631	301	182
East South Central	1,488 ^b	2,006	202	158	69	64
West South Central	3,911	3,541	423	397	146	154
West	11,002	10,777	1,268	1,020	385	344
Mountain	3,434	3,351	395	287	84	103
Pacific	7,569	7,426	873	732	301	241
COUNTY TYPE						
Large Metro	20,613	20,358	2,715	2,379	920	864
Small Metro	11,435	11,795	1,374 ^a	1,134	441	399
250K – 1 Mil. Pop.	7,633	8,316	935	765	330	253
< 250K Pop.	3,802	3,479	438	369	111	146
Nonmetro	5,313	4,768	444	343	111	106
Urbanized	2,476	2,098	207	197	64	66
Less Urbanized	2,519	2,135	224 ^a	118	46	29
Completely Rural	318 ^a	535	13	29	2	10

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.69B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	14.7	14.3	1.8 ^b	1.5	0.6	0.5
GEOGRAPHIC DIVISION						
Northeast	15.7	14.9	2.1	2.0	0.8	0.8
New England	16.7	17.0	2.3	2.0	1.0	0.7
Middle Atlantic	15.3	14.1	2.1	2.0	0.7	0.8
Midwest	12.6	12.5	1.4	1.3	0.4	0.5
East North Central	12.6	13.1	1.5	1.5	0.4	0.6
West North Central	12.6	11.2	1.0	1.0	0.2	0.3
South	13.0	12.8	1.6 ^a	1.2	0.6	0.4
South Atlantic	13.6	13.2	1.8 ^a	1.3	0.6	0.4
East South Central	9.9 ^a	13.1	1.3	1.0	0.5	0.4
West South Central	13.5	11.9	1.5	1.3	0.5	0.5
West	18.7	18.0	2.2	1.7	0.7	0.6
Mountain	19.0	18.5	2.2	1.6	0.5	0.6
Pacific	18.6	17.8	2.1	1.8	0.7	0.6
COUNTY TYPE						
Large Metro	15.2	14.9	2.0	1.7	0.7	0.6
Small Metro	14.8	14.6	1.8 ^a	1.4	0.6	0.5
250K – 1 Mil. Pop.	14.8	15.3	1.8 ^a	1.4	0.6	0.5
< 250K Pop.	14.6	13.3	1.7	1.4	0.4	0.6
Nonmetro	13.1	11.9	1.1	0.9	0.3	0.3
Urbanized	14.5	12.5	1.2	1.2	0.4	0.4
Less Urbanized	12.8	11.1	1.1 ^a	0.6	0.2	0.2
Completely Rural	8.5	12.7	0.4	0.7	0.0	0.2

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.70A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	363	337	239	229	60	67
GEOGRAPHIC DIVISION						
Northeast	42	52	31	38	9	10
New England	15	23	8	20	2	7
Middle Atlantic	27	29	24	18	7	3
Midwest	62	61	42	42	9	18
East North Central	35	47	22	34	5	15
West North Central	27	15	20 ^a	8	4	3
South	129	112	84	71	24	17
South Atlantic	43	52	27	30	11	8
East South Central	16	13	13	10	4	1
West South Central	70	48	45	31	8	7
West	130	111	82	77	19	23
Mountain	27	25	15	19	3	6
Pacific	103	86	66	59	16	17
COUNTY TYPE						
Large Metro	189	168	133	121	30	41
Small Metro	128	125	72	79	16	18
250K – 1 Mil. Pop.	95	94	56	60	13	16
< 250K Pop.	33	31	16	20	3	2
Nonmetro	46	44	34	29	15	9
Urbanized	15	23	14	14	7	2
Less Urbanized	28	16	19	13	8	6
Completely Rural	3	4	2	2	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.70B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	1.5	1.3	1.0	0.9	0.2	0.3
GEOGRAPHIC DIVISION						
Northeast	1.0	1.2	0.7	0.9	0.2	0.2
New England	1.4	2.1	0.7	1.8	0.1	0.6
Middle Atlantic	0.9	0.9	0.7	0.6	0.2	0.1
Midwest	1.2	1.1	0.8	0.8	0.2	0.3
East North Central	0.9	1.2	0.6	0.9	0.1	0.4
West North Central	1.7 ^a	0.9	1.2 ^a	0.5	0.3	0.2
South	1.4	1.2	0.9	0.8	0.3	0.2
South Atlantic	1.0	1.1	0.6	0.7	0.2	0.2
East South Central	1.1	0.9	0.9	0.7	0.3	0.1
West South Central	2.3	1.5	1.5	1.0	0.3	0.2
West	2.2	1.9	1.4	1.3	0.3	0.4
Mountain	1.5	1.4	0.9	1.0	0.1	0.3
Pacific	2.6	2.1	1.6	1.4	0.4	0.4
COUNTY TYPE						
Large Metro	1.4	1.3	1.0	0.9	0.2	0.3
Small Metro	1.7	1.6	1.0	1.0	0.2	0.2
250K – 1 Mil. Pop.	1.9	1.7	1.1	1.1	0.3	0.3
< 250K Pop.	1.3	1.3	0.6	0.8	0.1	0.1
Nonmetro	1.2	1.1	0.9	0.8	0.4	0.2
Urbanized	1.0	1.4	0.9	0.9	0.5	0.1
Less Urbanized	1.4	0.9	1.0	0.7	0.4	0.3
Completely Rural	1.0	1.2	0.5	0.5	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.71A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	4,568 ^a	4,253	1,593	1,563	503	464
GEOGRAPHIC DIVISION						
Northeast	807	728	344	314	143 ^a	93
New England	259	249	107	104	45 ^a	23
Middle Atlantic	548	479	237	209	97	69
Midwest	942 ^a	823	295	284	78	85
East North Central	638 ^a	539	217	203	60	54
West North Central	304	284	78	81	18	30
South	1,552	1,389	467	471	121	142
South Atlantic	765	656	264	254	74	75
East South Central	181	238	45	53	13	18
West South Central	607 ^a	495	159	164	34	49
West	1,267	1,313	487	494	161	145
Mountain	401	434	137	160	40	37
Pacific	866	880	350	334	121	108
COUNTY TYPE						
Large Metro	2,310	2,236	835	891	277	268
Small Metro	1,629 ^a	1,444	573	499	171	154
250K – 1 Mil. Pop.	1,037	953	363	344	116	100
< 250K Pop.	592	491	210	155	55	54
Nonmetro	629	573	186	173	54	42
Urbanized	317	312	101	100	30	26
Less Urbanized	265	215	82	55	23	13
Completely Rural	48	45	2 ^a	18	1	3

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.71B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	13.4 ^a	12.4	4.7	4.6	1.5	1.4
GEOGRAPHIC DIVISION						
Northeast	13.3	11.9	5.7	5.1	2.4 ^a	1.5
New England	16.0	15.5	6.6	6.5	2.8 ^a	1.4
Middle Atlantic	12.4	10.6	5.4	4.6	2.2	1.5
Midwest	12.6	11.2	3.9	3.9	1.0	1.2
East North Central	12.4 ^a	10.6	4.2	4.0	1.2	1.1
West North Central	12.9	12.5	3.3	3.6	0.8	1.3
South	12.5 ^a	11.0	3.8	3.7	1.0	1.1
South Atlantic	12.1	10.2	4.2	3.9	1.2	1.2
East South Central	9.1	11.8	2.2	2.7	0.7	0.9
West South Central	14.7 ^a	11.9	3.9	3.9	0.8	1.2
West	15.6	16.0	6.0	6.0	2.0	1.8
Mountain	16.0	17.6	5.5	6.5	1.6	1.5
Pacific	15.4	15.3	6.2	5.8	2.2	1.9
COUNTY TYPE						
Large Metro	12.7	12.1	4.6	4.8	1.5	1.5
Small Metro	14.6 ^a	13.0	5.2	4.5	1.5	1.4
250K – 1 Mil. Pop.	14.8	13.5	5.2	4.9	1.7	1.4
< 250K Pop.	14.4 ^a	12.1	5.1	3.8	1.3	1.3
Nonmetro	13.1	12.1	3.9	3.7	1.1	0.9
Urbanized	15.0	14.1	4.8	4.5	1.4	1.2
Less Urbanized	11.4	10.3	3.5	2.6	1.0	0.6
Completely Rural	13.7	10.2	0.7 ^a	3.9	0.3	0.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.72A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	32,430	32,332	2,700 ^b	2,065	909	838
GEOGRAPHIC DIVISION						
Northeast	6,456	6,209	621	569	214	257
New England	1,771	1,829	167	119	79	56
Middle Atlantic	4,684	4,380	454	451	135	201
Midwest	5,979	6,097	410	403	118	165
East North Central	4,198	4,490	334	330	104	149
West North Central	1,782	1,607	76	73	14	16
South	10,390	10,673	970 ^a	644	371	241
South Atlantic	5,864	5,919	606 ^a	346	216	99
East South Central	1,292 ^a	1,756	144	95	52	44
West South Central	3,234	2,999	220	203	104	98
West	9,606	9,353	699	448	205	176
Mountain	3,006	2,893	242 ^a	108	41	60
Pacific	6,600	6,460	457	340	164	116
COUNTY TYPE						
Large Metro	18,114	17,954	1,747	1,367	612	556
Small Metro	9,678	10,226	729	556	254	227
250K – 1 Mil. Pop.	6,501	7,270	516	361	200	137
< 250K Pop.	3,177	2,956	213	195	54	90
Nonmetro	4,638	4,152	224	141	42	55
Urbanized	2,144	1,763	92	82	27	39
Less Urbanized	2,227	1,903	123	50	15	10
Completely Rural	268 ^a	485	9	9	1	6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.72B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	16.6	16.3	1.4 ^b	1.0	0.5	0.4
GEOGRAPHIC DIVISION						
Northeast	17.8	17.0	1.7	1.6	0.6	0.7
New England	18.6	19.0	1.8	1.2	0.8	0.6
Middle Atlantic	17.5	16.3	1.7	1.7	0.5	0.7
Midwest	14.1	14.2	1.0	0.9	0.3	0.4
East North Central	14.2	15.1	1.1	1.1	0.4	0.5
West North Central	13.9	12.3	0.6	0.6	0.1	0.1
South	14.5	14.6	1.4 ^a	0.9	0.5	0.3
South Atlantic	15.4	15.1	1.6 ^a	0.9	0.6	0.3
East South Central	11.1 ^a	14.9	1.2	0.8	0.4	0.4
West South Central	14.9	13.4	1.0	0.9	0.5	0.4
West	21.4	20.5	1.6 ^a	1.0	0.5	0.4
Mountain	21.9	20.9	1.8 ^a	0.8	0.3	0.4
Pacific	21.2	20.3	1.5	1.1	0.5	0.4
COUNTY TYPE						
Large Metro	17.3	17.1	1.7	1.3	0.6	0.5
Small Metro	16.5	16.6	1.2	0.9	0.4	0.4
250K – 1 Mil. Pop.	16.5	17.3	1.3 ^a	0.9	0.5	0.3
< 250K Pop.	16.4	15.1	1.1	1.0	0.3	0.5
Nonmetro	14.6	13.1	0.7	0.4	0.1	0.2
Urbanized	16.0	13.7	0.7	0.6	0.2	0.3
Less Urbanized	14.5	12.4	0.8	0.3	0.1	0.1
Completely Rural	8.8 ^a	14.3	0.3	0.3	0.0	0.2

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.73A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	36,998	36,584	4,294 ^a	3,628	1,412	1,302
GEOGRAPHIC DIVISION						
Northeast	7,262	6,937	965	883	357	349
New England	2,031	2,077	274	223	125	79
Middle Atlantic	5,232	4,859	691	660	232	270
Midwest	6,922	6,920	705	687	196	249
East North Central	4,836	5,030	551	533	164	203
West North Central	2,086	1,891	154	154	32	46
South	11,942	12,062	1,437 ^a	1,116	493	383
South Atlantic	6,629	6,575	870 ^a	601	290	174
East South Central	1,473 ^b	1,993	189	149	65	62
West South Central	3,841	3,494	378	367	138	147
West	10,872	10,666	1,186	942	366	321
Mountain	3,407	3,326	379	268	81	97
Pacific	7,465	7,340	807	674	285	224
COUNTY TYPE						
Large Metro	20,424	20,190	2,582	2,258	889	824
Small Metro	11,307	11,670	1,302 ^a	1,055	425	381
250K – 1 Mil. Pop.	7,538	8,222	879	706	317	237
< 250K Pop.	3,769	3,448	423	349	109	145
Nonmetro	5,267	4,725	410	315	97	97
Urbanized	2,461	2,075	193	183	57	65
Less Urbanized	2,491	2,119	205 ^a	105	38	23
Completely Rural	315 ^a	531	11	27	2	9

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.73B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	16.1	15.7	1.9 ^b	1.6	0.6	0.6
GEOGRAPHIC DIVISION						
Northeast	17.2	16.3	2.3	2.1	0.8	0.8
New England	18.2	18.5	2.5	2.0	1.1	0.7
Middle Atlantic	16.8	15.5	2.2	2.1	0.7	0.9
Midwest	13.8	13.8	1.4	1.4	0.4	0.5
East North Central	13.9	14.4	1.6	1.5	0.5	0.6
West North Central	13.7	12.3	1.0	1.0	0.2	0.3
South	14.2	14.0	1.7 ^a	1.3	0.6	0.4
South Atlantic	14.9	14.4	2.0 ^a	1.3	0.7	0.4
East South Central	10.8 ^a	14.4	1.4	1.1	0.5	0.5
West South Central	14.9	13.2	1.5	1.4	0.5	0.6
West	20.5	19.8	2.2	1.7	0.7	0.6
Mountain	21.0	20.4	2.3	1.6	0.5	0.6
Pacific	20.3	19.6	2.2	1.8	0.8	0.6
COUNTY TYPE						
Large Metro	16.6	16.3	2.1	1.8	0.7	0.7
Small Metro	16.2	16.0	1.9 ^a	1.4	0.6	0.5
250K – 1 Mil. Pop.	16.2	16.7	1.9 ^a	1.4	0.7	0.5
< 250K Pop.	16.1	14.6	1.8	1.5	0.5	0.6
Nonmetro	14.4	13.0	1.1	0.9	0.3	0.3
Urbanized	15.8	13.7	1.2	1.2	0.4	0.4
Less Urbanized	14.1	12.2	1.2 ^a	0.6	0.2	0.1
Completely Rural	9.3	13.8	0.3	0.7	0.0	0.2

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.