

**Table 1.44C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	473	491	115	107	83	68
<b>AGE</b>						
12-17	61	58	42	40	23	20
18-25	91	95	45	47	21	36
26 or Older	458	479	100	87	77	54
<b>GENDER</b>						
Male	385	379	103	91	79	57
Female	257	265	54	54	28	30
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	443	470	108	103	78	66
White	407	440	102	89	76	56
Black or African American	115	106	23	25	14	19
American Indian or Alaska Native	38	27	6	*	2	1
Native Hawaiian or Other Pacific Islander	13	24	1	11	1	10
Asian	68	58	10	24	5	14
Two or More Races	71	62	11	17	6	8
Hispanic or Latino	160	143	42	32	28	16

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.44D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.19	0.19	0.05	0.04	0.03	0.03
<b>AGE</b>						
12-17	0.25	0.23	0.17	0.16	0.10	0.08
18-25	0.27	0.28	0.13	0.14	0.06	0.10
26 or Older	0.23	0.24	0.05	0.04	0.04	0.03
<b>GENDER</b>						
Male	0.31	0.30	0.08	0.07	0.06	0.05
Female	0.20	0.20	0.04	0.04	0.02	0.02
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.20	0.22	0.05	0.05	0.04	0.03
White	0.24	0.26	0.06	0.05	0.04	0.03
Black or African American	0.38	0.35	0.08	0.08	0.05	0.06
American Indian or Alaska Native	2.90	1.86	0.53	*	0.19	0.11
Native Hawaiian or Other Pacific Islander	1.74	2.63	0.12	1.20	0.11	1.02
Asian	0.58	0.47	0.09	0.19	0.04	0.11
Two or More Races	2.07	1.49	0.36	0.42	0.18	0.19
Hispanic or Latino	0.43	0.36	0.11	0.08	0.08	0.04

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.44P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.0190		0.1784		0.4747	
<b>AGE</b>						
12-17	0.0271		0.1489		0.1453	
18-25	0.0139		0.1207		0.8383	
26 or Older	0.0989		0.7990		0.6733	
<b>GENDER</b>						
Male	0.0282		0.6595		0.7106	
Female	0.3105		0.0450		0.3391	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0272		0.3039		0.8290	
White	0.1072		0.0769		0.5082	
Black or African American	0.2163		0.8552		0.7856	
American Indian or Alaska Native	0.0041		*		0.1991	
Native Hawaiian or Other Pacific Islander	0.1636		0.0674		0.2142	
Asian	0.2676		0.0930		0.1454	
Two or More Races	0.8235		0.7133		0.6223	
Hispanic or Latino	0.5578		0.2381		0.0981	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.45C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	61	58	42	40	23	20
<b>GENDER</b>						
Male	42	42	27	29	15	13
Female	44	43	32	29	17	15
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	51	48	35	32	18	16
White	46	42	31	26	15	13
Black or African American	24	24	14	14	10	9
American Indian or Alaska Native	4	4	2	2	2	1
Native Hawaiian or Other Pacific Islander	*	*	1	*	0	*
Asian	16	16	9	9	2	2
Two or More Races	10	13	6	9	1	3
Hispanic or Latino	34	31	25	23	15	12
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	31	29	20	19	10	8
Female, White, Not Hispanic	32	30	24	19	11	10
Male, Black, Not Hispanic	17	18	9	10	6	5
Female, Black, Not Hispanic	16	15	11	9	8	7
Male, Hispanic	26	23	16	17	10	9
Female, Hispanic	23	25	18	18	10	8

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.45D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.25	0.23	0.17	0.16	0.10	0.08
<b>GENDER</b>						
Male	0.33	0.33	0.22	0.23	0.12	0.10
Female	0.37	0.35	0.27	0.23	0.15	0.12
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.26	0.24	0.18	0.16	0.09	0.08
White	0.30	0.28	0.21	0.18	0.11	0.09
Black or African American	0.62	0.61	0.38	0.39	0.28	0.24
American Indian or Alaska Native	2.73	3.10	1.51	1.45	1.28	1.08
Native Hawaiian or Other Pacific Islander	*	*	0.77	*	0.59	*
Asian	1.38	1.24	0.80	0.71	0.21	0.18
Two or More Races	1.70	1.63	1.12	1.16	0.18	0.48
Hispanic or Latino	0.68	0.58	0.50	0.43	0.31	0.22
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.41	0.39	0.27	0.26	0.14	0.11
Female, White, Not Hispanic	0.44	0.41	0.34	0.27	0.16	0.15
Male, Black, Not Hispanic	0.88	0.92	0.51	0.57	0.36	0.30
Female, Black, Not Hispanic	0.84	0.81	0.58	0.51	0.43	0.38
Male, Hispanic	0.92	0.76	0.58	0.59	0.39	0.33
Female, Hispanic	0.92	0.87	0.73	0.65	0.41	0.29

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.45P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.0271		0.1489		0.1453	
<b>GENDER</b>						
Male	0.0989		0.8786		0.3570	
Female	0.1455		0.0336		0.2378	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0355		0.0831		0.1094	
White	0.0238		0.0218		0.0523	
Black or African American	0.7375		0.9862		0.7480	
American Indian or Alaska Native	0.1502		0.3760		0.7772	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.4563		0.6809		0.8212	
Two or More Races	0.7949		0.6728		0.1128	
Hispanic or Latino	0.4096		0.8360		0.6601	
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.1529		0.4355		0.0960	
Female, White, Not Hispanic	0.0722		0.0185		0.2654	
Male, Black, Not Hispanic	0.7818		0.8049		0.7685	
Female, Black, Not Hispanic	0.8302		0.7737		0.8466	
Male, Hispanic	0.6677		0.3307		0.6669	
Female, Hispanic	0.4157		0.2401		0.2392	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.46C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	91	95	45	47	21	36
<b>GENDER</b>						
Male	72	67	32	30	17	22
Female	61	59	31	29	13	18
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	80	82	40	43	18	34
White	83	82	36	33	14	21
Black or African American	26	20	11	10	11	6
American Indian or Alaska Native	7	7	*	*	1	*
Native Hawaiian or Other Pacific Islander	*	*	1	*	*	*
Asian	13	20	6	13	4	9
Two or More Races	13	9	5	3	1	1
Hispanic or Latino	41	43	20	19	11	10
<b>EDUCATION</b>						
< High School	40	37	20	14	8	8
High School Graduate	61	54	30	23	14	9
Some College	58	64	24	38	9	33
College Graduate	38	39	15	11	9	8
<b>CURRENT EMPLOYMENT</b>						
Full-Time	64	61	32	19	14	7
Part-Time	53	52	24	22	13	11
Unemployed	34	34	14	18	7	10
Other <sup>1</sup>	39	45	17	28	7	25

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.46D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.27	0.28	0.13	0.14	0.06	0.10
<b>GENDER</b>						
Male	0.41	0.39	0.19	0.18	0.10	0.13
Female	0.36	0.34	0.19	0.17	0.08	0.11
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.29	0.30	0.15	0.16	0.06	0.13
White	0.36	0.37	0.17	0.16	0.07	0.11
Black or African American	0.50	0.43	0.22	0.21	0.21	0.13
American Indian or Alaska Native	3.54	2.64	*	*	0.78	*
Native Hawaiian or Other Pacific Islander	*	*	0.51	*	*	*
Asian	0.86	0.99	0.41	0.65	0.28	0.47
Two or More Races	2.14	1.30	0.83	0.43	0.17	0.11
Hispanic or Latino	0.63	0.61	0.30	0.27	0.17	0.15
<b>EDUCATION</b>						
< High School	0.63	0.61	0.34	0.23	0.14	0.14
High School Graduate	0.49	0.43	0.25	0.19	0.12	0.08
Some College	0.45	0.48	0.20	0.31	0.08	0.27
College Graduate	0.72	0.73	0.31	0.22	0.19	0.17
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.46	0.44	0.25	0.15	0.11	0.06
Part-Time	0.51	0.52	0.25	0.23	0.14	0.12
Unemployed	0.72	0.73	0.30	0.39	0.15	0.23
Other <sup>1</sup>	0.48	0.53	0.22	0.35	0.09	0.32

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.46P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.0139		0.1207		0.8383	
<b>GENDER</b>						
Male	0.0069		0.1197		0.6491	
Female	0.5494		0.4799		0.8616	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0080		0.1183		0.8459	
White	0.0140		0.0307		0.8425	
Black or African American	0.7244		0.7080		0.3150	
American Indian or Alaska Native	0.6675		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.9520		0.3360		0.3067	
Two or More Races	0.3607		0.4519		0.5113	
Hispanic or Latino	0.9242		0.7584		0.9501	
<b>EDUCATION</b>						
< High School	0.7015		0.0241		0.5584	
High School Graduate	0.0757		0.1409		0.2402	
Some College	0.0997		0.5547		0.3139	
College Graduate	0.4833		0.3685		0.8882	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.0813		0.0186		0.0231	
Part-Time	0.4977		0.1982		0.6308	
Unemployed	0.4004		0.4063		0.3344	
Other <sup>1</sup>	0.1490		0.8356		0.1267	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.47C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	458	479	100	87	77	54
<b>GENDER</b>						
Male	377	376	95	80	75	51
Female	244	252	30	34	17	19
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	431	460	97	86	74	54
White	441	465	95	79	74	50
Black or African American	115	99	20	16	3	16
American Indian or Alaska Native	36	25	1	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	64	54	1	19	*	10
Two or More Races	70	61	8	14	5	7
Hispanic or Latino	152	135	26	11	22	4
<b>EDUCATION</b>						
< High School	169	136	24	31	10	29
High School Graduate	220	211	20	32	15	21
Some College	245	251	83	39	65	30
College Graduate	321	338	47	64	39	27
<b>CURRENT EMPLOYMENT</b>						
Full-Time	400	380	87	54	72	38
Part-Time	164	168	35	6	21	*
Unemployed	104	105	18	41	18	11
Other <sup>1</sup>	214	208	32	53	4	37

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.47D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.23	0.24	0.05	0.04	0.04	0.03
<b>GENDER</b>						
Male	0.40	0.40	0.10	0.08	0.08	0.05
Female	0.24	0.24	0.03	0.03	0.02	0.02
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.25	0.27	0.06	0.05	0.04	0.03
White	0.29	0.32	0.07	0.06	0.05	0.04
Black or African American	0.51	0.45	0.09	0.07	0.02	0.07
American Indian or Alaska Native	3.84	2.37	0.06	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	0.70	0.58	0.01	0.20	*	0.11
Two or More Races	3.05	2.28	0.40	0.55	0.25	0.26
Hispanic or Latino	0.60	0.50	0.10	0.04	0.09	0.01
<b>EDUCATION</b>						
< High School	0.58	0.49	0.08	0.11	0.04	0.11
High School Graduate	0.36	0.35	0.03	0.05	0.03	0.04
Some College	0.49	0.48	0.17	0.08	0.14	0.06
College Graduate	0.49	0.51	0.08	0.10	0.06	0.04
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.36	0.35	0.09	0.05	0.07	0.04
Part-Time	0.67	0.71	0.15	0.02	0.09	*
Unemployed	0.98	1.09	0.17	0.45	0.17	0.12
Other <sup>1</sup>	0.35	0.32	0.05	0.08	0.01	0.06

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.47P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.0989		0.7990		0.6733	
<b>GENDER</b>						
Male	0.1248		0.9891		0.7421	
Female	0.5009		0.5021		0.7253	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.1236		0.8710		0.9130	
White	0.3264		0.7291		0.7622	
Black or African American	0.2644		0.9053		0.1434	
American Indian or Alaska Native	0.0071		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.2450		0.0961		*	
Two or More Races	0.9946		0.7317		0.9885	
Hispanic or Latino	0.6709		0.0639		0.0340	
<b>EDUCATION</b>						
< High School	0.5495		0.3284		0.0566	
High School Graduate	0.8690		0.3602		0.8107	
Some College	0.1833		0.0913		0.3873	
College Graduate	0.2162		0.5664		0.3344	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.0480		0.2906		0.3158	
Part-Time	0.7100		0.0381		*	
Unemployed	0.0851		0.2039		0.7559	
Other <sup>1</sup>	0.7377		0.1294		0.0139	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.48C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	468	487	109	99	80	65
<b>GENDER</b>						
Male	382	377	101	86	78	56
Female	253	263	44	45	22	26
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	439	468	104	97	76	64
White	454	475	99	85	75	54
Black or African American	117	103	22	19	11	17
American Indian or Alaska Native	38	26	6	*	1	*
Native Hawaiian or Other Pacific Islander	11	23	1	9	1	9
Asian	65	55	6	22	4	14
Two or More Races	71	61	10	15	5	7
Hispanic or Latino	155	139	33	21	25	11
<b>EDUCATION</b>						
< High School	173	140	32	34	13	30
High School Graduate	234	215	36	40	21	23
Some College	254	261	86	55	65	44
College Graduate	325	344	50	65	40	29
<b>CURRENT EMPLOYMENT</b>						
Full-Time	407	384	93	57	74	38
Part-Time	173	175	43	22	25	11
Unemployed	111	112	22	44	19	15
Other <sup>1</sup>	218	213	37	60	8	45

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.48D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.20	0.21	0.05	0.04	0.04	0.03
<b>GENDER</b>						
Male	0.34	0.34	0.09	0.08	0.07	0.05
Female	0.21	0.22	0.04	0.04	0.02	0.02
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.22	0.24	0.05	0.05	0.04	0.03
White	0.26	0.28	0.06	0.05	0.05	0.04
Black or African American	0.43	0.38	0.08	0.07	0.04	0.06
American Indian or Alaska Native	3.27	2.03	0.56	*	0.13	*
Native Hawaiian or Other Pacific Islander	1.68	2.65	0.11	1.03	0.10	1.03
Asian	0.61	0.49	0.06	0.20	0.04	0.12
Two or More Races	2.47	1.80	0.36	0.44	0.20	0.20
Hispanic or Latino	0.49	0.41	0.10	0.06	0.08	0.03
<b>EDUCATION</b>						
< High School	0.49	0.42	0.09	0.10	0.04	0.09
High School Graduate	0.32	0.30	0.05	0.06	0.03	0.03
Some College	0.41	0.40	0.15	0.09	0.11	0.07
College Graduate	0.45	0.48	0.08	0.10	0.06	0.04
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.32	0.32	0.08	0.05	0.06	0.03
Part-Time	0.50	0.52	0.13	0.07	0.07	0.04
Unemployed	0.73	0.77	0.15	0.32	0.13	0.11
Other <sup>1</sup>	0.32	0.29	0.05	0.08	0.01	0.06

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.48P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.0361		0.3631		0.7544	
<b>GENDER</b>						
Male	0.0439		0.5919		0.8507	
Female	0.4332		0.3337		0.7037	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0465		0.6047		0.8691	
White	0.1590		0.2499		0.7995	
Black or African American	0.2365		0.7968		0.5822	
American Indian or Alaska Native	0.0068		*		*	
Native Hawaiian or Other Pacific Islander	0.2528		0.2205		0.2092	
Asian	0.3146		0.0386		0.1247	
Two or More Races	0.8613		0.9401		0.9305	
Hispanic or Latino	0.6609		0.1232		0.0856	
<b>EDUCATION</b>						
< High School	0.5194		0.7678		0.1070	
High School Graduate	0.5463		0.6985		0.6448	
Some College	0.1024		0.2097		0.7108	
College Graduate	0.1924		0.7306		0.3655	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.0245		0.0758		0.1618	
Part-Time	0.5803		0.0071		0.0917	
Unemployed	0.1608		0.1090		0.7911	
Other <sup>1</sup>	0.5437		0.1931		0.0040	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.