

**Table 1.59C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	1,023	1,036	646	603	488	460
<b>GEOGRAPHIC DIVISION</b>						
Northeast	415	445	245	248	191	194
New England	223	203	126	119	93	97
Middle Atlantic	346	394	211	219	166	169
Midwest	380	389	219	212	172	176
East North Central	298	335	192	183	156	154
West North Central	243	217	105	108	71	82
South	643	595	391	370	277	253
South Atlantic	479	471	305	290	224	195
East South Central	217	215	117	120	94	101
West South Central	330	313	192	198	130	137
West	556	582	393	342	296	273
Mountain	278	254	192	151	137	105
Pacific	480	522	345	310	263	252
<b>COUNTY TYPE</b>						
Large Metro	1,273	1,262	548	524	401	381
Small Metro	891	874	384	390	271	275
250K – 1 Mil. Pop.	732	732	315	300	220	218
< 250K Pop.	519	551	226	247	161	165
Nonmetro	577	583	283	225	209	164
Urbanized	424	410	176	171	141	121
Less Urbanized	442	408	233	140	165	104
Completely Rural	149	177	44	59	24	43

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.59D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.40	0.40	0.25	0.23	0.19	0.18
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.89	0.95	0.53	0.53	0.41	0.41
New England	1.82	1.65	1.03	0.97	0.76	0.79
Middle Atlantic	1.01	1.14	0.61	0.63	0.49	0.49
Midwest	0.69	0.70	0.40	0.38	0.31	0.32
East North Central	0.77	0.87	0.50	0.47	0.41	0.40
West North Central	1.45	1.27	0.63	0.64	0.42	0.48
South	0.69	0.63	0.42	0.39	0.30	0.27
South Atlantic	0.98	0.94	0.62	0.58	0.46	0.39
East South Central	1.44	1.40	0.78	0.78	0.62	0.66
West South Central	1.14	1.05	0.67	0.67	0.45	0.46
West	0.95	0.97	0.67	0.57	0.50	0.46
Mountain	1.54	1.40	1.06	0.83	0.76	0.58
Pacific	1.18	1.25	0.85	0.74	0.65	0.60
<b>COUNTY TYPE</b>						
Large Metro	0.59	0.59	0.36	0.34	0.27	0.26
Small Metro	0.62	0.63	0.42	0.42	0.32	0.32
250K – 1 Mil. Pop.	0.75	0.79	0.52	0.49	0.39	0.39
< 250K Pop.	1.12	1.12	0.74	0.75	0.58	0.54
Nonmetro	0.89	0.91	0.60	0.46	0.46	0.35
Urbanized	1.33	1.30	0.87	0.77	0.75	0.58
Less Urbanized	1.32	1.27	0.98	0.62	0.73	0.48
Completely Rural	2.84	2.26	1.11	1.22	0.65	0.95

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.59P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.6146		0.1638		0.4074	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.2956		0.6598		0.6209	
New England	0.8524		0.8539		0.2918	
Middle Atlantic	0.2695		0.6892		0.9532	
Midwest	0.8184		0.7767		0.4418	
East North Central	0.4148		0.4382		0.6535	
West North Central	0.4514		0.4466		0.4195	
South	0.5439		0.7277		0.4597	
South Atlantic	0.4215		0.5414		0.1733	
East South Central	1.0000		0.7865		0.2303	
West South Central	1.0000		0.9263		0.9411	
West	0.5411		0.1330		0.4583	
Mountain	0.6544		0.0320		0.0180	
Pacific	0.6438		0.5866		0.7865	
<b>COUNTY TYPE</b>						
Large Metro	0.3930		0.2880		0.5172	
Small Metro	0.8749		0.4309		0.7884	
250K – 1 Mil. Pop.	0.6668		0.2236		0.6374	
< 250K Pop.	0.4226		0.7394		0.8313	
Nonmetro	0.7883		0.6140		0.5708	
Urbanized	0.5587		0.4928		0.8394	
Less Urbanized	0.3422		0.0795		0.2947	
Completely Rural	0.0282		0.1359		0.0948	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.60C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	102	103	94	93	70	68
<b>GEOGRAPHIC DIVISION</b>						
Northeast	37	38	33	36	28	25
New England	16	18	15	16	13	13
Middle Atlantic	33	33	29	32	24	22
Midwest	35	40	31	32	24	24
East North Central	29	32	26	25	20	19
West North Central	19	23	17	19	13	14
South	66	63	60	57	41	42
South Atlantic	50	46	46	42	29	32
East South Central	21	22	18	19	14	13
West South Central	34	35	32	32	23	25
West	58	61	55	56	43	39
Mountain	29	27	25	24	21	17
Pacific	50	54	49	51	38	36
<b>COUNTY TYPE</b>						
Large Metro	100	103	86	85	61	57
Small Metro	72	69	59	61	40	42
250K – 1 Mil. Pop.	61	58	49	52	34	35
< 250K Pop.	42	40	34	33	19	25
Nonmetro	54	45	45	38	25	24
Urbanized	38	31	33	27	17	19
Less Urbanized	38	34	32	25	18	15
Completely Rural	11	15	8	11	5	9

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.60D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.42	0.41	0.38	0.37	0.29	0.27
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.87	0.88	0.78	0.84	0.65	0.59
New England	1.48	1.58	1.40	1.44	1.17	1.13
Middle Atlantic	1.04	1.05	0.93	1.02	0.78	0.68
Midwest	0.65	0.73	0.57	0.59	0.44	0.44
East North Central	0.78	0.85	0.70	0.66	0.54	0.50
West North Central	1.19	1.43	1.06	1.18	0.81	0.85
South	0.73	0.68	0.67	0.62	0.46	0.45
South Atlantic	1.12	1.00	1.02	0.91	0.65	0.68
East South Central	1.43	1.47	1.24	1.25	0.98	0.85
West South Central	1.12	1.12	1.05	1.02	0.78	0.78
West	1.00	1.01	0.95	0.93	0.75	0.65
Mountain	1.65	1.44	1.42	1.29	1.19	0.91
Pacific	1.25	1.31	1.22	1.23	0.94	0.86
<b>COUNTY TYPE</b>						
Large Metro	0.59	0.61	0.55	0.54	0.41	0.38
Small Metro	0.72	0.66	0.65	0.65	0.49	0.50
250K – 1 Mil. Pop.	0.89	0.84	0.76	0.79	0.62	0.60
< 250K Pop.	1.27	1.11	1.21	1.12	0.71	0.90
Nonmetro	1.04	0.96	0.91	0.85	0.57	0.59
Urbanized	1.55	1.47	1.38	1.35	0.84	1.01
Less Urbanized	1.54	1.43	1.36	1.16	0.84	0.75
Completely Rural	2.95	3.21	2.41	2.60	1.40	2.16

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.60P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.6491		0.3277		0.9273	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.6175		0.9143		0.2664	
New England	0.8156		0.8776		0.7012	
Middle Atlantic	0.5088		0.9681		0.2879	
Midwest	0.4235		0.2983		0.8838	
East North Central	0.3689		0.2462		0.9108	
West North Central	0.9133		0.8754		0.9274	
South	0.4889		0.1252		0.8326	
South Atlantic	0.0549		0.0279		0.3721	
East South Central	0.9787		0.5199		0.1737	
West South Central	0.1929		0.5419		0.4967	
West	0.8526		0.6490		0.6362	
Mountain	0.5488		0.6740		0.6895	
Pacific	0.5860		0.4752		0.7495	
<b>COUNTY TYPE</b>						
Large Metro	0.8463		0.3011		0.1056	
Small Metro	0.2865		0.4733		0.1383	
250K – 1 Mil. Pop.	0.1791		0.7151		0.6612	
< 250K Pop.	0.9627		0.4322		0.0436	
Nonmetro	0.5550		0.6507		0.2789	
Urbanized	0.1954		0.1130		0.0572	
Less Urbanized	0.5251		0.2270		0.5884	
Completely Rural	0.5530		0.6140		0.8373	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.61C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	167	174	167	172	136	142
<b>GEOGRAPHIC DIVISION</b>						
Northeast	70	69	69	71	60	56
New England	31	34	35	36	30	29
Middle Atlantic	61	61	58	61	53	48
Midwest	75	69	66	65	52	56
East North Central	61	60	56	58	43	51
West North Central	40	36	36	33	28	27
South	107	111	100	111	83	91
South Atlantic	80	81	80	80	68	70
East South Central	36	37	32	31	26	26
West South Central	58	60	48	62	41	49
West	91	91	91	84	73	79
Mountain	42	41	38	40	30	36
Pacific	81	81	84	75	67	70
<b>COUNTY TYPE</b>						
Large Metro	243	270	191	197	133	142
Small Metro	214	231	160	166	110	121
250K – 1 Mil. Pop.	161	146	113	101	73	75
< 250K Pop.	139	179	110	130	83	94
Nonmetro	109	115	74	86	52	63
Urbanized	84	94	59	72	43	52
Less Urbanized	75	70	49	46	34	34
Completely Rural	26	29	19	23	13	15

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.61D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.49	0.51	0.49	0.50	0.40	0.42
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.15	1.13	1.14	1.16	1.00	0.91
New England	1.94	2.14	2.15	2.25	1.84	1.81
Middle Atlantic	1.38	1.34	1.32	1.36	1.19	1.06
Midwest	1.00	0.94	0.88	0.89	0.69	0.77
East North Central	1.18	1.19	1.09	1.15	0.83	1.00
West North Central	1.72	1.57	1.54	1.47	1.20	1.19
South	0.86	0.88	0.80	0.88	0.67	0.72
South Atlantic	1.26	1.26	1.27	1.25	1.08	1.08
East South Central	1.82	1.83	1.61	1.54	1.31	1.27
West South Central	1.42	1.43	1.17	1.49	0.99	1.17
West	1.12	1.10	1.12	1.03	0.90	0.96
Mountain	1.68	1.64	1.51	1.61	1.18	1.46
Pacific	1.44	1.40	1.49	1.31	1.20	1.22
<b>COUNTY TYPE</b>						
Large Metro	0.72	0.71	0.70	0.70	0.58	0.59
Small Metro	0.92	0.95	0.90	0.88	0.70	0.75
250K – 1 Mil. Pop.	1.05	1.09	1.03	1.06	0.74	0.86
< 250K Pop.	1.66	1.60	1.66	1.55	1.45	1.35
Nonmetro	1.08	1.17	0.98	1.22	0.82	1.00
Urbanized	1.70	1.61	1.59	1.81	1.43	1.55
Less Urbanized	1.44	1.65	1.35	1.56	1.14	1.26
Completely Rural	4.41	3.85	3.99	3.79	2.93	2.60

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.61P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.5548		0.9887		0.8206	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.0532		0.4630		0.3666	
New England	0.0621		0.2067		0.1977	
Middle Atlantic	0.2638		0.9974		0.8517	
Midwest	0.7506		0.8473		0.8989	
East North Central	0.9025		0.8999		0.8146	
West North Central	0.4648		0.5797		0.9031	
South	0.4398		0.9399		0.9773	
South Atlantic	0.1109		0.5691		0.7950	
East South Central	0.5734		0.3307		0.1570	
West South Central	0.2733		0.2071		0.2752	
West	0.8184		0.7573		0.7421	
Mountain	0.2538		0.8052		0.8762	
Pacific	0.4143		0.8386		0.7903	
<b>COUNTY TYPE</b>						
Large Metro	0.8006		0.8655		0.5340	
Small Metro	0.2971		0.4858		0.2192	
250K – 1 Mil. Pop.	0.1571		0.5958		0.1417	
< 250K Pop.	0.9600		0.6447		0.7886	
Nonmetro	0.5299		0.4842		0.8753	
Urbanized	0.8006		0.7091		0.7936	
Less Urbanized	0.2250		0.5096		0.9834	
Completely Rural	0.7595		0.8410		0.8486	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.62C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	988	1,011	572	550	441	420
<b>GEOGRAPHIC DIVISION</b>						
Northeast	396	438	225	223	174	177
New England	207	200	106	107	80	88
Middle Atlantic	335	390	197	197	154	154
Midwest	367	377	197	192	157	156
East North Central	288	325	176	169	145	139
West North Central	239	210	87	96	58	73
South	618	586	342	330	254	219
South Atlantic	456	461	264	245	203	156
East South Central	214	215	106	112	89	99
West South Central	322	302	170	191	115	130
West	535	557	357	311	270	246
Mountain	267	241	169	135	122	91
Pacific	464	501	316	282	241	228
<b>COUNTY TYPE</b>						
Large Metro	1,187	1,174	474	459	354	343
Small Metro	791	782	312	315	232	224
250K – 1 Mil. Pop.	659	677	263	257	195	187
< 250K Pop.	452	469	174	178	127	113
Nonmetro	519	522	248	184	186	137
Urbanized	363	360	140	139	118	98
Less Urbanized	399	360	202	110	144	86
Completely Rural	134	147	34	44	17	34

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.62D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.51	0.51	0.29	0.28	0.23	0.21
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.09	1.20	0.62	0.61	0.48	0.48
New England	2.17	2.08	1.11	1.12	0.84	0.92
Middle Atlantic	1.25	1.45	0.74	0.73	0.58	0.57
Midwest	0.86	0.88	0.46	0.45	0.37	0.36
East North Central	0.97	1.09	0.59	0.57	0.49	0.47
West North Central	1.86	1.60	0.68	0.74	0.45	0.56
South	0.86	0.80	0.48	0.45	0.35	0.30
South Atlantic	1.19	1.18	0.69	0.63	0.53	0.40
East South Central	1.83	1.82	0.91	0.95	0.76	0.83
West South Central	1.48	1.35	0.78	0.86	0.53	0.58
West	1.19	1.22	0.80	0.68	0.60	0.54
Mountain	1.94	1.74	1.23	0.97	0.89	0.66
Pacific	1.49	1.58	1.02	0.89	0.77	0.72
<b>COUNTY TYPE</b>						
Large Metro	0.75	0.76	0.42	0.41	0.32	0.31
Small Metro	0.77	0.78	0.48	0.47	0.38	0.35
250K – 1 Mil. Pop.	0.92	0.97	0.59	0.56	0.47	0.43
< 250K Pop.	1.43	1.42	0.80	0.79	0.63	0.53
Nonmetro	1.11	1.11	0.72	0.51	0.55	0.39
Urbanized	1.61	1.63	0.98	0.89	0.86	0.66
Less Urbanized	1.65	1.53	1.16	0.67	0.86	0.53
Completely Rural	3.27	2.52	1.05	1.30	0.57	0.99

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.62P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.7507		0.1916		0.4496	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.4301		0.7581		0.9201	
New England	0.8657		0.7932		0.5227	
Middle Atlantic	0.3157		0.6230		0.8058	
Midwest	0.9709		0.9695		0.2948	
East North Central	0.4650		0.5975		0.5162	
West North Central	0.3509		0.3838		0.2867	
South	0.5479		0.9112		0.4118	
South Atlantic	0.4344		0.6381		0.1451	
East South Central	0.9238		0.9305		0.5793	
West South Central	0.9365		0.6755		0.8028	
West	0.5521		0.0758		0.3351	
Mountain	0.5795		0.0191		0.0052	
Pacific	0.6954		0.4398		0.8776	
<b>COUNTY TYPE</b>						
Large Metro	0.4312		0.2653		0.4913	
Small Metro	0.5760		0.7580		0.9382	
250K – 1 Mil. Pop.	0.9638		0.3670		0.9942	
< 250K Pop.	0.4130		0.4344		0.9112	
Nonmetro	0.8896		0.4102		0.4568	
Urbanized	0.5790		0.9788		0.5390	
Less Urbanized	0.2914		0.1094		0.3646	
Completely Rural	0.0194		0.0994		0.0407	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.63C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	1,018	1,035	631	589	482	453
<b>GEOGRAPHIC DIVISION</b>						
Northeast	409	448	239	243	187	191
New England	220	204	123	115	92	95
Middle Atlantic	342	398	205	216	163	167
Midwest	383	387	217	207	170	172
East North Central	298	334	190	179	155	151
West North Central	248	213	103	106	69	80
South	645	598	380	364	275	251
South Atlantic	478	473	296	287	222	193
East South Central	222	216	115	118	92	101
West South Central	330	312	185	194	127	137
West	554	579	389	332	294	268
Mountain	277	251	186	146	135	102
Pacific	479	521	343	300	262	248
<b>COUNTY TYPE</b>						
Large Metro	1,252	1,239	534	506	394	373
Small Metro	865	854	368	375	265	270
250K – 1 Mil. Pop.	710	718	300	285	213	210
< 250K Pop.	500	533	217	239	159	161
Nonmetro	557	564	272	213	206	159
Urbanized	402	398	165	163	137	117
Less Urbanized	432	392	226	130	162	101
Completely Rural	144	167	41	54	23	40

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.63D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.44	0.44	0.28	0.25	0.21	0.19
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.97	1.05	0.56	0.57	0.44	0.45
New England	1.97	1.82	1.11	1.02	0.83	0.85
Middle Atlantic	1.10	1.27	0.66	0.69	0.52	0.53
Midwest	0.77	0.77	0.43	0.41	0.34	0.34
East North Central	0.86	0.96	0.54	0.51	0.44	0.43
West North Central	1.63	1.39	0.68	0.69	0.46	0.52
South	0.77	0.70	0.45	0.42	0.33	0.29
South Atlantic	1.07	1.04	0.66	0.63	0.50	0.42
East South Central	1.63	1.57	0.84	0.86	0.67	0.73
West South Central	1.28	1.17	0.72	0.73	0.49	0.52
West	1.05	1.07	0.73	0.62	0.56	0.50
Mountain	1.70	1.54	1.15	0.90	0.83	0.63
Pacific	1.31	1.39	0.93	0.80	0.71	0.66
<b>COUNTY TYPE</b>						
Large Metro	0.66	0.66	0.40	0.37	0.30	0.29
Small Metro	0.68	0.69	0.45	0.45	0.35	0.34
250K – 1 Mil. Pop.	0.82	0.86	0.56	0.52	0.42	0.41
< 250K Pop.	1.24	1.24	0.80	0.82	0.64	0.59
Nonmetro	0.99	1.00	0.66	0.50	0.51	0.38
Urbanized	1.46	1.45	0.95	0.86	0.84	0.65
Less Urbanized	1.48	1.39	1.08	0.65	0.81	0.52
Completely Rural	3.02	2.38	1.12	1.28	0.68	0.97

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.63P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	0.6752		0.1999		0.4075	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.2777		0.6407		0.7297	
New England	0.8745		0.8333		0.3053	
Middle Atlantic	0.2445		0.6791		0.8307	
Midwest	0.9077		0.8900		0.4254	
East North Central	0.4814		0.5370		0.6406	
West North Central	0.4401		0.4318		0.4002	
South	0.4833		0.9044		0.4364	
South Atlantic	0.3138		0.7750		0.2110	
East South Central	0.9914		0.7020		0.3213	
West South Central	0.8989		0.9853		0.8448	
West	0.5421		0.1095		0.4140	
Mountain	0.7219		0.0295		0.0133	
Pacific	0.6127		0.5080		0.8214	
<b>COUNTY TYPE</b>						
Large Metro	0.4247		0.3494		0.6734	
Small Metro	0.7819		0.4876		0.6271	
250K – 1 Mil. Pop.	0.7894		0.2297		0.5800	
< 250K Pop.	0.4370		0.6505		0.9530	
Nonmetro	0.8232		0.5516		0.4643	
Urbanized	0.5683		0.7384		0.6335	
Less Urbanized	0.3553		0.1286		0.3310	
Completely Rural	0.0264		0.1376		0.0826	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.