

Table 1.69C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	682	701	205	168	108	106
GEOGRAPHIC DIVISION						
Northeast	283	324	100	86	51	53
New England	134	149	44	34	29	17
Middle Atlantic	248	289	90	80	42	50
Midwest	242	232	64	59	34	39
East North Central	200	200	58	52	31	38
West North Central	135	123	27	27	14	11
South	411	420	110	95	72	59
South Atlantic	317	329	89	71	58	37
East South Central	126	157	37	32	23	19
West South Central	215	197	53	55	37	42
West	413	417	120	91	57	57
Mountain	177	196	67	39	16	22
Pacific	375	365	99	82	55	52
COUNTY TYPE						
Large Metro	596	627	176	143	92	90
Small Metro	443	450	95	85	59	53
250K – 1 Mil. Pop.	354	380	76	69	55	42
< 250K Pop.	266	237	57	49	23	32
Nonmetro	325	260	55	45	21	22
Urbanized	211	173	33	37	18	20
Less Urbanized	261	170	43	23	12	8
Completely Rural	57	84	9	9	1	6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.69D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.27	0.27	0.08	0.07	0.04	0.04
GEOGRAPHIC DIVISION						
Northeast	0.61	0.69	0.21	0.18	0.11	0.11
New England	1.09	1.21	0.36	0.27	0.24	0.14
Middle Atlantic	0.72	0.83	0.26	0.23	0.12	0.14
Midwest	0.44	0.42	0.12	0.11	0.06	0.07
East North Central	0.52	0.52	0.15	0.13	0.08	0.10
West North Central	0.80	0.72	0.16	0.16	0.08	0.06
South	0.44	0.44	0.12	0.10	0.08	0.06
South Atlantic	0.65	0.65	0.18	0.14	0.12	0.07
East South Central	0.83	1.02	0.24	0.21	0.16	0.12
West South Central	0.74	0.66	0.18	0.19	0.13	0.14
West	0.70	0.70	0.20	0.15	0.10	0.09
Mountain	0.98	1.08	0.37	0.22	0.09	0.12
Pacific	0.92	0.88	0.24	0.20	0.13	0.13
COUNTY TYPE						
Large Metro	0.38	0.40	0.13	0.10	0.07	0.07
Small Metro	0.46	0.47	0.12	0.10	0.08	0.07
250K – 1 Mil. Pop.	0.55	0.57	0.15	0.13	0.10	0.08
< 250K Pop.	0.81	0.76	0.21	0.18	0.09	0.12
Nonmetro	0.69	0.56	0.13	0.11	0.05	0.05
Urbanized	0.96	0.86	0.18	0.23	0.10	0.12
Less Urbanized	1.11	0.74	0.21	0.12	0.06	0.04
Completely Rural	1.34	1.68	0.23	0.21	0.02	0.14

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.69P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.2758		0.0060		0.4122	
GEOGRAPHIC DIVISION						
Northeast	0.3686		0.5454		0.9010	
New England	0.8409		0.4911		0.2298	
Middle Atlantic	0.2449		0.7344		0.6269	
Midwest	0.8928		0.7998		0.2444	
East North Central	0.5107		0.9145		0.3134	
West North Central	0.1849		0.7442		0.4894	
South	0.7472		0.0115		0.1615	
South Atlantic	0.6429		0.0146		0.0673	
East South Central	0.0120		0.3314		0.8303	
West South Central	0.1162		0.6201		0.9451	
West	0.4336		0.0757		0.5462	
Mountain	0.6735		0.1483		0.4534	
Pacific	0.5097		0.2254		0.3773	
COUNTY TYPE						
Large Metro	0.5736		0.1176		0.6268	
Small Metro	0.8376		0.0188		0.4737	
250K – 1 Mil. Pop.	0.5721		0.0289		0.2023	
< 250K Pop.	0.2070		0.3200		0.3417	
Nonmetro	0.1260		0.1558		0.8764	
Urbanized	0.1041		0.8988		0.9069	
Less Urbanized	0.1667		0.0285		0.2594	
Completely Rural	0.0533		0.2871		0.1435	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.70C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	26	26	22	20	11	12
GEOGRAPHIC DIVISION						
Northeast	8	9	7	9	4	4
New England	5	6	3	7	1	4
Middle Atlantic	7	7	6	5	4	2
Midwest	7	9	6	7	3	5
East North Central	6	8	4	7	2	5
West North Central	5	4	5	3	2	2
South	17	17	14	11	8	6
South Atlantic	9	14	8	7	5	4
East South Central	6	5	5	4	4	1
West South Central	12	9	10	8	5	3
West	18	16	14	13	6	8
Mountain	6	5	4	4	1	3
Pacific	17	15	13	12	6	7
COUNTY TYPE						
Large Metro	21	19	18	15	8	10
Small Metro	14	18	9	12	4	6
250K – 1 Mil. Pop.	12	16	8	11	4	5
< 250K Pop.	7	7	4	5	2	1
Nonmetro	10	7	10	6	7	3
Urbanized	6	6	6	4	5	1
Less Urbanized	8	4	7	4	4	3
Completely Rural	2	2	1	1	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.70D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.11	0.11	0.09	0.08	0.05	0.05
GEOGRAPHIC DIVISION						
Northeast	0.20	0.22	0.17	0.20	0.09	0.10
New England	0.47	0.56	0.30	0.60	0.07	0.36
Middle Atlantic	0.21	0.21	0.20	0.16	0.11	0.06
Midwest	0.14	0.17	0.11	0.14	0.05	0.10
East North Central	0.15	0.21	0.12	0.18	0.05	0.13
West North Central	0.33	0.26	0.29	0.17	0.13	0.09
South	0.18	0.19	0.16	0.12	0.09	0.06
South Atlantic	0.20	0.29	0.18	0.15	0.12	0.09
East South Central	0.38	0.31	0.36	0.29	0.27	0.10
West South Central	0.41	0.30	0.35	0.24	0.16	0.10
West	0.31	0.27	0.24	0.21	0.10	0.13
Mountain	0.32	0.27	0.24	0.23	0.07	0.17
Pacific	0.42	0.37	0.33	0.29	0.14	0.17
COUNTY TYPE						
Large Metro	0.16	0.14	0.13	0.11	0.06	0.07
Small Metro	0.17	0.22	0.12	0.15	0.05	0.07
250K – 1 Mil. Pop.	0.22	0.30	0.15	0.19	0.07	0.10
< 250K Pop.	0.27	0.28	0.18	0.22	0.06	0.04
Nonmetro	0.25	0.20	0.24	0.15	0.17	0.08
Urbanized	0.38	0.37	0.38	0.26	0.32	0.06
Less Urbanized	0.41	0.24	0.37	0.21	0.22	0.14
Completely Rural	0.51	0.57	0.30	0.35	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.70P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.3456		0.5837		0.7503	
GEOGRAPHIC DIVISION						
Northeast	0.4423		0.5476		0.8155	
New England	0.3079		0.1073		0.1725	
Middle Atlantic	0.8919		0.5229		0.2994	
Midwest	0.8626		0.9718		0.1553	
East North Central	0.2388		0.1376		0.0565	
West North Central	0.0442		0.0208		0.4953	
South	0.3887		0.3790		0.4402	
South Atlantic	0.6541		0.8418		0.6001	
East South Central	0.6398		0.6385		0.5391	
West South Central	0.1065		0.2266		0.8045	
West	0.3576		0.7340		0.7471	
Mountain	0.7403		0.6370		0.3471	
Pacific	0.3879		0.5992		0.9967	
COUNTY TYPE						
Large Metro	0.3779		0.5120		0.4471	
Small Metro	0.6970		0.7636		0.8504	
250K – 1 Mil. Pop.	0.7003		0.9928		0.7414	
< 250K Pop.	0.8701		0.5530		0.5537	
Nonmetro	0.8400		0.6334		0.4152	
Urbanized	0.5347		0.9534		0.2579	
Less Urbanized	0.2655		0.5303		0.8372	
Completely Rural	0.7551		0.8983		*	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.71C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	112	108	69	72	39	41
GEOGRAPHIC DIVISION						
Northeast	45	40	33	27	23	16
New England	19	23	13	15	9	6
Middle Atlantic	41	33	31	23	21	14
Midwest	43	42	24	24	12	15
East North Central	35	34	21	19	10	11
West North Central	25	24	14	16	6	11
South	70	64	36	41	18	23
South Atlantic	51	44	29	31	15	18
East South Central	21	26	9	11	5	6
West South Central	43	38	19	24	8	12
West	63	69	43	48	24	27
Mountain	26	33	16	22	8	10
Pacific	58	60	40	42	23	25
COUNTY TYPE						
Large Metro	99	90	58	57	32	31
Small Metro	76	72	44	48	21	28
250K – 1 Mil. Pop.	56	60	35	41	18	21
< 250K Pop.	52	43	25	25	11	18
Nonmetro	43	42	22	22	12	8
Urbanized	31	34	18	18	9	7
Less Urbanized	31	24	13	11	7	5
Completely Rural	12	10	1	6	1	2

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.71D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.33	0.32	0.20	0.21	0.11	0.12
GEOGRAPHIC DIVISION						
Northeast	0.75	0.65	0.55	0.44	0.38	0.25
New England	1.20	1.42	0.82	0.92	0.57	0.38
Middle Atlantic	0.92	0.73	0.69	0.50	0.48	0.32
Midwest	0.57	0.57	0.33	0.33	0.15	0.21
East North Central	0.68	0.67	0.41	0.38	0.19	0.21
West North Central	1.06	1.06	0.59	0.70	0.26	0.48
South	0.56	0.51	0.29	0.33	0.14	0.18
South Atlantic	0.82	0.69	0.46	0.49	0.24	0.28
East South Central	1.05	1.31	0.47	0.55	0.24	0.31
West South Central	1.05	0.92	0.46	0.59	0.20	0.29
West	0.78	0.84	0.53	0.58	0.30	0.33
Mountain	1.06	1.33	0.66	0.88	0.31	0.39
Pacific	1.03	1.05	0.71	0.73	0.41	0.44
COUNTY TYPE						
Large Metro	0.48	0.45	0.30	0.29	0.17	0.17
Small Metro	0.59	0.56	0.36	0.39	0.18	0.24
250K – 1 Mil. Pop.	0.70	0.74	0.47	0.54	0.25	0.29
< 250K Pop.	1.08	0.87	0.58	0.48	0.26	0.38
Nonmetro	0.78	0.76	0.43	0.43	0.24	0.17
Urbanized	1.16	1.28	0.73	0.76	0.41	0.29
Less Urbanized	1.17	0.99	0.55	0.49	0.31	0.23
Completely Rural	2.65	2.08	0.28	1.33	0.18	0.40

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.71P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.0172		0.6873		0.4502	
GEOGRAPHIC DIVISION						
Northeast	0.1257		0.4036		0.0405	
New England	0.7988		0.9507		0.0276	
Middle Atlantic	0.1148		0.3743		0.2033	
Midwest	0.0665		0.8941		0.6594	
East North Central	0.0409		0.6982		0.7412	
West North Central	0.7538		0.7709		0.3024	
South	0.0344		0.9545		0.4613	
South Atlantic	0.0514		0.7209		0.9759	
East South Central	0.1096		0.5617		0.5389	
West South Central	0.0280		0.9162		0.3053	
West	0.7629		0.9935		0.6292	
Mountain	0.3542		0.3718		0.8432	
Pacific	0.9184		0.6755		0.6534	
COUNTY TYPE						
Large Metro	0.3578		0.5654		0.7599	
Small Metro	0.0192		0.1876		0.5828	
250K – 1 Mil. Pop.	0.1516		0.6579		0.5275	
< 250K Pop.	0.0454		0.0581		0.9753	
Nonmetro	0.3221		0.7100		0.4001	
Urbanized	0.5932		0.8087		0.5922	
Less Urbanized	0.4716		0.2375		0.3612	
Completely Rural	0.3258		0.0116		0.4025	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.72C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	663	704	183	154	99	96
GEOGRAPHIC DIVISION						
Northeast	277	318	94	82	46	50
New England	132	145	41	28	28	16
Middle Atlantic	242	284	84	76	36	47
Midwest	236	227	59	54	31	38
East North Central	196	193	53	47	28	36
West North Central	131	122	24	25	12	11
South	405	417	103	83	69	54
South Atlantic	309	324	80	60	55	31
East South Central	127	156	36	29	23	18
West South Central	214	194	48	51	36	41
West	403	419	103	83	49	49
Mountain	180	201	60	32	15	20
Pacific	363	365	84	76	46	44
COUNTY TYPE						
Large Metro	573	617	159	132	83	83
Small Metro	420	440	82	72	56	44
250K – 1 Mil. Pop.	339	369	67	58	51	35
< 250K Pop.	250	230	47	42	21	27
Nonmetro	312	251	45	33	14	20
Urbanized	197	167	20	26	12	19
Less Urbanized	248	164	40	20	8	6
Completely Rural	53	80	8	6	1	6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.72D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.34	0.35	0.09	0.08	0.05	0.05
GEOGRAPHIC DIVISION						
Northeast	0.76	0.87	0.26	0.22	0.13	0.14
New England	1.38	1.51	0.44	0.30	0.29	0.16
Middle Atlantic	0.91	1.06	0.31	0.28	0.14	0.18
Midwest	0.56	0.53	0.14	0.13	0.07	0.09
East North Central	0.66	0.65	0.18	0.16	0.10	0.12
West North Central	1.02	0.93	0.19	0.19	0.10	0.09
South	0.57	0.57	0.14	0.11	0.10	0.07
South Atlantic	0.81	0.83	0.21	0.15	0.14	0.08
East South Central	1.09	1.32	0.31	0.24	0.19	0.15
West South Central	0.98	0.87	0.22	0.23	0.16	0.18
West	0.90	0.92	0.23	0.18	0.11	0.11
Mountain	1.31	1.45	0.44	0.23	0.11	0.15
Pacific	1.17	1.15	0.27	0.24	0.15	0.14
COUNTY TYPE						
Large Metro	0.48	0.53	0.15	0.12	0.08	0.08
Small Metro	0.57	0.60	0.14	0.12	0.09	0.07
250K – 1 Mil. Pop.	0.70	0.72	0.17	0.14	0.13	0.08
< 250K Pop.	1.02	1.00	0.24	0.21	0.11	0.14
Nonmetro	0.86	0.71	0.14	0.11	0.04	0.06
Urbanized	1.18	1.10	0.15	0.20	0.09	0.15
Less Urbanized	1.37	0.91	0.26	0.13	0.05	0.04
Completely Rural	1.55	2.00	0.28	0.19	0.02	0.16

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.72P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.5092		0.0057		0.5421	
GEOGRAPHIC DIVISION						
Northeast	0.4809		0.6610		0.5464	
New England	0.8354		0.3254		0.4478	
Middle Atlantic	0.3470		0.9588		0.2785	
Midwest	0.8455		0.8892		0.3593	
East North Central	0.3304		0.9315		0.3382	
West North Central	0.2284		0.9022		0.9117	
South	0.9545		0.0101		0.1111	
South Atlantic	0.8415		0.0104		0.0612	
East South Central	0.0234		0.2705		0.7634	
West South Central	0.2777		0.7347		0.8647	
West	0.4390		0.0473		0.6351	
Mountain	0.5904		0.0409		0.4110	
Pacific	0.5556		0.2687		0.4256	
COUNTY TYPE						
Large Metro	0.7264		0.0617		0.6115	
Small Metro	0.8625		0.0604		0.6074	
250K – 1 Mil. Pop.	0.4175		0.0427		0.2671	
< 250K Pop.	0.3500		0.7404		0.2632	
Nonmetro	0.1679		0.1478		0.5941	
Urbanized	0.1345		0.8524		0.5499	
Less Urbanized	0.1815		0.0989		0.5960	
Completely Rural	0.0274		0.9607		0.3028	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.73C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	680	704	202	167	106	106
GEOGRAPHIC DIVISION						
Northeast	283	325	100	86	51	52
New England	134	149	43	33	29	17
Middle Atlantic	248	290	90	79	42	49
Midwest	243	233	64	58	34	39
East North Central	200	201	57	52	31	38
West North Central	136	123	27	27	14	10
South	411	420	109	95	71	59
South Atlantic	315	328	88	71	57	36
East South Central	126	157	36	31	23	19
West South Central	217	197	52	55	36	42
West	411	419	119	90	57	56
Mountain	179	198	67	40	16	23
Pacific	373	366	98	81	54	52
COUNTY TYPE						
Large Metro	595	626	175	142	92	89
Small Metro	441	449	94	85	59	52
250K – 1 Mil. Pop.	351	379	75	68	54	41
< 250K Pop.	266	237	57	49	23	32
Nonmetro	324	260	52	45	18	22
Urbanized	209	174	30	38	15	20
Less Urbanized	260	170	42	23	11	7
Completely Rural	56	84	9	9	1	6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.73D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.30	0.30	0.09	0.07	0.05	0.05
GEOGRAPHIC DIVISION						
Northeast	0.67	0.76	0.24	0.20	0.12	0.12
New England	1.20	1.33	0.39	0.29	0.26	0.15
Middle Atlantic	0.80	0.92	0.29	0.25	0.13	0.16
Midwest	0.49	0.46	0.13	0.12	0.07	0.08
East North Central	0.57	0.58	0.17	0.15	0.09	0.11
West North Central	0.90	0.80	0.18	0.18	0.09	0.07
South	0.49	0.49	0.13	0.11	0.08	0.07
South Atlantic	0.71	0.72	0.20	0.16	0.13	0.08
East South Central	0.92	1.13	0.27	0.23	0.17	0.14
West South Central	0.84	0.74	0.20	0.21	0.14	0.16
West	0.78	0.78	0.22	0.17	0.11	0.10
Mountain	1.10	1.22	0.41	0.24	0.10	0.14
Pacific	1.01	0.97	0.27	0.22	0.15	0.14
COUNTY TYPE						
Large Metro	0.42	0.45	0.14	0.11	0.07	0.07
Small Metro	0.50	0.52	0.13	0.12	0.08	0.07
250K – 1 Mil. Pop.	0.61	0.63	0.16	0.14	0.12	0.08
< 250K Pop.	0.89	0.85	0.24	0.20	0.10	0.13
Nonmetro	0.76	0.63	0.14	0.12	0.05	0.06
Urbanized	1.05	0.97	0.18	0.25	0.09	0.13
Less Urbanized	1.23	0.82	0.23	0.13	0.06	0.04
Completely Rural	1.46	1.83	0.25	0.23	0.02	0.15

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.73P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.3121		0.0068		0.3918	
GEOGRAPHIC DIVISION						
Northeast	0.3610		0.5132		0.8869	
New England	0.8636		0.3649		0.1732	
Middle Atlantic	0.2446		0.7671		0.5808	
Midwest	0.9212		0.8060		0.3150	
East North Central	0.5223		0.7960		0.4252	
West North Central	0.2226		0.9732		0.4228	
South	0.7894		0.0151		0.1847	
South Atlantic	0.6347		0.0128		0.0728	
East South Central	0.0119		0.3567		0.9009	
West South Central	0.1432		0.7739		0.9232	
West	0.4734		0.0790		0.5193	
Mountain	0.7045		0.1378		0.5306	
Pacific	0.5442		0.2458		0.3736	
COUNTY TYPE						
Large Metro	0.6214		0.1337		0.5755	
Small Metro	0.8534		0.0160		0.4624	
250K – 1 Mil. Pop.	0.5522		0.0259		0.1906	
< 250K Pop.	0.2062		0.2949		0.3263	
Nonmetro	0.1323		0.1646		0.9623	
Urbanized	0.1243		0.9129		0.7157	
Less Urbanized	0.1624		0.0340		0.2656	
Completely Rural	0.0524		0.2773		0.2003	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.