

Table 1.74C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	379	327	92	69	60	42
GEOGRAPHIC DIVISION						
Northeast	136	114	45	32	30	22
New England	79	50	29	14	24	12
Middle Atlantic	112	102	35	28	18	19
Midwest	111	125	35	33	24	24
East North Central	84	112	32	30	20	22
West North Central	70	55	13	14	13	9
South	256	201	65	43	45	26
South Atlantic	205	155	42	30	29	21
East South Central	81	83	26	24	18	6
West South Central	109	94	35	19	30	14
West	193	195	32	28	12	5
Mountain	89	75	13	7	5	4
Pacific	171	181	29	27	11	4
COUNTY TYPE						
Large Metro	257	267	70	49	40	26
Small Metro	227	173	60	44	45	29
250K – 1 Mil. Pop.	176	133	51	32	44	23
< 250K Pop.	144	100	32	30	10	17
Nonmetro	145	118	15	27	9	16
Urbanized	105	75	12	19	9	15
Less Urbanized	101	90	8	18	4	2
Completely Rural	20	21	1	6	*	6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.74D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.15	0.13	0.04	0.03	0.02	0.02
GEOGRAPHIC DIVISION						
Northeast	0.29	0.24	0.10	0.07	0.06	0.05
New England	0.64	0.41	0.23	0.12	0.19	0.10
Middle Atlantic	0.33	0.30	0.10	0.08	0.05	0.05
Midwest	0.20	0.22	0.06	0.06	0.04	0.04
East North Central	0.22	0.29	0.08	0.08	0.05	0.06
West North Central	0.42	0.32	0.08	0.08	0.07	0.05
South	0.28	0.21	0.07	0.05	0.05	0.03
South Atlantic	0.42	0.31	0.09	0.06	0.06	0.04
East South Central	0.54	0.54	0.17	0.16	0.12	0.04
West South Central	0.38	0.32	0.12	0.06	0.10	0.05
West	0.33	0.33	0.05	0.05	0.02	0.01
Mountain	0.49	0.41	0.07	0.04	0.03	0.02
Pacific	0.42	0.44	0.07	0.06	0.03	0.01
COUNTY TYPE						
Large Metro	0.19	0.19	0.05	0.04	0.03	0.02
Small Metro	0.28	0.20	0.08	0.05	0.06	0.04
250K – 1 Mil. Pop.	0.33	0.23	0.10	0.06	0.08	0.04
< 250K Pop.	0.53	0.35	0.12	0.11	0.04	0.06
Nonmetro	0.35	0.27	0.04	0.07	0.02	0.04
Urbanized	0.61	0.41	0.07	0.11	0.05	0.09
Less Urbanized	0.46	0.43	0.04	0.09	0.02	0.01
Completely Rural	0.51	0.51	0.02	0.14	*	0.14

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.74P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.0213		0.0208		0.0388	
GEOGRAPHIC DIVISION						
Northeast	0.1301		0.1640		0.2889	
New England	0.0670		0.2243		0.1581	
Middle Atlantic	0.5224		0.3935		0.9245	
Midwest	0.6686		0.6419		0.9157	
East North Central	0.3913		0.5892		0.9435	
West North Central	0.0275		0.9376		0.7187	
South	0.0975		0.1839		0.0809	
South Atlantic	0.0899		0.7013		0.5734	
East South Central	0.4866		0.4823		0.1270	
West South Central	0.9093		0.1365		0.2023	
West	0.3314		0.1194		0.1504	
Mountain	0.1379		0.0866		0.7716	
Pacific	0.6735		0.3385		0.1417	
COUNTY TYPE						
Large Metro	0.2422		0.0498		0.0348	
Small Metro	0.0393		0.1061		0.2538	
250K – 1 Mil. Pop.	0.1034		0.0394		0.1363	
< 250K Pop.	0.1911		0.8333		0.5079	
Nonmetro	0.3782		0.6948		0.6306	
Urbanized	0.3222		0.7816		0.7467	
Less Urbanized	0.7453		0.9774		0.4180	
Completely Rural	0.5199		0.3087		*	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.