

Table 1.75C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	687	628	178	143	84	60
GEOGRAPHIC DIVISION						
Northeast	251	267	70	55	23	26
New England	134	141	32	29	10	17
Middle Atlantic	212	226	62	47	21	19
Midwest	225	242	51	52	27	25
East North Central	174	209	45	43	25	20
West North Central	139	128	27	30	12	15
South	408	373	84	84	43	33
South Atlantic	313	268	63	70	40	22
East South Central	127	127	30	19	7	14
West South Central	208	202	47	40	15	20
West	438	374	128	90	61	36
Mountain	199	191	61	37	32	20
Pacific	391	321	114	83	52	30
COUNTY TYPE						
Large Metro	617	546	149	118	63	49
Small Metro	433	390	84	78	46	29
250K – 1 Mil. Pop.	354	325	67	64	38	25
< 250K Pop.	254	229	48	45	26	15
Nonmetro	267	241	59	36	29	20
Urbanized	199	172	35	27	28	11
Less Urbanized	222	163	48	24	9	17
Completely Rural	56	73	9	6	1	3

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.75D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.27	0.24	0.07	0.06	0.03	0.02
GEOGRAPHIC DIVISION						
Northeast	0.54	0.57	0.15	0.12	0.05	0.05
New England	1.10	1.15	0.26	0.24	0.08	0.14
Middle Atlantic	0.62	0.65	0.18	0.14	0.06	0.06
Midwest	0.41	0.43	0.09	0.09	0.05	0.05
East North Central	0.45	0.54	0.12	0.11	0.06	0.05
West North Central	0.83	0.75	0.16	0.17	0.07	0.09
South	0.44	0.39	0.09	0.09	0.05	0.03
South Atlantic	0.64	0.53	0.13	0.14	0.08	0.04
East South Central	0.84	0.83	0.20	0.13	0.05	0.09
West South Central	0.72	0.68	0.16	0.13	0.05	0.07
West	0.74	0.63	0.22	0.15	0.10	0.06
Mountain	1.10	1.05	0.34	0.20	0.18	0.11
Pacific	0.96	0.77	0.28	0.20	0.13	0.07
COUNTY TYPE						
Large Metro	0.40	0.36	0.11	0.09	0.05	0.04
Small Metro	0.46	0.42	0.11	0.10	0.06	0.04
250K – 1 Mil. Pop.	0.54	0.51	0.13	0.12	0.07	0.05
< 250K Pop.	0.82	0.74	0.18	0.17	0.10	0.06
Nonmetro	0.58	0.49	0.14	0.09	0.07	0.05
Urbanized	0.92	0.78	0.20	0.16	0.16	0.06
Less Urbanized	0.96	0.71	0.23	0.13	0.05	0.09
Completely Rural	1.30	1.40	0.25	0.14	0.02	0.08

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.75P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.0495		0.0205		0.0171	
GEOGRAPHIC DIVISION						
Northeast	0.3512		0.0530		0.7969	
New England	0.7887		0.6022		0.1887	
Middle Atlantic	0.3503		0.0553		0.5213	
Midwest	0.5493		0.4677		0.1459	
East North Central	0.4179		0.6681		0.1461	
West North Central	0.9077		0.4815		0.6878	
South	0.3178		0.8203		0.6139	
South Atlantic	0.1407		0.6643		0.0945	
East South Central	0.4405		0.5029		0.0791	
West South Central	0.7949		0.5084		0.4368	
West	0.0361		0.0698		0.0126	
Mountain	0.2136		0.0666		0.3766	
Pacific	0.0879		0.2639		0.0191	
COUNTY TYPE						
Large Metro	0.0676		0.0807		0.3096	
Small Metro	0.5365		0.2333		0.0131	
250K – 1 Mil. Pop.	0.8928		0.5792		0.1490	
< 250K Pop.	0.2131		0.1785		0.0168	
Nonmetro	0.5502		0.2564		0.3929	
Urbanized	0.4121		0.3246		0.2100	
Less Urbanized	0.6219		0.5852		0.8627	
Completely Rural	0.1523		0.8358		0.1500	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.