

**Table 2.17A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics:  
Numbers in Thousands, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	174,409	173,890	83,384	81,859	69,663	68,225
<b>AGE</b>						
12-17	6,112 <sup>a</sup>	5,782	4,419	4,203	2,612	2,490
18-25	23,437	23,304	17,484	17,159	13,934	13,532
26 or Older	144,860	144,804	61,482	60,497	53,117	52,203
<b>GENDER</b>						
Male	94,090	93,794	49,864	48,509	41,622	40,232
Female	80,319	80,096	33,520	33,349	28,041	27,993
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	153,910	153,067	72,990	71,631	61,634	60,173
White	127,619	126,138	59,528	57,539	50,287 <sup>a</sup>	48,304
Black or African American	17,730	17,105	9,520	9,279	8,258	7,928
American Indian or Alaska Native	898	1,060	510 <sup>a</sup>	717	433 <sup>a</sup>	615
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	265
Asian	4,958	5,288	1,983	2,049	1,435	1,620
Two or More Races	2,235 <sup>b</sup>	2,914	1,225 <sup>b</sup>	1,687	1,014 <sup>b</sup>	1,441
Hispanic or Latino	20,499	20,823	10,394	10,228	8,029	8,052

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.17B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	68.8 <sup>b</sup>	67.5	32.9 <sup>a</sup>	31.8	27.5 <sup>a</sup>	26.5
<b>AGE</b>						
12-17	25.1 <sup>b</sup>	23.2	18.1 <sup>b</sup>	16.8	10.7 <sup>a</sup>	10.0
18-25	68.8	67.9	51.3	50.0	40.9 <sup>a</sup>	39.5
26 or Older	74.2 <sup>a</sup>	73.0	31.5	30.5	27.2	26.3
<b>GENDER</b>						
Male	76.2	75.3	40.4 <sup>a</sup>	38.9	33.7 <sup>a</sup>	32.3
Female	61.7 <sup>a</sup>	60.2	25.7	25.1	21.5	21.1
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	71.0	70.2	33.7	32.8	28.4	27.6
White	75.0	74.6	35.0	34.0	29.6	28.6
Black or African American	58.6	56.5	31.5	30.6	27.3	26.2
American Indian or Alaska Native	74.4	74.2	42.3	50.2	35.9	43.0
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	28.4
Asian	43.3	42.6	17.3	16.5	12.5	13.0
Two or More Races	70.3	72.9	38.6	42.2	31.9	36.1
Hispanic or Latino	55.7 <sup>a</sup>	52.8	28.3 <sup>a</sup>	26.0	21.8	20.4

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.18A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	6,112 <sup>a</sup>	5,782	4,419	4,203	2,612	2,490
<b>GENDER</b>						
Male	3,426	3,303	2,512	2,441	1,529	1,475
Female	2,686 <sup>a</sup>	2,479	1,906	1,762	1,083	1,014
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	4,967 <sup>a</sup>	4,702	3,620	3,489	2,176	2,098
White	3,897 <sup>a</sup>	3,634	2,977 <sup>a</sup>	2,756	1,806	1,687
Black or African American	716	628	420	427	235	238
American Indian or Alaska Native	62	45	40	32	26	20
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	116	140	75	93	43	46
Two or More Races	160 <sup>a</sup>	231	98 <sup>b</sup>	168	58 <sup>a</sup>	101
Hispanic or Latino	1,145	1,080	799	714	437	391
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	2,195	2,113	1,684	1,627	1,030	997
Female, White, Not Hispanic	1,702 <sup>a</sup>	1,522	1,293 <sup>a</sup>	1,129	776	690
Male, Black, Not Hispanic	394	373	258	256	153	149
Female, Black, Not Hispanic	323 <sup>a</sup>	255	162	171	82	89
Male, Hispanic	649	586	448	394	277	230
Female, Hispanic	495	494	351	320	160	162

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.18B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	25.1 <sup>b</sup>	23.2	18.1 <sup>b</sup>	16.8	10.7 <sup>a</sup>	10.0
<b>GENDER</b>						
Male	27.5 <sup>a</sup>	25.9	20.2	19.1	12.3	11.6
Female	22.6 <sup>b</sup>	20.3	16.0 <sup>a</sup>	14.4	9.1	8.3
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	25.6 <sup>a</sup>	24.0	18.6	17.8	11.2	10.7
White	27.7 <sup>a</sup>	26.2	21.1 <sup>a</sup>	19.8	12.8	12.1
Black or African American	20.1	17.8	11.8	12.1	6.6	6.7
American Indian or Alaska Native	47.0 <sup>a</sup>	32.9	30.0	23.3	19.8	14.5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	11.0	11.6	7.1	7.7	4.1	3.8
Two or More Races	30.5	32.2	18.7	23.5	11.0	14.1
Hispanic or Latino	23.3 <sup>b</sup>	19.9	16.3 <sup>b</sup>	13.2	8.9 <sup>a</sup>	7.2
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	30.4	29.5	23.3	22.7	14.3	13.9
Female, White, Not Hispanic	24.8 <sup>a</sup>	22.6	18.8 <sup>a</sup>	16.8	11.3	10.2
Male, Black, Not Hispanic	22.0	21.2	14.4	14.5	8.5	8.4
Female, Black, Not Hispanic	18.2 <sup>a</sup>	14.4	9.1	9.7	4.7	5.0
Male, Hispanic	25.5 <sup>a</sup>	21.1	17.6 <sup>a</sup>	14.2	10.9 <sup>a</sup>	8.3
Female, Hispanic	20.9	18.6	14.8	12.1	6.8	6.1

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.19A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	23,437	23,304	17,484	17,159	13,934	13,532
<b>GENDER</b>						
Male	12,969	12,793	10,415	10,122	8,445	8,155
Female	10,468	10,511	7,068	7,038	5,489	5,377
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	19,271	18,911	14,682 <sup>a</sup>	14,173	11,890 <sup>b</sup>	11,294
White	15,368	14,686	11,837 <sup>a</sup>	11,101	9,596 <sup>b</sup>	8,814
Black or African American	2,552	2,525	1,880	1,856	1,559	1,492
American Indian or Alaska Native	153	188	128	161	103	134
Native Hawaiian or Other Pacific Islander	*	*	54	*	45	*
Asian	730 <sup>a</sup>	918	481	617	350 <sup>a</sup>	500
Two or More Races	380 <sup>a</sup>	496	303	382	237	308
Hispanic or Latino	4,167 <sup>a</sup>	4,392	2,801	2,986	2,044	2,238
<b>EDUCATION</b>						
< High School	4,092	4,011	3,395	3,326	2,917	2,883
High School Graduate	7,932	7,866	6,230	6,022	5,173	4,991
Some College	8,109	8,119	5,859	5,789	4,465	4,328
College Graduate	3,304	3,308	2,000	2,023	1,379	1,330
<b>CURRENT EMPLOYMENT</b>						
Full-Time	9,192	9,187	6,715	6,518	5,491	5,238
Part-Time	6,370	6,194	4,656	4,548	3,539	3,444
Unemployed	3,289	3,174	2,728	2,639	2,290	2,250
Other <sup>1</sup>	4,586	4,749	3,384	3,455	2,614	2,600

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.19B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	68.8	67.9	51.3	50.0	40.9 <sup>a</sup>	39.5
<b>GENDER</b>						
Male	75.0	74.5	60.3	58.9	48.9	47.5
Female	62.3	61.4	42.1	41.1	32.7	31.4
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	70.1	69.4	53.4	52.0	43.2 <sup>a</sup>	41.4
White	75.6	74.9	58.2	56.6	47.2 <sup>b</sup>	45.0
Black or African American	52.5	53.8	38.6	39.5	32.1	31.8
American Indian or Alaska Native	84.1	87.4	70.1	74.9	56.5	62.4
Native Hawaiian or Other Pacific Islander	*	*	38.5	*	32.3	*
Asian	50.8	48.8	33.5	32.8	24.4	26.5
Two or More Races	69.3	69.8	55.2	53.8	43.3	43.4
Hispanic or Latino	63.4	62.3	42.6	42.4	31.1	31.7
<b>EDUCATION</b>						
< High School	69.0	69.8	57.2	57.9	49.2	50.2
High School Graduate	67.8	67.3	53.3	51.5	44.2	42.7
Some College	69.6	67.9	50.3	48.4	38.3 <sup>a</sup>	36.2
College Graduate	68.8	67.4	41.7	41.2	28.7	27.1
<b>CURRENT EMPLOYMENT</b>						
Full-Time	73.9	73.6	54.0	52.2	44.2 <sup>a</sup>	42.0
Part-Time	67.1	66.1	49.0	48.5	37.3	36.8
Unemployed	72.1	70.8	59.9	58.9	50.2	50.2
Other <sup>1</sup>	60.5	59.6	44.6	43.4	34.5	32.6

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.20A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics:  
Numbers in Thousands, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	144,860	144,804	61,482	60,497	53,117	52,203
<b>GENDER</b>						
Male	77,695	77,698	36,936	35,947	31,647	30,602
Female	67,165	67,106	24,545	24,550	21,470	21,601
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	129,672	129,453	54,688	53,969	47,568	46,781
White	108,353	107,817	44,714	43,682	38,886	37,803
Black or African American	14,461	13,952	7,221	6,996	6,464	6,198
American Indian or Alaska Native	682	826	343 <sup>a</sup>	523	304	460
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	4,112	4,230	1,427	1,338	1,042	1,075
Two or More Races	1,695 <sup>a</sup>	2,187	824 <sup>a</sup>	1,136	719 <sup>a</sup>	1,033
Hispanic or Latino	15,187	15,351	6,794	6,527	5,549	5,422
<b>EDUCATION</b>						
< High School	19,876 <sup>a</sup>	18,200	11,352	10,296	10,473	9,505
High School Graduate	43,048	42,932	20,718	20,091	18,654	18,168
Some College	37,135	37,990	16,195	16,774	14,043	14,767
College Graduate	44,801	45,682	13,216	13,336	9,947	9,763
<b>CURRENT EMPLOYMENT</b>						
Full-Time	78,199	77,267	35,026	33,914	29,633	28,576
Part-Time	17,210	16,874	6,815	6,398	5,776	5,429
Unemployed	7,890 <sup>a</sup>	6,929	4,795	4,301	4,322	3,906
Other <sup>1</sup>	41,560	43,735	14,846	15,884	13,386	14,292

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.20B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	74.2 <sup>a</sup>	73.0	31.5	30.5	27.2	26.3
<b>GENDER</b>						
Male	82.9	82.1	39.4	38.0	33.8	32.3
Female	66.2	64.7	24.2	23.7	21.1	20.8
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	76.3	75.5	32.2	31.5	28.0	27.3
White	79.9	79.5	33.0	32.2	28.7	27.9
Black or African American	66.3	63.3	33.1	31.7	29.6	28.1
American Indian or Alaska Native	76.5	76.8	38.4	48.6	34.1	42.8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	45.9	45.3	15.9	14.3	11.6	11.5
Two or More Races	80.6	85.1	39.2	44.2	34.2	40.2
Hispanic or Latino	60.1	57.0	26.9	24.2	21.9	20.1
<b>EDUCATION</b>						
< High School	68.3	66.7	39.0	37.7	36.0	34.8
High School Graduate	74.7	74.0	35.9	34.6	32.4	31.3
Some College	78.2	76.4	34.1	33.7	29.6	29.7
College Graduate	73.5	72.2	21.7	21.1	16.3	15.4
<b>CURRENT EMPLOYMENT</b>						
Full-Time	76.8 <sup>b</sup>	74.8	34.4	32.8	29.1	27.7
Part-Time	72.8	73.1	28.8	27.7	24.4	23.5
Unemployed	77.0	76.0	46.8	47.2	42.2	42.9
Other <sup>1</sup>	69.8	69.5	24.9	25.3	22.5	22.7

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.21A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics:  
Numbers in Thousands, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	168,297	168,108	78,965	77,656	67,051	65,735
<b>GENDER</b>						
Male	90,664	90,491	47,352	46,068	40,093	38,757
Female	77,633	77,617	31,614	31,588	26,958	26,979
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	148,943	148,364	69,370	68,142	59,458	58,075
White	123,721	122,503	56,551	54,783	48,481	46,617
Black or African American	17,013	16,477	9,100	8,853	8,023	7,690
American Indian or Alaska Native	836	1,014	471 <sup>a</sup>	684	407 <sup>a</sup>	595
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	258
Asian	4,841	5,149	1,908	1,956	1,392	1,575
Two or More Races	2,075 <sup>a</sup>	2,683	1,127 <sup>a</sup>	1,518	957 <sup>a</sup>	1,340
Hispanic or Latino	19,354	19,743	9,595	9,514	7,593	7,660
<b>EDUCATION</b>						
< High School	23,967 <sup>a</sup>	22,211	14,747 <sup>a</sup>	13,623	13,390	12,388
High School Graduate	50,980	50,799	26,948	26,113	23,827	23,159
Some College	45,245	46,109	22,054	22,562	18,508	19,094
College Graduate	48,105	48,989	15,216	15,358	11,326	11,093
<b>CURRENT EMPLOYMENT</b>						
Full-Time	87,392	86,454	41,741	40,432	35,123	33,815
Part-Time	23,580	23,068	11,470	10,945	9,315	8,873
Unemployed	11,179 <sup>a</sup>	10,103	7,523	6,940	6,612	6,155
Other <sup>1</sup>	46,146	48,483	18,230	19,339	16,000	16,893

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.21B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	73.4 <sup>a</sup>	72.3	34.4 <sup>a</sup>	33.4	29.2 <sup>a</sup>	28.3
<b>GENDER</b>						
Male	81.7	80.9	42.7	41.2	36.1 <sup>a</sup>	34.6
Female	65.6	64.3	26.7	26.2	22.8	22.3
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	75.4	74.7	35.1	34.3	30.1	29.2
White	79.3	78.9	36.3	35.3	31.1	30.0
Black or African American	63.8	61.6	34.1	33.1	30.1	28.8
American Indian or Alaska Native	77.8	78.6	43.8	53.0	37.9	46.1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	29.9
Asian	46.6	45.9	18.3	17.4	13.4	14.0
Two or More Races	78.2	81.8	42.5	46.3	36.1	40.9
Hispanic or Latino	60.8	58.1	30.1	28.0	23.8	22.5
<b>EDUCATION</b>						
< High School	68.4	67.3	42.1	41.3	38.2	37.5
High School Graduate	73.5	72.9	38.9	37.5	34.4	33.2
Some College	76.5	74.7	37.3	36.6	31.3	31.0
College Graduate	73.2	71.8	23.1	22.5	17.2	16.3
<b>CURRENT EMPLOYMENT</b>						
Full-Time	76.5 <sup>b</sup>	74.7	36.5 <sup>a</sup>	34.9	30.7 <sup>a</sup>	29.2
Part-Time	71.2	71.1	34.6	33.7	28.1	27.4
Unemployed	75.5	74.3	50.8	51.0	44.7	45.3
Other <sup>1</sup>	68.8	68.4	27.2	27.3	23.8	23.8

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.