

**Table 2.52A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	162,940	161,799	68,599	67,126	58,336	56,819
<b>GEOGRAPHIC DIVISION</b>						
Northeast	30,570 <sup>a</sup>	29,408	12,266	12,368	10,406	10,395
New England	8,229	7,949	2,991	2,983	2,508	2,486
Middle Atlantic	22,341 <sup>a</sup>	21,459	9,275	9,385	7,898	7,910
Midwest	37,365	36,949	16,106	15,646	13,724	13,462
East North Central	25,984	25,399	11,208	10,988	9,468	9,510
West North Central	11,381	11,549	4,898	4,658	4,255	3,953
South	59,206	59,766	25,968	25,704	22,448	22,102
South Atlantic	30,956	31,455	12,982	12,685	11,293	10,775
East South Central	9,969	10,151	4,808	4,835	4,251	4,326
West South Central	18,282	18,160	8,178	8,184	6,904	7,001
West	35,799	35,676	14,258	13,407	11,759	10,859
Mountain	11,445	11,049	4,724	4,547	4,022	3,785
Pacific	24,354	24,627	9,534	8,861	7,737	7,074
<b>COUNTY TYPE</b>						
Large Metro	85,546	82,791	35,179	33,527	29,518	27,858
Small Metro	49,738	52,299	21,336	21,502	18,256	18,358
250K – 1 Mil. Pop.	32,499 <sup>a</sup>	35,078	13,703	14,189	11,722	12,114
< 250K Pop.	17,239	17,221	7,633	7,313	6,535	6,244
Nonmetro	27,655	26,708	12,084	12,097	10,561	10,603
Urbanized	11,868	10,916	4,914	4,919	4,299	4,288
Less Urbanized	13,282	12,909	6,221	5,852	5,423	5,109
Completely Rural	2,506	2,884	949 <sup>a</sup>	1,326	839 <sup>a</sup>	1,207

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.52B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	64.2 <sup>b</sup>	62.8	27.0 <sup>a</sup>	26.1	23.0 <sup>a</sup>	22.1
<b>GEOGRAPHIC DIVISION</b>						
Northeast	65.7 <sup>b</sup>	62.7	26.4	26.4	22.4	22.2
New England	67.2	64.5	24.4	24.2	20.5	20.2
Middle Atlantic	65.2 <sup>a</sup>	62.1	27.1	27.1	23.0	22.9
Midwest	67.5	66.3	29.1	28.1	24.8	24.2
East North Central	67.4	65.6	29.1	28.4	24.6	24.6
West North Central	67.7	67.9	29.1	27.4	25.3	23.3
South	63.7	62.8	27.9	27.0	24.1	23.2
South Atlantic	63.2	62.7	26.5	25.3	23.0	21.5
East South Central	66.1	66.3	31.9	31.6	28.2	28.3
West South Central	63.3	61.2	28.3	27.6	23.9	23.6
West	60.9	59.6	24.3	22.4	20.0 <sup>a</sup>	18.1
Mountain	63.5	60.8	26.2	25.0	22.3	20.8
Pacific	59.8	59.1	23.4	21.3	19.0	17.0
<b>COUNTY TYPE</b>						
Large Metro	63.0 <sup>b</sup>	60.5	25.9 <sup>a</sup>	24.5	21.8 <sup>a</sup>	20.4
Small Metro	64.2	64.9	27.5	26.7	23.6	22.8
250K – 1 Mil. Pop.	63.1	64.4	26.6	26.0	22.8	22.2
< 250K Pop.	66.4	66.0	29.4	28.0	25.2	23.9
Nonmetro	68.4	66.5	29.9	30.1	26.1	26.4
Urbanized	69.5 <sup>b</sup>	65.0	28.8	29.3	25.2	25.5
Less Urbanized	67.6	67.3	31.7	30.5	27.6	26.6
Completely Rural	67.3	68.6	25.5	31.6	22.5 <sup>a</sup>	28.7

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.53A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	4,986	4,773	3,460	3,287	2,040	1,939
<b>GEOGRAPHIC DIVISION</b>						
Northeast	827	771	591	589	341	359
New England	220	212	166	168	92	101
Middle Atlantic	607	560	425	421	249	257
Midwest	1,076	1,060	773	711	492	444
East North Central	736	717	525	468	318	282
West North Central	340	343	248	243	174	162
South	1,949	1,802	1,332	1,227	745	707
South Atlantic	967	852	675	615	380	344
East South Central	350	331	215	219	132	144
West South Central	631	619	442	392	234	220
West	1,135	1,140	764	760	462	428
Mountain	385	354	259	238	179	144
Pacific	750	787	505	522	284	284
<b>COUNTY TYPE</b>						
Large Metro	2,384	2,221	1,691	1,536	981	864
Small Metro	1,644	1,600	1,130	1,112	644	680
250K – 1 Mil. Pop.	1,110	1,058	769	734	433	441
< 250K Pop.	534	543	361	378	211	239
Nonmetro	958	952	639	638	415	394
Urbanized	350	406	223 <sup>a</sup>	286	133	171
Less Urbanized	533	450	360	288	240	185
Completely Rural	76	97	56	65	42	38

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.53B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	20.5 <sup>a</sup>	19.1	14.2 <sup>a</sup>	13.2	8.4	7.8
<b>GEOGRAPHIC DIVISION</b>						
Northeast	19.5	18.0	14.0	13.8	8.0	8.4
New England	20.2	19.0	15.1	15.1	8.4	9.1
Middle Atlantic	19.3	17.7	13.5	13.3	7.9	8.1
Midwest	20.2	19.5	14.5	13.1	9.2	8.2
East North Central	19.7	18.8	14.0	12.3	8.5	7.4
West North Central	21.4	20.9	15.6	14.8	10.9	9.9
South	21.8 <sup>a</sup>	19.5	14.9 <sup>a</sup>	13.3	8.3	7.6
South Atlantic	21.5 <sup>a</sup>	18.4	15.0	13.3	8.5	7.4
East South Central	24.3	22.4	14.9	14.8	9.1	9.7
West South Central	20.9	19.6	14.6	12.4	7.7	7.0
West	19.5	19.0	13.1	12.7	7.9	7.1
Mountain	21.5	19.2	14.5	12.9	10.0	7.8
Pacific	18.6	18.9	12.5	12.6	7.0	6.8
<b>COUNTY TYPE</b>						
Large Metro	18.3 <sup>a</sup>	16.7	13.0 <sup>a</sup>	11.5	7.5 <sup>a</sup>	6.5
Small Metro	21.9	20.4	15.0	14.2	8.6	8.7
250K – 1 Mil. Pop.	22.1 <sup>a</sup>	19.7	15.3	13.7	8.6	8.2
< 250K Pop.	21.5	22.0	14.5	15.3	8.5	9.7
Nonmetro	25.3	24.9	16.9	16.7	11.0	10.3
Urbanized	22.9	24.0	14.6	16.9	8.7	10.1
Less Urbanized	27.5	25.4	18.5	16.3	12.4	10.5
Completely Rural	23.8	27.2	17.6	18.1	13.3	10.6

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.54A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	21,224	20,929	14,733	14,516	11,702	11,488
<b>GEOGRAPHIC DIVISION</b>						
Northeast	3,789	3,673	2,589	2,543	2,055	2,006
New England	1,058 <sup>a</sup>	962	734	662	594	524
Middle Atlantic	2,731	2,711	1,856	1,880	1,460	1,482
Midwest	4,924 <sup>b</sup>	4,688	3,524	3,379	2,890	2,756
East North Central	3,331 <sup>a</sup>	3,204	2,407	2,296	1,963	1,880
West North Central	1,593 <sup>a</sup>	1,484	1,116	1,083	927	876
South	7,666	7,657	5,405	5,320	4,322	4,200
South Atlantic	3,799	3,821	2,651	2,579	2,134	2,015
East South Central	1,256	1,325	915	968	763	823
West South Central	2,612	2,511	1,839	1,773	1,425	1,363
West	4,845	4,911	3,215	3,274	2,435	2,526
Mountain	1,526	1,508	1,007	1,041	761	819
Pacific	3,319	3,403	2,208	2,233	1,674	1,707
<b>COUNTY TYPE</b>						
Large Metro	10,999	10,920	7,505	7,386	5,815	5,739
Small Metro	6,957	6,846	4,840	4,816	3,859	3,835
250K – 1 Mil. Pop.	4,336	4,360	2,955	3,006	2,385	2,398
< 250K Pop.	2,621	2,486	1,884	1,810	1,473	1,436
Nonmetro	3,268	3,163	2,389	2,314	2,029	1,914
Urbanized	1,457	1,486	1,075	1,064	923	875
Less Urbanized	1,564	1,381	1,135	1,017	952	837
Completely Rural	247	296	179	232	155	202

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.54B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	62.3	61.0	43.2	42.3	34.3	33.5
<b>GEOGRAPHIC DIVISION</b>						
Northeast	62.7	60.0	42.8	41.5	34.0	32.8
New England	65.1	60.0	45.1	41.3	36.6	32.6
Middle Atlantic	61.8	60.0	42.0	41.6	33.0	32.8
Midwest	65.7	63.9	47.0	46.0	38.6	37.5
East North Central	64.8	63.3	46.8	45.3	38.2	37.1
West North Central	67.6	65.2	47.4	47.6	39.3	38.5
South	61.7	60.7	43.5	42.2	34.8	33.3
South Atlantic	60.1	59.3	42.0	40.0	33.8	31.3
East South Central	63.2	65.9	46.0	48.2	38.4	40.9
West South Central	63.5	60.4	44.7	42.6	34.6	32.7
West	59.7	59.7	39.6	39.8	30.0	30.7
Mountain	61.1	61.0	40.3	42.2	30.5	33.2
Pacific	59.1	59.1	39.3	38.8	29.8	29.6
<b>COUNTY TYPE</b>						
Large Metro	60.6	59.3	41.3	40.1	32.0	31.2
Small Metro	62.6	61.4	43.5	43.2	34.7	34.4
250K – 1 Mil. Pop.	61.7	61.6	42.1	42.4	34.0	33.9
< 250K Pop.	64.0	61.2	46.0	44.5	36.0	35.3
Nonmetro	68.2	66.7	49.8	48.7	42.3	40.3
Urbanized	69.0	67.3	50.9	48.2	43.7	39.6
Less Urbanized	67.1	66.0	48.7	48.6	40.8	40.0
Completely Rural	70.8	66.7	51.2	52.2	44.3	45.4

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.55A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	136,729	136,096	50,406	49,323	44,593	43,392
<b>GEOGRAPHIC DIVISION</b>						
Northeast	25,954 <sup>a</sup>	24,964	9,085	9,237	8,011	8,031
New England	6,950	6,776	2,091	2,153	1,822	1,861
Middle Atlantic	19,003	18,188	6,994	7,084	6,189	6,170
Midwest	31,365	31,200	11,810	11,556	10,341	10,262
East North Central	21,916	21,478	8,276	8,224	7,187	7,348
West North Central	9,448	9,722	3,533	3,332	3,154	2,915
South	49,591	50,307	19,231	19,157	17,380	17,194
South Atlantic	26,190	26,782	9,655	9,491	8,779	8,416
East South Central	8,363	8,496	3,678	3,648	3,356	3,360
West South Central	15,039	15,030	5,897	6,018	5,245	5,419
West	29,819	29,625	10,280	9,374	8,862	7,905
Mountain	9,534	9,188	3,458	3,268	3,083	2,822
Pacific	20,285	20,437	6,822	6,106	5,779	5,083
<b>COUNTY TYPE</b>						
Large Metro	72,163	69,650	25,984	24,605	22,722	21,255
Small Metro	41,137 <sup>a</sup>	43,853	15,366	15,573	13,754	13,843
250K – 1 Mil. Pop.	27,053 <sup>a</sup>	29,661	9,979	10,449	8,903	9,275
< 250K Pop.	14,084	14,193	5,388	5,125	4,851	4,568
Nonmetro	23,429	22,593	9,056	9,145	8,117	8,295
Urbanized	10,061	9,024	3,615	3,568	3,243	3,241
Less Urbanized	11,185	11,078	4,726	4,547	4,232	4,086
Completely Rural	2,183	2,490	715 <sup>a</sup>	1,030	642 <sup>a</sup>	967

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.55B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	70.0 <sup>a</sup>	68.6	25.8	24.9	22.8	21.9
<b>GEOGRAPHIC DIVISION</b>						
Northeast	71.6 <sup>a</sup>	68.4	25.1	25.3	22.1	22.0
New England	72.9	70.5	21.9	22.4	19.1	19.4
Middle Atlantic	71.1 <sup>a</sup>	67.6	26.2	26.3	23.2	22.9
Midwest	73.8	72.7	27.8	26.9	24.3	23.9
East North Central	73.9	72.0	27.9	27.6	24.2	24.6
West North Central	73.5	74.3	27.5	25.5	24.5	22.3
South	69.3	68.6	26.9	26.1	24.3	23.5
South Atlantic	68.6	68.5	25.3	24.3	23.0	21.5
East South Central	71.8	71.9	31.6	30.9	28.8	28.4
West South Central	69.2	67.2	27.1	26.9	24.1	24.2
West	66.5	64.9	22.9 <sup>a</sup>	20.5	19.8 <sup>a</sup>	17.3
Mountain	69.3	66.3	25.2	23.6	22.4	20.4
Pacific	65.2	64.3	21.9	19.2	18.6	16.0
<b>COUNTY TYPE</b>						
Large Metro	69.0 <sup>b</sup>	66.3	24.9	23.4	21.7 <sup>a</sup>	20.2
Small Metro	69.9	71.2	26.1	25.3	23.4	22.5
250K – 1 Mil. Pop.	68.6	70.5	25.3	24.8	22.6	22.1
< 250K Pop.	72.7	72.6	27.8	26.2	25.0	23.4
Nonmetro	73.5	71.5	28.4	28.9	25.5	26.2
Urbanized	74.9 <sup>a</sup>	70.0	26.9	27.7	24.1	25.1
Less Urbanized	72.7	72.3	30.7	29.7	27.5	26.7
Completely Rural	71.4	73.2	23.4	30.3	21.0 <sup>a</sup>	28.4

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.56A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	157,953	157,025	65,139	63,839	56,295	54,880
<b>GEOGRAPHIC DIVISION</b>						
Northeast	29,743 <sup>a</sup>	28,637	11,675	11,779	10,065	10,037
New England	8,008	7,738	2,825	2,815	2,416	2,385
Middle Atlantic	21,734	20,899	8,850	8,964	7,649	7,652
Midwest	36,289	35,889	15,333	14,935	13,231	13,018
East North Central	25,248	24,682	10,684	10,520	9,150	9,228
West North Central	11,041	11,206	4,650	4,415	4,081	3,790
South	57,257	57,964	24,636	24,477	21,702	21,394
South Atlantic	29,988	30,603	12,307	12,070	10,913	10,431
East South Central	9,618	9,820	4,593	4,616	4,120	4,182
West South Central	17,651	17,541	7,736	7,792	6,670	6,781
West	34,664	34,536	13,495	12,648	11,296	10,431
Mountain	11,060	10,696	4,466	4,309	3,843	3,641
Pacific	23,604	23,840	9,029	8,339	7,453	6,790
<b>COUNTY TYPE</b>						
Large Metro	83,162	80,571	33,488	31,991	28,537	26,994
Small Metro	48,094	50,699	20,206	20,390	17,613	17,678
250K – 1 Mil. Pop.	31,388 <sup>a</sup>	34,020	12,934	13,455	11,289	11,673
< 250K Pop.	16,706	16,678	7,272	6,935	6,324	6,004
Nonmetro	26,697	25,756	11,445	11,458	10,146	10,209
Urbanized	11,518	10,510	4,690	4,633	4,166	4,116
Less Urbanized	12,749	12,459	5,861	5,564	5,183	4,923
Completely Rural	2,430	2,787	894 <sup>a</sup>	1,262	797 <sup>a</sup>	1,169

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.56B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Lifetime (2010)</b>	<b>Lifetime (2011)</b>	<b>Past Year (2010)</b>	<b>Past Year (2011)</b>	<b>Past Month (2010)</b>	<b>Past Month (2011)</b>
<b>TOTAL</b>	68.9 <sup>b</sup>	67.5	28.4	27.4	24.6 <sup>a</sup>	23.6
<b>GEOGRAPHIC DIVISION</b>						
Northeast	70.3 <sup>b</sup>	67.2	27.6	27.6	23.8	23.6
New England	71.8	69.0	25.3	25.1	21.7	21.3
Middle Atlantic	69.8 <sup>a</sup>	66.5	28.4	28.5	24.6	24.4
Midwest	72.6	71.4	30.7	29.7	26.5	25.9
East North Central	72.6	70.8	30.7	30.2	26.3	26.5
West North Central	72.6	73.0	30.6	28.7	26.8	24.7
South	68.2	67.5	29.3	28.5	25.8	24.9
South Atlantic	67.4	67.2	27.6	26.5	24.5	22.9
East South Central	70.5	71.0	33.7	33.4	30.2	30.2
West South Central	68.3	66.1	29.9	29.4	25.8	25.6
West	65.5	64.1	25.5	23.5	21.3 <sup>a</sup>	19.4
Mountain	68.1	65.5	27.5	26.4	23.7	22.3
Pacific	64.3	63.5	24.6	22.2	20.3	18.1
<b>COUNTY TYPE</b>						
Large Metro	67.8 <sup>b</sup>	65.2	27.3	25.9	23.3 <sup>a</sup>	21.9
Small Metro	68.8	69.7	28.9	28.0	25.2	24.3
250K – 1 Mil. Pop.	67.6	69.2	27.8	27.4	24.3	23.8
< 250K Pop.	71.1	70.6	31.0	29.4	26.9	25.4
Nonmetro	72.8	70.8	31.2	31.5	27.7	28.1
Urbanized	74.1 <sup>a</sup>	69.6	30.2	30.7	26.8	27.3
Less Urbanized	72.0	71.6	33.1	32.0	29.3	28.3
Completely Rural	71.3	72.5	26.2	32.8	23.4 <sup>a</sup>	30.4

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.