

Table 2.62A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	88,760	88,505	26,061	24,980	13,273	12,865
GEOGRAPHIC DIVISION						
Northeast	16,127 ^a	14,979	4,925	4,618	2,524	2,118
New England	4,749	4,679	1,432	1,385	696	666
Middle Atlantic	11,378 ^a	10,300	3,492	3,233	1,828 ^a	1,452
Midwest	21,519	20,793	6,308 ^a	5,661	3,292	2,914
East North Central	14,632	14,137	4,487	4,074	2,345	2,076
West North Central	6,887	6,656	1,821	1,586	947	839
South	30,898	32,008	9,268	9,420	5,060	5,172
South Atlantic	16,398	16,751	4,769	4,978	2,558	2,855
East South Central	5,198	5,674	1,612	1,642	950	955
West South Central	9,302	9,583	2,887	2,800	1,552	1,362
West	20,216	20,725	5,560	5,281	2,398	2,660
Mountain	6,578	6,682	1,823	1,776	771	992
Pacific	13,638	14,043	3,737	3,504	1,627	1,669
COUNTY TYPE						
Large Metro	46,129	45,533	13,835	13,182	6,940	6,638
Small Metro	28,533	29,058	8,427	8,169	4,319	4,374
250K – 1 Mil. Pop.	18,770	19,653	5,471	5,542	2,818	3,014
< 250K Pop.	9,764	9,405	2,956	2,627	1,501	1,360
Nonmetro	14,097	13,914	3,798	3,629	2,014	1,853
Urbanized	6,276	5,593	1,689	1,530	793	864
Less Urbanized	6,639	6,939	1,877	1,737	1,071	797
Completely Rural	1,182	1,382	233	362	150	192

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.62B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	35.0	34.4	10.3 ^a	9.7	5.2	5.0
GEOGRAPHIC DIVISION						
Northeast	34.7 ^a	31.9	10.6	9.8	5.4 ^a	4.5
New England	38.8	38.0	11.7	11.2	5.7	5.4
Middle Atlantic	33.2 ^b	29.8	10.2	9.4	5.3 ^a	4.2
Midwest	38.9	37.3	11.4 ^a	10.2	5.9	5.2
East North Central	38.0	36.5	11.6	10.5	6.1	5.4
West North Central	41.0	39.2	10.8	9.3	5.6	4.9
South	33.2	33.6	10.0	9.9	5.4	5.4
South Atlantic	33.5	33.4	9.7	9.9	5.2	5.7
East South Central	34.5	37.1	10.7	10.7	6.3	6.2
West South Central	32.2	32.3	10.0	9.4	5.4	4.6
West	34.4	34.6	9.5	8.8	4.1	4.4
Mountain	36.5	36.8	10.1	9.8	4.3	5.5
Pacific	33.5	33.7	9.2	8.4	4.0	4.0
COUNTY TYPE						
Large Metro	34.0	33.3	10.2	9.6	5.1	4.9
Small Metro	36.8	36.1	10.9	10.1	5.6	5.4
250K – 1 Mil. Pop.	36.5	36.1	10.6	10.2	5.5	5.5
< 250K Pop.	37.6	36.0	11.4	10.1	5.8	5.2
Nonmetro	34.9	34.6	9.4	9.0	5.0	4.6
Urbanized	36.7 ^a	33.3	9.9	9.1	4.6	5.1
Less Urbanized	33.8	36.2	9.6	9.1	5.4	4.2
Completely Rural	31.7	32.9	6.2	8.6	4.0	4.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.63A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	2,693	2,675	1,882	1,939	788	858
GEOGRAPHIC DIVISION						
Northeast	481	487	356	386	138	182
New England	160	156	114	136	42	60
Middle Atlantic	321	331	242	249	96	122
Midwest	619	603	431	442	196	196
East North Central	415	415	301	296	135	150
West North Central	204	188	130	146	61	46
South	981	1,003	680	744	286	312
South Atlantic	475	483	326	376	153	144
East South Central	175	182	121	124	58	62
West South Central	331	339	233	244	75	106
West	612	581	415	368	168	167
Mountain	201	188	136	121	63	60
Pacific	410	394	279	247	105	107
COUNTY TYPE						
Large Metro	1,318	1,301	951	940	384	392
Small Metro	950	916	631	690	274 ^a	334
250K – 1 Mil. Pop.	658	614	452	467	195	215
< 250K Pop.	292	302	179	222	78 ^a	119
Nonmetro	426	458	300	310	131	132
Urbanized	161	195	114	135	40	53
Less Urbanized	232	211	160	143	75	68
Completely Rural	32	52	26	31	16	11

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.63B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	11.1	10.7	7.7	7.8	3.2	3.4
GEOGRAPHIC DIVISION						
Northeast	11.4	11.4	8.4	9.0	3.3	4.3
New England	14.6	14.0	10.4	12.2	3.8	5.4
Middle Atlantic	10.2	10.5	7.7	7.9	3.1	3.9
Midwest	11.6	11.1	8.1	8.1	3.7	3.6
East North Central	11.1	10.9	8.0	7.8	3.6	3.9
West North Central	12.8	11.5	8.1	8.9	3.8	2.8
South	11.0	10.8	7.6	8.0	3.2	3.4
South Atlantic	10.6	10.4	7.2	8.1	3.4	3.1
East South Central	12.1	12.3	8.4	8.4	4.0	4.2
West South Central	11.0	10.7	7.7	7.7	2.5	3.4
West	10.5	9.7	7.1	6.1	2.9	2.8
Mountain	11.3	10.2	7.6	6.6	3.5	3.3
Pacific	10.2	9.5	6.9	5.9	2.6	2.6
COUNTY TYPE						
Large Metro	10.1	9.8	7.3	7.1	2.9	2.9
Small Metro	12.6	11.7	8.4	8.8	3.6	4.3
250K – 1 Mil. Pop.	13.1 ^a	11.4	9.0	8.7	3.9	4.0
< 250K Pop.	11.7	12.2	7.2	9.0	3.2 ^b	4.8
Nonmetro	11.2	12.0	7.9	8.1	3.5	3.5
Urbanized	10.6	11.5	7.5	8.0	2.6	3.1
Less Urbanized	12.0	11.9	8.3	8.1	3.9	3.9
Completely Rural	10.2	14.6	8.1	8.8	5.0	3.0

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.64A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	13,988 ^a	13,540	7,735	7,568	3,858	3,724
GEOGRAPHIC DIVISION						
Northeast	2,551 ^b	2,290	1,414 ^a	1,263	680 ^a	576
New England	758	731	407	381	190	165
Middle Atlantic	1,793 ^b	1,558	1,006 ^a	882	490	412
Midwest	3,483 ^b	3,246	1,933	1,853	1,032	943
East North Central	2,339	2,218	1,314	1,282	714	667
West North Central	1,144 ^b	1,028	619	572	318	276
South	4,722	4,875	2,669	2,845	1,430	1,451
South Atlantic	2,351	2,573	1,330 ^a	1,530	696	790
East South Central	790	845	480	491	274	266
West South Central	1,581	1,457	859	824	460	395
West	3,232	3,129	1,719	1,607	716	754
Mountain	1,103	1,040	603	563	270	280
Pacific	2,128	2,089	1,116	1,044	446	474
COUNTY TYPE						
Large Metro	6,945	6,940	3,768	3,913	1,858	1,948
Small Metro	4,885	4,601	2,747	2,578	1,353	1,244
250K – 1 Mil. Pop.	3,054	2,854	1,713	1,591	842	782
< 250K Pop.	1,831	1,747	1,033	987	511	463
Nonmetro	2,158	1,999	1,220	1,077	647 ^a	532
Urbanized	1,037	945	578	525	298	262
Less Urbanized	975	862	573 ^a	449	309 ^a	217
Completely Rural	146	192	69	104	40	52

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.64B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	41.1 ^a	39.5	22.7	22.1	11.3	10.9
GEOGRAPHIC DIVISION						
Northeast	42.2 ^b	37.4	23.4 ^a	20.6	11.2 ^a	9.4
New England	46.7	45.6	25.1	23.7	11.7	10.3
Middle Atlantic	40.6 ^b	34.5	22.8 ^a	19.5	11.1 ^a	9.1
Midwest	46.5 ^a	44.2	25.8	25.2	13.8	12.8
East North Central	45.5	43.8	25.6	25.3	13.9	13.2
West North Central	48.6	45.2	26.3	25.1	13.5	12.1
South	38.0	38.7	21.5	22.6	11.5	11.5
South Atlantic	37.2	39.9	21.1	23.8	11.0	12.3
East South Central	39.8	42.1	24.1	24.5	13.8	13.3
West South Central	38.4	35.0	20.9	19.8	11.2	9.5
West	39.8	38.0	21.2	19.5	8.8	9.2
Mountain	44.2	42.1	24.1	22.8	10.8	11.3
Pacific	37.9	36.3	19.9	18.1	7.9	8.2
COUNTY TYPE						
Large Metro	38.2	37.7	20.8	21.3	10.2	10.6
Small Metro	43.9 ^a	41.3	24.7	23.1	12.2	11.2
250K – 1 Mil. Pop.	43.5 ^a	40.3	24.4	22.5	12.0	11.0
< 250K Pop.	44.7	43.0	25.2	24.3	12.5	11.4
Nonmetro	45.0	42.1	25.5 ^a	22.7	13.5 ^a	11.2
Urbanized	49.1 ^b	42.8	27.4	23.8	14.1	11.9
Less Urbanized	41.8	41.2	24.6	21.4	13.2	10.4
Completely Rural	41.9	43.2	19.7	23.3	11.5	11.7

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.65A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	72,079	72,290	16,444	15,472	8,627	8,283
GEOGRAPHIC DIVISION						
Northeast	13,094	12,202	3,155	2,969	1,706	1,360
New England	3,831	3,792	911	868	464	442
Middle Atlantic	9,264	8,411	2,244	2,102	1,242 ^a	918
Midwest	17,417	16,944	3,944 ^a	3,366	2,064	1,775
East North Central	11,878	11,503	2,872	2,497	1,495	1,259
West North Central	5,538	5,440	1,072	869	569	516
South	25,195	26,129	5,919	5,831	3,344	3,409
South Atlantic	13,572	13,696	3,113	3,072	1,709	1,922
East South Central	4,233	4,647	1,011	1,027	617	626
West South Central	7,390	7,786	1,795	1,732	1,017	861
West	16,373	17,015	3,426	3,306	1,514	1,740
Mountain	5,274	5,454	1,084	1,092	438	652
Pacific	11,099	11,560	2,342	2,214	1,076	1,088
COUNTY TYPE						
Large Metro	37,866	37,292	9,115	8,329	4,699	4,298
Small Metro	22,699	23,541	5,050	4,901	2,692	2,796
250K – 1 Mil. Pop.	15,058	16,185	3,306	3,484	1,781	2,017
< 250K Pop.	7,641	7,356	1,744	1,417	911	779
Nonmetro	11,513	11,458	2,278	2,242	1,237	1,189
Urbanized	5,077	4,453	997	870	456	549
Less Urbanized	5,432	5,866	1,143	1,145	687	512
Completely Rural	1,004	1,138	138	227	94	129

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.65B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	36.9	36.5	8.4	7.8	4.4	4.2
GEOGRAPHIC DIVISION						
Northeast	36.1	33.4	8.7	8.1	4.7	3.7
New England	40.2	39.5	9.6	9.0	4.9	4.6
Middle Atlantic	34.7 ^a	31.3	8.4	7.8	4.6 ^a	3.4
Midwest	41.0	39.5	9.3 ^a	7.8	4.9	4.1
East North Central	40.1	38.6	9.7	8.4	5.0	4.2
West North Central	43.1	41.6	8.3	6.6	4.4	3.9
South	35.2	35.6	8.3	8.0	4.7	4.6
South Atlantic	35.5	35.0	8.2	7.9	4.5	4.9
East South Central	36.3	39.3	8.7	8.7	5.3	5.3
West South Central	34.0	34.8	8.3	7.7	4.7	3.8
West	36.5	37.3	7.6	7.2	3.4	3.8
Mountain	38.4	39.4	7.9	7.9	3.2	4.7
Pacific	35.7	36.4	7.5	7.0	3.5	3.4
COUNTY TYPE						
Large Metro	36.2	35.5	8.7	7.9	4.5	4.1
Small Metro	38.6	38.2	8.6	8.0	4.6	4.5
250K – 1 Mil. Pop.	38.2	38.5	8.4	8.3	4.5	4.8
< 250K Pop.	39.4	37.6	9.0	7.2	4.7	4.0
Nonmetro	36.1	36.2	7.1	7.1	3.9	3.8
Urbanized	37.8	34.5	7.4	6.7	3.4	4.3
Less Urbanized	35.3	38.3	7.4	7.5	4.5	3.3
Completely Rural	32.8	33.5	4.5	6.7	3.1	3.8

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.66A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	86,067	85,830	24,179	23,040	12,485	12,007
GEOGRAPHIC DIVISION						
Northeast	15,645 ^a	14,492	4,568	4,232	2,386 ^a	1,936
New England	4,589	4,523	1,318	1,248	654	606
Middle Atlantic	11,057 ^a	9,969	3,250	2,984	1,731 ^a	1,330
Midwest	20,900	20,190	5,877 ^a	5,219	3,096	2,718
East North Central	14,217	13,722	4,186	3,778	2,209	1,926
West North Central	6,683	6,468	1,692	1,441	887	792
South	29,917	31,004	8,588	8,676	4,774	4,860
South Atlantic	15,923	16,269	4,443	4,602	2,405	2,712
East South Central	5,023	5,492	1,491	1,519	892	893
West South Central	8,971	9,244	2,654	2,556	1,477	1,256
West	19,604	20,144	5,145	4,913	2,230	2,493
Mountain	6,377	6,494	1,687	1,655	708	932
Pacific	13,228	13,649	3,458	3,257	1,522	1,562
COUNTY TYPE						
Large Metro	44,811	44,232	12,884	12,242	6,557	6,246
Small Metro	27,584	28,142	7,797	7,479	4,045	4,040
250K – 1 Mil. Pop.	18,112	19,039	5,019	5,075	2,623	2,799
< 250K Pop.	9,472	9,103	2,777	2,404	1,422	1,241
Nonmetro	13,672	13,456	3,499	3,319	1,883	1,721
Urbanized	6,114	5,398	1,575	1,394	754	811
Less Urbanized	6,407	6,728	1,717	1,594	996	729
Completely Rural	1,150	1,330	207	331	134	181

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.66B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	37.5	36.9	10.5 ^a	9.9	5.4	5.2
GEOGRAPHIC DIVISION						
Northeast	37.0 ^a	34.0	10.8	9.9	5.6 ^a	4.5
New England	41.1	40.4	11.8	11.1	5.9	5.4
Middle Atlantic	35.5 ^b	31.7	10.4	9.5	5.6 ^a	4.2
Midwest	41.8	40.2	11.8 ^a	10.4	6.2	5.4
East North Central	40.9	39.3	12.0	10.8	6.4	5.5
West North Central	43.9	42.1	11.1	9.4	5.8	5.2
South	35.6	36.1	10.2	10.1	5.7	5.7
South Atlantic	35.8	35.7	10.0	10.1	5.4	6.0
East South Central	36.8	39.7	10.9	11.0	6.5	6.5
West South Central	34.7	34.8	10.3	9.6	5.7	4.7
West	37.0	37.4	9.7	9.1	4.2	4.6
Mountain	39.2	39.8	10.4	10.1	4.4	5.7
Pacific	36.0	36.4	9.4	8.7	4.1	4.2
COUNTY TYPE						
Large Metro	36.5	35.8	10.5	9.9	5.3	5.1
Small Metro	39.4	38.7	11.1	10.3	5.8	5.6
250K – 1 Mil. Pop.	39.0	38.7	10.8	10.3	5.6	5.7
< 250K Pop.	40.3	38.5	11.8	10.2	6.1	5.3
Nonmetro	37.3	37.0	9.5	9.1	5.1	4.7
Urbanized	39.3 ^a	35.7	10.1	9.2	4.8	5.4
Less Urbanized	36.2	38.7	9.7	9.2	5.6 ^a	4.2
Completely Rural	33.8	34.6	6.1	8.6	3.9	4.7

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.