

**Table 2.17C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	874	926	920	900	852	846
AGE						
12-17	101	99	89	85	69	68
18-25	159	160	171	171	166	167
26 or Older	818	877	870	857	813	805
GENDER						
Male	506	558	667	605	626	581
Female	648	660	572	564	535	542
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	800	810	863	844	810	791
White	641	655	751	747	707	710
Black or African American	333	298	311	284	301	272
American Indian or Alaska Native	89	108	55	81	52	72
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	55
Asian	357	391	188	171	149	154
Two or More Races	167	189	106	127	94	121
Hispanic or Latino	364	397	328	306	306	292

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.17D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics:
Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.34	0.36	0.36	0.35	0.34	0.33
AGE						
12-17	0.42	0.40	0.37	0.34	0.28	0.27
18-25	0.47	0.47	0.50	0.50	0.49	0.49
26 or Older	0.42	0.44	0.45	0.43	0.42	0.41
GENDER						
Male	0.41	0.45	0.54	0.49	0.51	0.47
Female	0.50	0.50	0.44	0.42	0.41	0.41
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.37	0.37	0.40	0.39	0.37	0.36
White	0.38	0.39	0.44	0.44	0.42	0.42
Black or African American	1.10	0.98	1.03	0.94	1.00	0.90
American Indian or Alaska Native	3.02	3.44	4.29	3.60	4.02	3.38
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	5.11
Asian	2.20	2.22	1.55	1.27	1.28	1.16
Two or More Races	2.53	2.07	2.82	2.57	2.64	2.51
Hispanic or Latino	0.99	1.01	0.89	0.78	0.83	0.74

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.17P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.0080		0.0213		0.0299	
AGE						
12-17	0.0005		0.0064		0.0468	
18-25	0.1734		0.0588		0.0253	
26 or Older	0.0416		0.0937		0.1136	
GENDER						
Male	0.1030		0.0339		0.0315	
Female	0.0312		0.2760		0.3996	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1033		0.1164		0.0901	
White	0.3707		0.1024		0.0770	
Black or African American	0.1305		0.5254		0.3798	
American Indian or Alaska Native	0.9593		0.1802		0.1947	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.8204		0.6877		0.7770	
Two or More Races	0.4361		0.3553		0.2652	
Hispanic or Latino	0.0329		0.0404		0.2004	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.18C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	101	99	89	85	69	68
GENDER						
Male	72	72	65	63	52	53
Female	67	64	60	56	43	43
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	88	83	78	74	62	58
White	98	88	83	74	62	55
Black or African American	42	37	31	31	22	25
American Indian or Alaska Native	8	7	6	6	5	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	19	22	16	17	12	12
Two or More Races	17	24	12	21	9	16
Hispanic or Latino	47	49	41	41	30	32
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	65	65	57	55	43	42
Female, White, Not Hispanic	64	53	54	45	39	33
Male, Black, Not Hispanic	32	30	24	26	18	21
Female, Black, Not Hispanic	26	20	19	17	12	13
Male, Hispanic	39	41	32	33	26	26
Female, Hispanic	36	36	31	28	19	20

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.18D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.42	0.40	0.37	0.34	0.28	0.27
GENDER						
Male	0.58	0.57	0.52	0.49	0.42	0.41
Female	0.56	0.53	0.50	0.46	0.36	0.35
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.45	0.43	0.40	0.38	0.32	0.30
White	0.53	0.50	0.49	0.45	0.40	0.36
Black or African American	0.98	0.85	0.79	0.76	0.57	0.64
American Indian or Alaska Native	4.19	3.91	3.64	3.17	3.15	2.67
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.61	1.64	1.40	1.32	1.07	0.98
Two or More Races	2.51	2.58	2.03	2.42	1.56	2.04
Hispanic or Latino	0.95	0.90	0.83	0.75	0.61	0.58
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.73	0.73	0.68	0.65	0.56	0.54
Female, White, Not Hispanic	0.75	0.67	0.69	0.60	0.52	0.46
Male, Black, Not Hispanic	1.51	1.29	1.19	1.23	0.93	1.06
Female, Black, Not Hispanic	1.28	1.08	1.00	0.91	0.64	0.71
Male, Hispanic	1.23	1.26	1.12	1.06	0.97	0.87
Female, Hispanic	1.35	1.18	1.23	0.98	0.76	0.73

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.18P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.0005		0.0064		0.0468	
GENDER						
Male	0.0411		0.1367		0.2252	
Female	0.0027		0.0153		0.1066	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0132		0.1437		0.2668	
White	0.0373		0.0464		0.1910	
Black or African American	0.0746		0.7855		0.8755	
American Indian or Alaska Native	0.0175		0.1806		0.2139	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.8004		0.7480		0.8302	
Two or More Races	0.6376		0.1284		0.2282	
Hispanic or Latino	0.0080		0.0051		0.0451	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.3864		0.5211		0.6775	
Female, White, Not Hispanic	0.0304		0.0254		0.1158	
Male, Black, Not Hispanic	0.6932		0.9439		0.9640	
Female, Black, Not Hispanic	0.0283		0.7007		0.6959	
Male, Hispanic	0.0141		0.0253		0.0452	
Female, Hispanic	0.1738		0.0770		0.5252	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.19C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	159	160	171	171	166	167
GENDER						
Male	105	102	120	113	121	113
Female	105	113	104	114	96	105
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	139	138	149	146	148	145
White	288	305	239	238	199	191
Black or African American	105	110	83	92	73	78
American Indian or Alaska Native	15	21	14	20	13	18
Native Hawaiian or Other Pacific Islander	*	*	12	*	11	*
Asian	61	76	49	61	40	53
Two or More Races	28	38	25	33	23	29
Hispanic or Latino	72	79	72	85	69	81
EDUCATION						
< High School	113	122	103	109	95	100
High School Graduate	176	176	149	153	129	135
Some College	216	250	178	194	141	152
College Graduate	117	139	89	95	72	73
CURRENT EMPLOYMENT						
Full-Time	188	208	157	160	141	140
Part-Time	156	162	135	135	110	113
Unemployed	100	101	89	94	81	87
Other ¹	151	172	125	135	101	105

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.19D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.47	0.47	0.50	0.50	0.49	0.49
GENDER						
Male	0.61	0.59	0.69	0.66	0.70	0.66
Female	0.62	0.66	0.62	0.67	0.57	0.61
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.51	0.51	0.54	0.54	0.54	0.53
White	0.52	0.54	0.60	0.59	0.61	0.61
Black or African American	1.22	1.18	1.17	1.24	1.14	1.18
American Indian or Alaska Native	3.59	2.42	4.10	3.40	4.64	4.44
Native Hawaiian or Other Pacific Islander	*	*	5.82	*	5.58	*
Asian	2.54	2.56	2.42	2.35	2.33	2.17
Two or More Races	3.58	2.74	3.39	3.25	3.31	3.13
Hispanic or Latino	1.10	1.13	1.10	1.20	1.05	1.15
EDUCATION						
< High School	1.09	1.11	1.19	1.21	1.17	1.23
High School Graduate	0.77	0.75	0.78	0.81	0.79	0.81
Some College	0.80	0.82	0.88	0.83	0.83	0.78
College Graduate	1.22	1.31	1.23	1.28	1.14	1.16
CURRENT EMPLOYMENT						
Full-Time	0.72	0.68	0.79	0.77	0.77	0.76
Part-Time	0.84	0.86	0.94	0.89	0.87	0.87
Unemployed	1.10	1.14	1.24	1.24	1.29	1.30
Other ¹	1.00	1.02	0.99	1.02	0.94	0.97

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.19P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.1734		0.0588		0.0253	
GENDER						
Male	0.4853		0.1419		0.1312	
Female	0.2730		0.2590		0.1085	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.3337		0.0640		0.0130	
White	0.3663		0.0577		0.0079	
Black or African American	0.4469		0.6030		0.8569	
American Indian or Alaska Native	0.4322		0.3848		0.3635	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5725		0.8331		0.4872	
Two or More Races	0.9111		0.7584		0.9923	
Hispanic or Latino	0.4749		0.8705		0.6780	
EDUCATION						
< High School	0.6017		0.6930		0.5343	
High School Graduate	0.5893		0.1034		0.1609	
Some College	0.1199		0.0976		0.0499	
College Graduate	0.4309		0.8142		0.3153	
CURRENT EMPLOYMENT						
Full-Time	0.7120		0.0994		0.0368	
Part-Time	0.4385		0.7190		0.6795	
Unemployed	0.3848		0.5649		0.9738	
Other ¹	0.5220		0.3522		0.1548	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.20C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	818	877	870	857	813	805
GENDER						
Male	470	521	631	588	599	560
Female	628	641	548	541	516	520
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	753	770	825	804	776	756
White	1,691	1,599	919	858	833	781
Black or African American	611	542	390	342	366	315
American Indian or Alaska Native	84	97	50	73	48	66
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	347	376	176	154	141	140
Two or More Races	164	182	101	121	91	117
Hispanic or Latino	338	370	309	285	294	272
EDUCATION						
< High School	619	557	425	382	411	370
High School Graduate	892	844	583	532	546	506
Some College	851	846	515	518	469	482
College Graduate	1,102	1,048	489	487	404	415
CURRENT EMPLOYMENT						
Full-Time	1,316	1,241	780	748	690	670
Part-Time	505	520	296	306	271	282
Unemployed	360	306	261	231	243	220
Other ¹	1,013	1,012	532	533	505	502

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.20D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics:
Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.42	0.44	0.45	0.43	0.42	0.41
GENDER						
Male	0.50	0.55	0.67	0.62	0.64	0.59
Female	0.62	0.62	0.54	0.52	0.51	0.50
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.44	0.45	0.49	0.47	0.46	0.44
White	0.45	0.46	0.53	0.53	0.50	0.50
Black or African American	1.42	1.28	1.39	1.25	1.35	1.19
American Indian or Alaska Native	3.96	4.68	5.43	4.61	5.20	4.37
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.75	2.84	1.89	1.56	1.55	1.42
Two or More Races	3.60	2.87	4.15	3.85	3.91	3.75
Hispanic or Latino	1.34	1.37	1.22	1.06	1.16	1.01
EDUCATION						
< High School	1.24	1.22	1.31	1.16	1.26	1.13
High School Graduate	0.74	0.76	0.79	0.78	0.77	0.76
Some College	0.82	0.78	0.86	0.84	0.82	0.81
College Graduate	0.76	0.79	0.65	0.68	0.58	0.60
CURRENT EMPLOYMENT						
Full-Time	0.51	0.55	0.58	0.58	0.55	0.54
Part-Time	1.20	1.15	1.13	1.16	1.04	1.10
Unemployed	1.62	1.85	1.95	1.95	1.89	1.93
Other ¹	0.89	0.86	0.79	0.74	0.77	0.71

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.20P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.0416		0.0937		0.1136	
GENDER						
Male	0.2340		0.0937		0.0817	
Female	0.0943		0.5195		0.6700	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1948		0.2788		0.2504	
White	0.5244		0.2908		0.2433	
Black or African American	0.0892		0.4379		0.3726	
American Indian or Alaska Native	0.9640		0.1693		0.2196	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.8845		0.5336		0.9586	
Two or More Races	0.3275		0.3840		0.2763	
Hispanic or Latino	0.1029		0.0944		0.2352	
EDUCATION						
< High School	0.3731		0.4708		0.4977	
High School Graduate	0.5338		0.2614		0.3585	
Some College	0.1041		0.7550		0.9155	
College Graduate	0.2161		0.4976		0.2847	
CURRENT EMPLOYMENT						
Full-Time	0.0077		0.0509		0.0551	
Part-Time	0.8390		0.5058		0.5615	
Unemployed	0.6961		0.8811		0.7990	
Other ¹	0.7996		0.7722		0.8245	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.21C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	844	897	906	895	840	845
GENDER						
Male	488	530	655	604	616	580
Female	642	656	570	561	532	539
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	777	788	854	840	800	789
White	1,751	1,655	970	906	874	820
Black or African American	630	573	406	366	380	337
American Indian or Alaska Native	87	106	54	79	51	71
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	55
Asian	356	392	188	169	149	152
Two or More Races	167	187	105	126	94	121
Hispanic or Latino	352	386	320	302	300	289
EDUCATION						
< High School	634	583	440	406	424	391
High School Graduate	925	871	607	572	566	535
Some College	892	902	554	563	495	512
College Graduate	1,120	1,064	504	503	414	427
CURRENT EMPLOYMENT						
Full-Time	1,349	1,272	810	775	715	696
Part-Time	528	556	325	343	292	310
Unemployed	377	325	278	248	256	238
Other ¹	1,024	1,025	546	554	516	517

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.21D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics:
Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.37	0.39	0.40	0.38	0.37	0.36
GENDER						
Male	0.44	0.47	0.59	0.54	0.56	0.52
Female	0.54	0.54	0.48	0.46	0.45	0.45
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.39	0.40	0.43	0.42	0.41	0.40
White	0.40	0.41	0.47	0.48	0.45	0.46
Black or African American	1.20	1.08	1.16	1.05	1.12	1.01
American Indian or Alaska Native	3.42	3.96	4.90	4.09	4.64	3.81
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	5.56
Asian	2.39	2.44	1.72	1.41	1.41	1.28
Two or More Races	2.95	2.34	3.42	3.12	3.20	3.03
Hispanic or Latino	1.11	1.14	1.00	0.89	0.94	0.85
EDUCATION						
< High School	1.05	1.03	1.12	1.00	1.07	0.97
High School Graduate	0.64	0.65	0.67	0.69	0.65	0.66
Some College	0.68	0.64	0.72	0.69	0.67	0.67
College Graduate	0.71	0.74	0.61	0.64	0.54	0.57
CURRENT EMPLOYMENT						
Full-Time	0.46	0.49	0.54	0.53	0.50	0.50
Part-Time	0.89	0.88	0.86	0.90	0.79	0.84
Unemployed	1.18	1.28	1.43	1.36	1.36	1.36
Other ¹	0.80	0.77	0.72	0.68	0.70	0.65

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 2.21P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.0270		0.0437		0.0482	
GENDER						
Male	0.2035		0.0529		0.0452	
Female	0.0689		0.4001		0.4806	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1612		0.1483		0.1068	
White	0.4519		0.1373		0.0896	
Black or African American	0.1540		0.4881		0.3555	
American Indian or Alaska Native	0.8883		0.1731		0.1969	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.8464		0.6869		0.7455	
Two or More Races	0.3462		0.4229		0.2839	
Hispanic or Latino	0.0865		0.0992		0.3044	
EDUCATION						
< High School	0.4383		0.5742		0.6230	
High School Graduate	0.4830		0.1572		0.2396	
Some College	0.0555		0.4702		0.7147	
College Graduate	0.1881		0.4664		0.2218	
CURRENT EMPLOYMENT						
Full-Time	0.0077		0.0290		0.0266	
Part-Time	0.9745		0.4882		0.5190	
Unemployed	0.5003		0.9072		0.7502	
Other ¹	0.7367		0.9028		0.9912	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.