

Table 2.37C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	715	684	967	984	990	1,006
AGE						
12-17	108	110	104	107	80	77
18-25	114	131	138	157	169	184
26 or Older	680	641	925	954	946	978
GENDER						
Male	395	408	628	630	675	674
Female	540	530	656	690	635	684
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	649	580	879	892	900	910
White	492	444	747	749	783	794
Black or African American	270	257	335	303	326	295
American Indian or Alaska Native	89	108	59	97	51	84
Native Hawaiian or Other Pacific Islander	87	*	*	*	*	*
Asian	428	509	385	434	330	373
Two or More Races	177	191	149	154	118	135
Hispanic or Latino	295	333	384	363	367	377

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.37D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.28	0.27	0.38	0.38	0.39	0.39
AGE						
12-17	0.44	0.44	0.43	0.43	0.33	0.31
18-25	0.34	0.38	0.41	0.46	0.50	0.54
26 or Older	0.35	0.32	0.47	0.48	0.48	0.49
GENDER						
Male	0.32	0.33	0.51	0.51	0.55	0.54
Female	0.41	0.40	0.50	0.52	0.49	0.51
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.30	0.27	0.41	0.41	0.41	0.42
White	0.29	0.26	0.44	0.44	0.46	0.47
Black or African American	0.89	0.85	1.11	1.00	1.08	0.98
American Indian or Alaska Native	4.26	3.66	4.19	3.85	3.72	3.78
Native Hawaiian or Other Pacific Islander	5.18	*	*	*	*	*
Asian	2.18	1.86	2.34	2.07	2.15	2.04
Two or More Races	2.22	1.96	2.83	2.58	2.87	2.55
Hispanic or Latino	0.80	0.85	1.05	0.92	1.00	0.96

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.37P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.4099		0.6550		0.9707	
AGE						
12-17	0.1372		0.1481		0.4804	
18-25	0.0042		0.0089		0.2848	
26 or Older	0.9655		0.8274		0.7679	
GENDER						
Male	0.9164		0.8009		0.4468	
Female	0.3460		0.4018		0.4196	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.5028		0.8805		0.9509	
White	0.2570		0.9303		0.9645	
Black or African American	0.5140		0.7773		0.6051	
American Indian or Alaska Native	0.6858		0.2201		0.1302	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.2729		0.5042		0.5636	
Two or More Races	0.6623		0.7660		0.6940	
Hispanic or Latino	0.0083		0.6583		0.5985	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.38C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	108	110	104	107	80	77
GENDER						
Male	77	80	72	74	57	53
Female	74	75	72	72	54	53
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	93	91	87	90	70	68
White	115	113	103	102	71	65
Black or African American	51	54	42	46	29	31
American Indian or Alaska Native	7	7	5	6	3	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	30	32	23	24	12	15
Two or More Races	19	27	16	25	9	17
Hispanic or Latino	53	55	52	51	37	37
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	72	75	64	66	44	45
Female, White, Not Hispanic	74	69	68	64	50	40
Male, Black, Not Hispanic	36	39	29	32	21	20
Female, Black, Not Hispanic	34	35	30	30	19	21
Male, Hispanic	48	56	44	47	31	29
Female, Hispanic	46	49	43	44	25	29

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.38D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.44	0.44	0.43	0.43	0.33	0.31
GENDER						
Male	0.62	0.63	0.58	0.58	0.46	0.42
Female	0.62	0.61	0.61	0.59	0.45	0.43
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.48	0.47	0.45	0.46	0.36	0.35
White	0.57	0.54	0.54	0.53	0.44	0.42
Black or African American	1.05	1.08	0.95	1.06	0.75	0.78
American Indian or Alaska Native	3.93	3.58	3.36	3.43	2.18	2.60
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.32	2.27	1.90	1.82	1.08	1.24
Two or More Races	2.58	2.64	2.50	2.61	1.52	2.11
Hispanic or Latino	1.08	1.02	1.07	0.94	0.76	0.68
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.76	0.76	0.72	0.72	0.55	0.57
Female, White, Not Hispanic	0.78	0.74	0.75	0.73	0.64	0.54
Male, Black, Not Hispanic	1.59	1.56	1.37	1.40	1.10	0.99
Female, Black, Not Hispanic	1.42	1.59	1.38	1.50	1.02	1.11
Male, Hispanic	1.44	1.40	1.40	1.29	1.10	0.93
Female, Hispanic	1.51	1.44	1.52	1.37	0.99	1.00

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.38P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.1372		0.1481		0.4804	
GENDER						
Male	0.5901		0.3546		0.4731	
Female	0.1003		0.2286		0.7530	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.3903		0.7019		0.9229	
White	0.3497		0.6927		0.5351	
Black or African American	0.8735		1.0000		0.8015	
American Indian or Alaska Native	0.3871		0.6870		0.2565	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6614		0.8848		0.1148	
Two or More Races	0.8447		0.7686		0.0818	
Hispanic or Latino	0.1187		0.0234		0.2306	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.7511		0.5181		0.7046	
Female, White, Not Hispanic	0.0753		0.2162		0.1964	
Male, Black, Not Hispanic	0.9247		0.8470		0.9449	
Female, Black, Not Hispanic	0.9033		0.8470		0.7654	
Male, Hispanic	0.1335		0.0030		0.0239	
Female, Hispanic	0.4285		0.7091		0.4933	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.39C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	114	131	138	157	169	184
GENDER						
Male	79	86	92	101	112	119
Female	80	93	93	108	109	123
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	100	111	119	135	148	157
White	334	362	324	354	282	313
Black or African American	152	133	138	124	109	104
American Indian or Alaska Native	15	20	14	19	12	15
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	90	101	89	96	65	81
Two or More Races	36	45	34	44	31	39
Hispanic or Latino	57	64	70	76	78	82
EDUCATION						
< High School	124	126	112	114	91	90
High School Graduate	210	208	197	196	164	160
Some College	260	303	256	296	226	264
College Graduate	147	170	144	167	134	159
CURRENT EMPLOYMENT						
Full-Time	230	250	223	242	190	212
Part-Time	183	203	177	195	159	169
Unemployed	111	109	105	102	90	86
Other ¹	186	204	179	196	152	170

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.39D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.34	0.38	0.41	0.46	0.50	0.54
GENDER						
Male	0.46	0.50	0.53	0.59	0.65	0.69
Female	0.48	0.54	0.55	0.63	0.65	0.72
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.37	0.41	0.43	0.49	0.54	0.58
White	0.38	0.40	0.47	0.52	0.60	0.62
Black or African American	0.98	0.99	1.09	1.14	1.20	1.22
American Indian or Alaska Native	2.75	3.03	4.03	3.05	4.76	3.95
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.16	2.49	2.35	2.62	2.27	2.70
Two or More Races	2.19	1.82	2.86	2.11	3.23	2.98
Hispanic or Latino	0.87	0.91	1.07	1.08	1.19	1.16
EDUCATION						
< High School	0.93	1.04	1.09	1.13	1.15	1.16
High School Graduate	0.57	0.62	0.64	0.72	0.79	0.77
Some College	0.51	0.56	0.62	0.67	0.81	0.82
College Graduate	0.65	0.83	0.79	0.91	0.98	1.17
CURRENT EMPLOYMENT						
Full-Time	0.44	0.46	0.59	0.58	0.73	0.72
Part-Time	0.63	0.65	0.72	0.73	0.90	0.86
Unemployed	0.94	1.05	1.09	1.18	1.22	1.28
Other ¹	0.83	0.93	0.99	1.09	1.10	1.21

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.39P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.0042		0.0089		0.2848	
GENDER						
Male	0.0004		0.0002		0.0053	
Female	0.5199		0.9307		0.2070	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0365		0.0382		0.5919	
White	0.2468		0.1998		0.9182	
Black or African American	0.1647		0.1368		0.9103	
American Indian or Alaska Native	0.8006		0.7121		0.9477	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.4377		0.2825		0.4640	
Two or More Races	0.9342		0.3002		0.6653	
Hispanic or Latino	0.0647		0.2125		0.3981	
EDUCATION						
< High School	0.0447		0.3412		0.6827	
High School Graduate	0.0921		0.0250		0.3443	
Some College	0.0836		0.0247		0.4182	
College Graduate	0.4535		0.8194		0.4311	
CURRENT EMPLOYMENT						
Full-Time	0.3134		0.8484		0.5656	
Part-Time	0.6813		0.5279		0.8259	
Unemployed	0.0188		0.0153		0.1185	
Other ¹	0.0036		0.0258		0.2693	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.40C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	680	641	925	954	946	978
GENDER						
Male	361	371	606	618	645	665
Female	528	513	639	668	620	663
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	623	548	850	866	866	886
White	1,857	1,791	1,643	1,589	1,414	1,401
Black or African American	677	639	551	519	473	419
American Indian or Alaska Native	*	*	55	89	49	79
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	405	474	362	403	317	347
Two or More Races	172	183	144	143	113	127
Hispanic or Latino	272	304	362	341	345	357
EDUCATION						
< High School	667	591	491	434	400	342
High School Graduate	949	907	780	768	686	684
Some College	923	934	824	795	715	711
College Graduate	1,278	1,229	1,184	1,162	1,062	1,041
CURRENT EMPLOYMENT						
Full-Time	1,494	1,417	1,362	1,292	1,215	1,164
Part-Time	573	574	536	513	465	445
Unemployed	369	329	333	290	290	249
Other ¹	1,092	1,100	865	890	724	768

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.40D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.35	0.32	0.47	0.48	0.48	0.49
GENDER						
Male	0.39	0.39	0.65	0.65	0.69	0.70
Female	0.52	0.49	0.63	0.64	0.61	0.64
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.37	0.32	0.50	0.51	0.51	0.52
White	0.35	0.30	0.54	0.54	0.56	0.57
Black or African American	1.21	1.13	1.52	1.36	1.49	1.29
American Indian or Alaska Native	*	*	5.40	5.12	4.86	4.92
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.67	2.33	2.88	2.74	2.71	2.62
Two or More Races	3.16	2.84	4.11	3.81	4.18	3.79
Hispanic or Latino	1.08	1.13	1.43	1.27	1.36	1.32
EDUCATION						
< High School	1.16	1.18	1.28	1.15	1.14	1.03
High School Graduate	0.65	0.59	0.81	0.80	0.83	0.81
Some College	0.57	0.53	0.88	0.79	0.96	0.85
College Graduate	0.46	0.46	0.70	0.75	0.80	0.84
CURRENT EMPLOYMENT						
Full-Time	0.34	0.36	0.53	0.54	0.60	0.61
Part-Time	0.85	0.80	1.34	1.17	1.41	1.25
Unemployed	1.52	1.44	1.96	1.89	1.97	1.97
Other ¹	0.82	0.72	0.96	0.92	0.93	0.89

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.40P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.9655		0.8274		0.7679	
GENDER						
Male	0.3334		0.2786		0.8826	
Female	0.5654		0.4985		0.5088	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.2283		0.8154		0.9569	
White	0.1529		0.8902		0.9423	
Black or African American	0.6103		0.9738		0.6139	
American Indian or Alaska Native	*		0.2675		0.1706	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1790		0.4351		0.5542	
Two or More Races	0.4547		0.6724		0.6854	
Hispanic or Latino	0.0468		0.8044		0.3250	
EDUCATION						
< High School	0.2494		0.2809		0.1649	
High School Graduate	0.2429		0.4185		0.0562	
Some College	0.3489		0.7192		0.5583	
College Graduate	0.7730		0.7220		0.3972	
CURRENT EMPLOYMENT						
Full-Time	0.0922		0.3870		0.4779	
Part-Time	0.5987		0.5322		0.4165	
Unemployed	0.2008		0.8594		0.5185	
Other ¹	0.2638		0.1599		0.1031	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.41C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	694	656	953	977	974	1,006
GENDER						
Male	369	383	621	629	666	678
Female	535	520	656	680	634	677
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	633	559	871	886	888	909
White	1,932	1,870	1,720	1,667	1,478	1,468
Black or African American	723	683	593	563	495	456
American Indian or Alaska Native	*	106	58	95	51	83
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	426	505	383	431	330	372
Two or More Races	176	188	148	151	118	134
Hispanic or Latino	282	317	377	357	361	376
EDUCATION						
< High School	682	618	505	460	404	365
High School Graduate	990	945	817	806	715	711
Some College	984	1,012	887	880	767	781
College Graduate	1,306	1,258	1,213	1,191	1,089	1,070
CURRENT EMPLOYMENT						
Full-Time	1,533	1,472	1,403	1,346	1,248	1,210
Part-Time	604	615	569	553	496	479
Unemployed	391	350	352	311	303	264
Other ¹	1,105	1,117	879	913	739	787

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.41D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.30	0.28	0.42	0.42	0.42	0.43
GENDER						
Male	0.33	0.34	0.56	0.56	0.60	0.61
Female	0.45	0.43	0.55	0.56	0.54	0.56
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.32	0.28	0.44	0.45	0.45	0.46
White	0.31	0.27	0.48	0.48	0.50	0.51
Black or African American	1.00	0.93	1.26	1.13	1.23	1.10
American Indian or Alaska Native	*	4.16	4.81	4.33	4.27	4.19
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.36	1.99	2.56	2.32	2.38	2.27
Two or More Races	2.53	2.26	3.35	3.13	3.43	3.10
Hispanic or Latino	0.89	0.93	1.18	1.05	1.13	1.11
EDUCATION						
< High School	0.98	1.00	1.09	0.99	0.97	0.90
High School Graduate	0.54	0.50	0.69	0.69	0.70	0.69
Some College	0.46	0.44	0.72	0.66	0.80	0.70
College Graduate	0.43	0.44	0.66	0.70	0.74	0.79
CURRENT EMPLOYMENT						
Full-Time	0.31	0.32	0.48	0.49	0.55	0.55
Part-Time	0.63	0.60	0.98	0.87	1.04	0.93
Unemployed	1.09	1.03	1.39	1.33	1.41	1.39
Other ¹	0.73	0.65	0.87	0.84	0.84	0.81

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.41P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.6405		0.8354		0.9236	
GENDER						
Male	0.8400		0.6468		0.5432	
Female	0.5011		0.4967		0.3870	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.4079		0.9100		0.9553	
White	0.2183		0.9190		0.9685	
Black or African American	0.4481		0.7537		0.5974	
American Indian or Alaska Native	*		0.2778		0.1864	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.2098		0.4654		0.5828	
Two or More Races	0.4518		0.8251		0.7399	
Hispanic or Latino	0.0217		1.0000		0.4441	
EDUCATION						
< High School	0.1389		0.2456		0.1654	
High School Graduate	0.3949		0.6886		0.0929	
Some College	0.1962		0.4379		0.4441	
College Graduate	0.7035		0.7017		0.3546	
CURRENT EMPLOYMENT						
Full-Time	0.0696		0.3758		0.5288	
Part-Time	0.5427		0.6427		0.4624	
Unemployed	0.6710		0.6680		0.2954	
Other ¹	0.4861		0.2795		0.1492	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.42C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	990	1,006	752	734	422	423
AGE						
12-17	80	77	62	55	28	25
18-25	169	184	168	189	127	125
26 or Older	946	978	715	699	398	396
GENDER						
Male	675	674	577	567	353	355
Female	635	684	441	441	201	207
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	900	910	688	673	402	388
White	783	794	609	612	360	353
Black or African American	326	295	246	226	133	107
American Indian or Alaska Native	51	84	41	57	17	43
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	35
Asian	330	373	148	141	72	39
Two or More Races	118	135	64	63	33	39
Hispanic or Latino	367	377	313	297	138	151

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.42D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	0.39	0.39	0.30	0.29	0.17	0.16
AGE						
12-17	0.33	0.31	0.25	0.22	0.11	0.10
18-25	0.50	0.54	0.49	0.55	0.37	0.36
26 or Older	0.48	0.49	0.37	0.35	0.20	0.20
GENDER						
Male	0.55	0.54	0.47	0.45	0.29	0.28
Female	0.49	0.51	0.34	0.33	0.15	0.16
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.41	0.42	0.32	0.31	0.19	0.18
White	0.46	0.47	0.36	0.36	0.21	0.21
Black or African American	1.08	0.98	0.81	0.75	0.44	0.35
American Indian or Alaska Native	3.72	3.78	3.12	3.49	1.50	2.74
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	3.60
Asian	2.15	2.04	1.17	1.09	0.60	0.32
Two or More Races	2.87	2.55	1.99	1.60	1.03	0.96
Hispanic or Latino	1.00	0.96	0.85	0.75	0.37	0.38

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.42P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	0.9707		0.2901		0.0256	
AGE						
12-17	0.4804		0.1690		0.2621	
18-25	0.2848		0.3236		0.0037	
26 or Older	0.7679		0.5015		0.1783	
GENDER						
Male	0.4468		0.1773		0.0569	
Female	0.4196		0.8566		0.2564	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.9509		0.6282		0.0227	
White	0.9645		0.9228		0.0438	
Black or African American	0.6051		0.7390		0.3798	
American Indian or Alaska Native	0.1302		0.9327		0.1353	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5636		0.6889		0.2424	
Two or More Races	0.6940		0.2466		0.6378	
Hispanic or Latino	0.5985		0.1229		0.8790	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.43C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	80	77	62	55	28	25
GENDER						
Male	57	53	44	42	23	22
Female	54	53	43	37	17	15
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	70	68	52	48	24	23
White	71	65	52	46	23	22
Black or African American	29	31	15	18	4	7
American Indian or Alaska Native	3	5	3	4	1	1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	12	15	7	11	3	5
Two or More Races	9	17	7	11	5	6
Hispanic or Latino	37	37	30	28	14	9
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	44	45	35	35	17	19
Female, White, Not Hispanic	50	40	37	28	16	12
Male, Black, Not Hispanic	21	20	12	13	3	4
Female, Black, Not Hispanic	19	21	10	13	3	5
Male, Hispanic	31	29	25	20	13	8
Female, Hispanic	25	29	20	21	6	5

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.43D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	0.33	0.31	0.25	0.22	0.11	0.10
GENDER						
Male	0.46	0.42	0.35	0.33	0.18	0.17
Female	0.45	0.43	0.36	0.30	0.14	0.12
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.36	0.35	0.27	0.25	0.12	0.12
White	0.44	0.42	0.34	0.32	0.16	0.16
Black or African American	0.75	0.78	0.42	0.48	0.12	0.19
American Indian or Alaska Native	2.18	2.60	1.95	2.43	0.74	0.91
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.08	1.24	0.65	0.89	0.28	0.40
Two or More Races	1.52	2.11	1.24	1.53	0.88	0.87
Hispanic or Latino	0.76	0.68	0.61	0.51	0.29	0.16
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.55	0.57	0.45	0.46	0.24	0.26
Female, White, Not Hispanic	0.64	0.54	0.51	0.40	0.22	0.18
Male, Black, Not Hispanic	1.10	0.99	0.63	0.69	0.17	0.22
Female, Black, Not Hispanic	1.02	1.11	0.58	0.71	0.18	0.30
Male, Hispanic	1.10	0.93	0.92	0.70	0.52	0.28
Female, Hispanic	0.99	1.00	0.80	0.75	0.26	0.18

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.43P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	0.4804		0.1690		0.2621	
GENDER						
Male	0.4731		0.3265		0.3561	
Female	0.7530		0.3409		0.5800	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.9229		0.7278		0.6215	
White	0.5351		0.3996		0.7252	
Black or African American	0.8015		0.5841		0.7321	
American Indian or Alaska Native	0.2565		0.4257		0.1837	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1148		0.3706		0.7606	
Two or More Races	0.0818		0.5088		0.8991	
Hispanic or Latino	0.2306		0.0419		0.0015	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.7046		0.4774		0.4453	
Female, White, Not Hispanic	0.1964		0.0428		0.6427	
Male, Black, Not Hispanic	0.9449		0.8877		0.7621	
Female, Black, Not Hispanic	0.7654		0.3629		0.8446	
Male, Hispanic	0.0239		0.0032		0.0033	
Female, Hispanic	0.4933		0.7789		0.2484	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.44C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	169	184	168	189	127	125
GENDER						
Male	112	119	121	126	101	87
Female	109	123	101	116	59	72
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	148	157	148	164	118	109
White	282	313	217	238	134	125
Black or African American	109	104	74	66	28	24
American Indian or Alaska Native	12	15	12	13	*	6
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	65	81	41	51	18	16
Two or More Races	31	39	19	26	11	14
Hispanic or Latino	78	82	76	79	46	48
EDUCATION						
< High School	91	90	76	74	40	34
High School Graduate	164	160	130	125	62	63
Some College	226	264	171	202	105	108
College Graduate	134	159	97	117	52	48
CURRENT EMPLOYMENT						
Full-Time	190	212	142	167	74	76
Part-Time	159	169	120	126	72	63
Unemployed	90	86	71	73	44	32
Other ¹	152	170	118	127	71	69

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.44D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	0.50	0.54	0.49	0.55	0.37	0.36
GENDER						
Male	0.65	0.69	0.70	0.73	0.59	0.51
Female	0.65	0.72	0.60	0.68	0.35	0.42
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.54	0.58	0.54	0.60	0.43	0.40
White	0.60	0.62	0.64	0.68	0.53	0.50
Black or African American	1.20	1.22	1.08	1.01	0.54	0.49
American Indian or Alaska Native	4.76	3.95	4.77	3.83	*	2.84
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.27	2.70	2.07	2.21	1.21	0.83
Two or More Races	3.23	2.98	3.14	2.93	1.84	1.81
Hispanic or Latino	1.19	1.16	1.16	1.12	0.71	0.68
EDUCATION						
< High School	1.15	1.16	1.05	1.04	0.62	0.56
High School Graduate	0.79	0.77	0.76	0.77	0.48	0.48
Some College	0.81	0.82	0.91	0.94	0.74	0.69
College Graduate	0.98	1.17	1.27	1.42	0.91	0.85
CURRENT EMPLOYMENT						
Full-Time	0.73	0.72	0.75	0.80	0.53	0.54
Part-Time	0.90	0.86	0.87	0.93	0.66	0.59
Unemployed	1.22	1.28	1.17	1.24	0.89	0.68
Other ¹	1.10	1.21	1.08	1.13	0.81	0.72

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.44P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	0.2848		0.3236		0.0037	
GENDER						
Male	0.0053		0.0547		0.0072	
Female	0.2070		0.4785		0.1787	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.5919		0.5236		0.0033	
White	0.9182		0.9143		0.0169	
Black or African American	0.9103		0.6060		0.3415	
American Indian or Alaska Native	0.9477		0.6999		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.4640		0.6018		0.2290	
Two or More Races	0.6653		0.8266		0.7644	
Hispanic or Latino	0.3981		0.4578		0.7296	
EDUCATION						
< High School	0.6827		0.7636		0.4413	
High School Graduate	0.3443		0.4446		0.4679	
Some College	0.4182		0.4814		0.0280	
College Graduate	0.4311		0.6135		0.0078	
CURRENT EMPLOYMENT						
Full-Time	0.5656		0.9171		0.3488	
Part-Time	0.8259		0.6697		0.0757	
Unemployed	0.1185		0.6649		0.0016	
Other ¹	0.2693		0.3499		0.3280	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.45C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	946	978	715	699	398	396
GENDER						
Male	645	665	552	552	337	343
Female	620	663	427	406	190	184
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	866	886	658	637	375	366
White	1,414	1,401	723	694	358	359
Black or African American	473	419	275	257	136	110
American Indian or Alaska Native	49	79	39	54	15	41
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	317	347	139	127	69	36
Two or More Races	113	127	61	55	31	36
Hispanic or Latino	345	357	296	287	129	145
EDUCATION						
< High School	400	342	288	264	160	131
High School Graduate	686	684	464	443	233	215
Some College	715	711	398	404	199	215
College Graduate	1,062	1,041	492	447	245	205
CURRENT EMPLOYMENT						
Full-Time	1,215	1,164	686	667	341	343
Part-Time	465	445	269	225	153	125
Unemployed	290	249	196	175	113	90
Other ¹	724	768	369	337	176	164

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.45D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	0.48	0.49	0.37	0.35	0.20	0.20
GENDER						
Male	0.69	0.70	0.59	0.58	0.36	0.36
Female	0.61	0.64	0.42	0.39	0.19	0.18
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.51	0.52	0.39	0.37	0.22	0.21
White	0.56	0.57	0.43	0.43	0.25	0.25
Black or African American	1.49	1.29	1.10	0.99	0.60	0.47
American Indian or Alaska Native	4.86	4.92	4.01	4.51	1.75	3.49
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.71	2.62	1.43	1.33	0.75	0.38
Two or More Races	4.18	3.79	2.85	2.19	1.45	1.38
Hispanic or Latino	1.36	1.32	1.17	1.06	0.51	0.54
EDUCATION						
< High School	1.14	1.03	0.92	0.86	0.54	0.48
High School Graduate	0.83	0.81	0.71	0.68	0.39	0.36
Some College	0.96	0.85	0.74	0.69	0.41	0.41
College Graduate	0.80	0.84	0.67	0.64	0.37	0.32
CURRENT EMPLOYMENT						
Full-Time	0.60	0.61	0.52	0.52	0.31	0.31
Part-Time	1.41	1.25	1.04	0.89	0.63	0.52
Unemployed	1.97	1.97	1.69	1.70	1.05	0.96
Other ¹	0.93	0.89	0.58	0.51	0.29	0.26

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.45P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	0.7679		0.5015		0.1783	
GENDER						
Male	0.8826		0.4088		0.2695	
Female	0.5088		0.9121		0.4666	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.9569		0.8053		0.1322	
White	0.9423		0.9207		0.1851	
Black or African American	0.6139		0.8025		0.4952	
American Indian or Alaska Native	0.1706		0.9201		0.1179	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5542		0.5754		0.3259	
Two or More Races	0.6854		0.1567		0.5488	
Hispanic or Latino	0.3250		0.2493		0.8045	
EDUCATION						
< High School	0.1649		0.8263		0.3661	
High School Graduate	0.0562		0.5106		0.7162	
Some College	0.5583		0.5614		0.4981	
College Graduate	0.3972		0.1396		0.0407	
CURRENT EMPLOYMENT						
Full-Time	0.4779		0.8971		0.3329	
Part-Time	0.4165		0.2727		0.9693	
Unemployed	0.5185		0.7660		0.2467	
Other ¹	0.1031		0.9374		0.8437	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.46C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	974	1,006	748	736	421	423
GENDER						
Male	666	678	573	568	352	355
Female	634	677	444	443	201	207
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	888	909	683	673	400	387
White	1,478	1,468	768	751	388	385
Black or African American	495	456	287	275	138	113
American Indian or Alaska Native	51	83	41	57	18	43
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	330	372	149	141	72	39
Two or More Races	118	134	64	61	32	38
Hispanic or Latino	361	376	309	298	137	152
EDUCATION						
< High School	404	365	296	282	165	139
High School Graduate	715	711	485	468	241	225
Some College	767	781	440	463	228	247
College Graduate	1,089	1,070	516	474	255	215
CURRENT EMPLOYMENT						
Full-Time	1,248	1,210	711	701	355	356
Part-Time	496	479	297	256	168	138
Unemployed	303	264	212	188	122	95
Other ¹	739	787	385	363	188	179

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.46D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	0.42	0.43	0.33	0.32	0.18	0.18
GENDER						
Male	0.60	0.61	0.52	0.51	0.32	0.32
Female	0.54	0.56	0.37	0.37	0.17	0.17
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.45	0.46	0.35	0.34	0.20	0.20
White	0.50	0.51	0.39	0.39	0.23	0.23
Black or African American	1.23	1.10	0.93	0.84	0.50	0.40
American Indian or Alaska Native	4.27	4.19	3.56	3.88	1.74	3.01
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.38	2.27	1.29	1.21	0.66	0.35
Two or More Races	3.43	3.10	2.42	1.94	1.22	1.16
Hispanic or Latino	1.13	1.11	0.97	0.88	0.43	0.45
EDUCATION						
< High School	0.97	0.90	0.79	0.75	0.46	0.42
High School Graduate	0.70	0.69	0.60	0.59	0.33	0.31
Some College	0.80	0.70	0.64	0.60	0.37	0.37
College Graduate	0.74	0.79	0.64	0.62	0.36	0.30
CURRENT EMPLOYMENT						
Full-Time	0.55	0.55	0.48	0.48	0.28	0.29
Part-Time	1.04	0.93	0.80	0.72	0.48	0.41
Unemployed	1.41	1.39	1.25	1.22	0.77	0.69
Other ¹	0.84	0.81	0.54	0.48	0.28	0.25

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.46P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Alcohol Use (2010)	Alcohol Use (2011)	Binge Alcohol Use (2010)	Binge Alcohol Use (2011)	Heavy Alcohol Use (2010)	Heavy Alcohol Use (2011)
TOTAL	0.9236		0.3614		0.0322	
GENDER						
Male	0.5432		0.2197		0.0701	
Female	0.3870		0.7824		0.2748	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.9553		0.6436		0.0206	
White	0.9685		0.9523		0.0400	
Black or African American	0.5974		0.6974		0.3806	
American Indian or Alaska Native	0.1864		0.8619		0.1604	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5828		0.6700		0.2381	
Two or More Races	0.7399		0.2408		0.6627	
Hispanic or Latino	0.4441		0.2017		0.8885	
EDUCATION						
< High School	0.1654		0.8498		0.3038	
High School Graduate	0.0929		0.6512		0.5890	
Some College	0.4441		0.4118		0.8218	
College Graduate	0.3546		0.1249		0.0114	
CURRENT EMPLOYMENT						
Full-Time	0.5288		0.8651		0.2495	
Part-Time	0.4624		0.2772		0.4831	
Unemployed	0.2954		0.7958		0.0293	
Other ¹	0.1492		0.8785		0.6169	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.