

**Table 3.21A Past Month Use of Selected Substances, by Youth's Perceptions of Parents' Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Numbers in Thousands, 2011**

Feelings about Substance Use Behaviors <sup>1</sup>	SUBSTANCE USE IN THE PAST MONTH							
	Used Illicit Drugs <sup>2</sup>		Used Marijuana		Used Cigarettes		Binge Use of Alcohol <sup>3</sup>	
	Strongly Disapprove	Somewhat Disapprove/ Approve Nor Neither Disapprove	Strongly Disapprove	Somewhat Disapprove/ Approve Nor Neither Disapprove	Strongly Disapprove	Somewhat Disapprove/ Approve Nor Neither Disapprove	Strongly Disapprove	Somewhat Disapprove/ Approve Nor Neither Disapprove
<b>YOUTH'S PERCEPTIONS OF PARENTS' FEELINGS ABOUT YOUTH...</b>								
Smoking One or More Packs of Cigarettes Per Day	2,017	468	1,551	387	1,263	619	1,470	357
Trying Marijuana or Hashish Once or Twice	1,526	945	1,093	834	1,213	673	1,236	586
Using Marijuana or Hashish Once a Month or More	1,622	847	1,162	766	1,264	624	1,289	534
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	1,910	570	1,474	462	1,380	501	1,292	527

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011.

**Table 3.21B Past Month Use of Selected Substances, by Youth's Perceptions of Parents' Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Percentages, 2011**

Feelings about Substance Use Behaviors <sup>1</sup>	SUBSTANCE USE IN THE PAST MONTH							
	Used Illicit Drugs <sup>2</sup>		Used Marijuana		Used Cigarettes		Binge Use of Alcohol <sup>3</sup>	
	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove	Strongly Disapprove	Somewhat Disapprove/ Neither Approve Nor Disapprove
<b>YOUTH'S PERCEPTIONS OF PARENTS' FEELINGS ABOUT YOUTH...</b>								
Smoking One or More Packs of Cigarettes Per Day	8.8	28.1	6.8	23.2	5.5	37.1	6.4	21.4
Trying Marijuana or Hashish Once or Twice	6.9	35.7	5.0	31.5	5.5	25.4	5.6	22.2
Using Marijuana or Hashish Once a Month or More	7.2	41.2	5.1	37.2	5.6	30.3	5.7	25.9
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	8.6	24.3	6.6	19.7	6.2	21.3	5.8	22.5

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011.

**Table 3.22A Past Month Use of Selected Substances, by Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Numbers in Thousands, 2011**

Feelings about Substance Use Behaviors <sup>1</sup>	SUBSTANCE USE IN THE PAST MONTH							
	Used Illicit Drugs <sup>2</sup>		Used Marijuana		Used Cigarettes		Binge Use of Alcohol <sup>3</sup>	
	Strongly/ Somewhat Disapprove	Neither Approve Nor Disapprove						
<b>YOUTH'S PERCEPTIONS OF CLOSE FRIENDS' FEELINGS ABOUT YOUTH...</b>								
Smoking One or More Packs of Cigarettes Per Day	1,734	738	1,304	630	1,118	768	1,256	565
Trying Marijuana or Hashish Once or Twice	894	1,574	527	1,403	750	1,131	778	1,041
Using Marijuana or Hashish Once a Month or More	887	1,587	520	1,416	761	1,125	787	1,037
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	1,575	898	1,164	771	1,088	795	1,043	783
<b>YOUTH'S FEELINGS ABOUT PEERS...</b>								
Smoking One or More Packs of Cigarettes Per Day	1,951	531	1,494	446	1,242	651	1,368	462
Trying Marijuana or Hashish Once or Twice	914	1,570	536	1,405	765	1,132	757	1,075
Using Marijuana or Hashish Once a Month or More	856	1,624	487	1,450	723	1,167	750	1,075
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	1,617	857	1,207	726	1,153	738	1,123	700

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011.

**Table 3.22B Past Month Use of Selected Substances, by Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Percentages, 2011**

Feelings about Substance Use Behaviors <sup>1</sup>	SUBSTANCE USE IN THE PAST MONTH							
	Used Illicit Drugs <sup>2</sup>		Used Marijuana		Used Cigarettes		Binge Use of Alcohol <sup>3</sup>	
	Strongly/ Somewhat Disapprove	Neither Approve Nor Disapprove						
<b>YOUTH'S PERCEPTIONS OF CLOSE FRIENDS' FEELINGS ABOUT YOUTH...</b>								
Smoking One or More Packs of Cigarettes Per Day	8.0	26.3	6.0	22.5	5.1	27.4	5.8	20.1
Trying Marijuana or Hashish Once or Twice	4.5	32.2	2.7	28.7	3.8	23.2	4.0	21.3
Using Marijuana or Hashish Once a Month or More	4.4	34.8	2.6	31.1	3.8	24.7	3.9	22.8
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	7.4	27.4	5.5	23.5	5.1	24.3	4.9	23.9
<b>YOUTH'S FEELINGS ABOUT PEERS...</b>								
Smoking One or More Packs of Cigarettes Per Day	8.7	23.9	6.7	20.0	5.5	29.3	6.1	20.8
Trying Marijuana or Hashish Once or Twice	4.6	31.9	2.7	28.6	3.9	23.0	3.8	21.8
Using Marijuana or Hashish Once a Month or More	4.3	33.5	2.5	29.9	3.7	24.1	3.8	22.2
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	7.4	29.3	5.6	24.8	5.3	25.2	5.2	23.9

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011.