

Table 3.2A Perceived Great Risk of Harm Associated with Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic/Geographic Characteristic	CIGARETTES		ALCOHOL			
	Smoke One or More Packs Per Day		Have Four or Five Drinks Nearly Every Day		Have Five or More Drinks Once or Twice a Week	
	2010	2011	2010	2011	2010	2011
TOTAL	15,706 ^b	16,327	15,584 ^a	15,973	9,717	10,026
AGE						
12-13	5,015	5,061	5,246	5,167	3,310	3,309
14-15	5,187	5,481	5,038 ^a	5,380	3,114 ^a	3,349
16-17	5,505	5,786	5,299	5,426	3,293	3,369
GENDER						
Male	7,529 ^b	7,886	7,315	7,372	4,498	4,608
Female	8,176 ^b	8,441	8,269 ^b	8,601	5,220	5,418
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	12,617	12,821	12,536	12,603	7,672	7,760
White	9,180	9,239	8,923	8,764	5,149	5,092
Black or African American	2,225	2,155	2,391	2,343	1,734	1,678
American Indian or Alaska Native	74	80	73	88	59	51
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	756	845	775	904	506	594
Two or More Races	348 ^a	448	335 ^b	460	200 ^b	311
Hispanic or Latino	3,089 ^b	3,507	3,047 ^b	3,370	2,045 ^b	2,266
COUNTY TYPE						
Large Metro	8,498	8,777	8,673	8,750	5,331	5,522
Small Metro	4,846 ^a	5,179	4,726	4,970	2,994	3,049
Nonmetro	2,362	2,371	2,185	2,252	1,392	1,455

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.2B Perceived Great Risk of Harm Associated with Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Percentages, 2010 and 2011

Demographic/Geographic Characteristic	CIGARETTES		ALCOHOL			
	Smoke One or More Packs Per Day		Have Four or Five Drinks Nearly Every Day		Have Five or More Drinks Once or Twice a Week	
	2010	2011	2010	2011	2010	2011
TOTAL	65.3	66.2	64.7	64.8	40.4	40.7
AGE						
12-13	64.7	65.4	67.6	66.9	42.8	42.9
14-15	65.2	65.5	63.3	64.2	39.1	40.0
16-17	65.9	67.6	63.4	63.5	39.4	39.4
GENDER						
Male	61.2	62.5	59.4	58.6	36.5	36.6
Female	69.6	70.0	70.3	71.3	44.5	44.9
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	65.7	66.3	65.2	65.2	39.9	40.2
White	65.7	67.0	63.8	63.6	36.9	37.0
Black or African American	63.8	62.4	68.4	67.8	49.7	48.6
American Indian or Alaska Native	58.2	59.4	56.1	65.4	45.4	38.5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	73.0	71.0	74.9	75.8	48.7	49.8
Two or More Races	66.5	63.0	64.1	65.0	38.2	43.6
Hispanic or Latino	63.9	65.9	63.0	63.4	42.3	42.7
COUNTY TYPE						
Large Metro	66.0	66.9	67.3	66.6	41.4	42.0
Small Metro	65.1	66.6	63.5	64.1	40.3	39.4
Nonmetro	63.3	63.0	58.5	59.9	37.3	38.8

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.3A Perceived Great Risk of Harm Associated with Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic/Geographic Characteristic	MARIJUANA				COCAINE			
	Smoke Once a Month		Smoke Once or Twice a Week		Use Once a Month		Use Once or Twice a Week	
	2010	2011	2010	2011	2010	2011	2010	2011
TOTAL	7,078 ^a	6,758	11,314 ^a	10,986	11,679	11,712	18,649 ^b	19,035
AGE								
12-13	2,982 ^a	2,756	4,651	4,417	3,166	2,988	5,457	5,466
14-15	2,259	2,227	3,721	3,688	3,808	3,913	6,199	6,494
16-17	1,838	1,775	2,942	2,881	4,705	4,811	6,993	7,076
GENDER								
Male	3,329 ^b	3,067	5,298 ^a	5,069	6,088	5,902	9,657	9,704
Female	3,750	3,691	6,016	5,917	5,591 ^a	5,809	8,992 ^b	9,332
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	5,675 ^a	5,365	9,234 ^b	8,751	9,479	9,358	15,194	15,211
White	4,068	3,842	6,958 ^a	6,529	6,786	6,597	11,255	11,139
Black or African American	1,031	910	1,345	1,215	1,872	1,772	2,546	2,470
American Indian or Alaska Native	35	32	60	54	68	63	98	100
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	370	380	620	657	478	503	826	879
Two or More Races	144	185	215	280	241 ^b	378	415 ^b	570
Hispanic or Latino	1,403	1,393	2,080	2,235	2,199	2,354	3,455 ^b	3,824
COUNTY TYPE								
Large Metro	3,632	3,476	5,854	5,670	6,187	6,280	9,930	10,118
Small Metro	2,197	2,082	3,509	3,447	3,641	3,625	5,784	5,970
Nonmetro	1,250	1,200	1,951	1,869	1,851	1,807	2,934	2,947

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.3B Perceived Great Risk of Harm Associated with Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Percentages, 2010 and 2011

Demographic/Geographic Characteristic	MARIJUANA				COCAINE			
	Smoke Once a Month		Smoke Once or Twice a Week		Use Once a Month		Use Once or Twice a Week	
	2010	2011	2010	2011	2010	2011	2010	2011
TOTAL	29.6 ^b	27.6	47.2 ^b	44.8	49.1	48.1	78.3	78.1
AGE								
12-13	39.0 ^b	36.0	60.6 ^b	57.6	41.6 ^a	39.2	71.4	71.7
14-15	28.5	26.7	46.9 ^a	44.3	48.4	47.3	78.6	78.4
16-17	22.1	20.8	35.2	33.7	56.9	56.9	84.4	83.6
GENDER								
Male	27.3 ^b	24.5	43.2 ^b	40.5	50.1 ^b	47.6	79.3	78.2
Female	32.1	30.7	51.4 ^a	49.2	48.1	48.6	77.3	78.0
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	29.7 ^b	27.9	48.2 ^b	45.5	49.9	49.0	79.8	79.5
White	29.3	28.1	50.0 ^b	47.7	49.1	48.5	81.3	81.8
Black or African American	29.6 ^a	26.3	38.6 ^a	35.2	54.2	51.5	73.7	72.0
American Indian or Alaska Native	27.3	23.9	46.3	40.1	52.6	46.5	75.8	73.9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	36.1	32.4	60.0	55.5	47.3	43.1	80.7 ^a	74.8
Two or More Races	27.6	26.2	41.1	39.6	46.4 ^a	54.1	79.9	81.3
Hispanic or Latino	29.2	26.4	43.2	42.2	46.0	44.9	72.3	72.9
COUNTY TYPE								
Large Metro	28.3	26.7	45.6 ^a	43.4	48.6	48.4	77.8	77.9
Small Metro	29.8 ^b	27.0	47.4 ^a	44.6	49.5 ^a	47.3	78.6	77.9
Nonmetro	33.8	32.0	52.5	49.8	50.4	48.6	79.5	79.2

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.4A Perceived Great Risk of Harm Associated with Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic/Geographic Characteristic	HEROIN				LSD			
	Try Once or Twice		Use Once or Twice a Week		Try Once or Twice		Use Once or Twice a Week	
	2010	2011	2010	2011	2010	2011	2010	2011
TOTAL	13,559	13,729	19,035 ^a	19,357	10,897	11,060	16,274 ^a	16,577
AGE								
12-13	3,514	3,404	5,320	5,238	3,028	2,929	4,604	4,552
14-15	4,421	4,543	6,369	6,630	3,517	3,671	5,433	5,625
16-17	5,624	5,782	7,347	7,489	4,352	4,460	6,236	6,400
GENDER								
Male	7,130	7,113	9,847	9,896	5,662	5,638	8,387	8,436
Female	6,429	6,616	9,188 ^b	9,461	5,235	5,423	7,887 ^b	8,141
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	10,789	10,759	15,424	15,420	8,704	8,677	13,268	13,206
White	7,658	7,600	11,478	11,297	6,190	6,103	9,973	9,726
Black or African American	2,164	2,034	2,551	2,503	1,782	1,678	2,127	2,109
American Indian or Alaska Native	77	66	98	92	63	66	88	80
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	561	578	838	892	407	475	689	766
Two or More Races	293 ^b	432	416 ^b	588	230 ^a	314	352 ^b	482
Hispanic or Latino	2,770 ^a	2,969	3,611 ^b	3,937	2,192 ^a	2,384	3,005 ^b	3,372
COUNTY TYPE								
Large Metro	7,349	7,425	10,109	10,333	5,709	5,884	8,546	8,788
Small Metro	4,168	4,241	5,970	6,096	3,416	3,432	5,073	5,230
Nonmetro	2,042	2,064	2,956	2,928	1,772	1,744	2,655	2,559

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.4B Perceived Great Risk of Harm Associated with Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Percentages, 2010 and 2011

Demographic/Geographic Characteristic	HEROIN				LSD			
	Try Once or Twice		Use Once or Twice a Week		Try Once or Twice		Use Once or Twice a Week	
	2010	2011	2010	2011	2010	2011	2010	2011
TOTAL	57.4	56.6	80.4	79.7	47.8	47.0	71.3	70.4
AGE								
12-13	46.8	45.1	70.6	69.3	42.6	40.7	64.5	63.1
14-15	56.4	55.1	81.1	80.3	46.5	45.9	71.9	70.4
16-17	68.1	68.3	88.8	88.4	53.6	53.6	76.7	76.8
GENDER								
Male	59.0	57.4	81.4 ^a	79.8	48.5	46.9	71.8 ^a	70.1
Female	55.8	55.7	79.5	79.6	47.1	47.2	70.8	70.8
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	57.2	56.5	81.6	80.9	47.8	47.1	72.8	71.5
White	55.8	56.0	83.4	83.2	46.6	46.4	74.9	73.8
Black or African American	63.3 ^a	59.5	74.5	73.2	54.2	50.9	64.9	64.0
American Indian or Alaska Native	60.0	49.9	76.3	69.2	50.4	51.3	70.4	62.5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	56.0	49.5	83.4 ^a	76.3	42.6	42.5	72.4	68.4
Two or More Races	56.9	62.0	80.6	84.3	46.8	47.0	71.0	71.8
Hispanic or Latino	58.3	56.8	75.9	75.4	47.7	46.8	65.4	66.4
COUNTY TYPE								
Large Metro	58.2	57.3	79.9	79.9	46.9	47.0	70.2	70.2
Small Metro	57.0	55.6	81.4	79.7	48.3	46.3	71.7	70.4
Nonmetro	55.8	55.9	80.4	79.0	49.8	48.6	74.4 ^a	71.3

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.